Vol. 86, Sect. 2, 1949

PROTOZOA

COMPILED BY

CECIL A. HOARE, D.Sc., F.R.S., and C. D. OVEY, B.Sc.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON SOLD AT THEIR HOUSE IN REGENT'S PARK LONDON, N.W.8.

PRICE SEVEN SHILLINGS AND SIXPENCE September, 1951

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

							8.	d.
1.	Comprehensive	Zoolog	y		••••		2	6
2.	Protozoa			****		****	7	6
3.	Porifera	****			****		2	0
4.	Coelenterata						4	0
5.	Echinoderma		****		·		2	6
6.	Vermes	••••	*	****			10	0
7.	Brachiopoda		••••			0,0 0.0	3	0
8.	Bryozoa	****	****	••••	****	****	2	0
9.	Mollusca	****	••••		••••	••••	10	0
10.	Crustacea	****		****	****	****	5	0
11.	Trilobita		****	••••	••••		3	0
12.	Arachnida			••••	****		7	6
*13.	Insecta		****	****	****		30	0
14.	Protochordata						2	0
15.	Pisces		****				7	0
16.	Amphibia and	Reptilia	a			****	7	6
17.	Aves						7	6
18.	Mammalia			****	****		7	6
19.	List of New Ge	nera an	d Subg	genera			3	0

^{*} Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

2. PROTOZOA

ARRANGED BY

CECIL A. HOARE, D.Sc., F.R.S. and C. D. OVEY, B.Sc.

CONTENTS

I. IIILES	***	***		***	***		4		
II. Subject Index:—									
General							58		
Structure							61		
Physiology	***						64		
Development							69		
Evolution and G	enetics	3					70		
Ecology							71		
Economics							77		
Distribution							83		
III. Systematic Index :—									
General		***					88		
1. Rhizopoda							88		
2. Mastigophora					***		104		
3. Sporozoa						***	107		
4. Ciliophora							108		

PAGE

FOREWORD

Papers dealing with Protozoa entirely from a medical or veterinary standpoint (clinical, therapeutic, etc.) are omitted, but notices of these will be found in *Tropical Diseases Bulletin* and *Veterinary Bulletin*.

I.—TITLES.

- 1.—Opinion 16. The status under rule (d) in Article 30, of a prebinomial specific name, published prior to 1758, in relation to a generic name published on, or before, 31st December 1930. Opinions & Declarations Intern. Comm. Zool. Nomencl., London 1 (25) 1947 pp. 255–304.
- 2.—Opinion 172. On the interpretation of Article 30 of the International code in relation to the designation, in abstracts and similar publications, of the types of genera, the names of which were published on, or before, 31st December 1930. Opinions & Declarations Intern. Comm. Zool. Nomencl., London 2 (42) 1946 pp. 471–482.
- 3.—Anon. Malaria—a momentous discovery. Discovery, Norwich 9 (5) 1948 p. 146.
- 4.—Anon. The nomenclature of disease 7th edn. H.M. Stat. Off.: London 1948 xiv+385 [Including Protozoa (pp. 20-24) and diseases caused by them.]
- **5.—Anon.** Tissue forms of the malaria parasite. Lancet, London **254** 1948 pp. 182–183.
- 6.—Anon. British Commonwealth collections of micro-organisms. Directory of collections of micro-organisms maintained in the United Kingdom and Crown Colonies. London No. 1 1949 27 pp. [including Protozoa].
- 7.—Anon. Laboratory animals Bureau. Catalogues of arthropods, helminths, molluses and protozoa of interest to medical and veterinary workers. London, Roy. Veterin. College 1949 25 pp. cyclostyled.

- 8.—Anon. L. Van Hooft. Acta tropica, Basle 6 1949 p. 289.
- 9.—Anon. Tsetses over Africa. [Trypanosomiasis.] Brit. med. J. i 1949 pp. 315–316.
- 10.—Anon. Toxoplasmosis. Brit. med. J. i 1949 p. 718.
- 11.—Anon. Drug-resistant try-panosomes. Brit. med. J. ii 1949 pp. 25–26.
- 12.—Anon. Freshlight on malaria. Brit. med. J. ii 1949 pp. 916-917.
- 13.—Anon. The pre-erythrocytic stages of *Plasmodium falciparum*. Brit. med. J. ii 1949 p. 1035.
- 14.—Anon. Charles Morley Wenyon, C.M.G., C.B.E., M.B., B.S., B.Sc., F.R.S. Guy's Hospital Gaz., London 63 (1578) 1949 p. 24.
- 15.—Anon. Errata [to J. Paleont. 22 (6) 1948 p. 778, new name for *Bolivina astoriensis* Rau]. J. Paleont., Menasha Wis. 23 (4) 1949 p. 441.
- 16.—Anon. The cyst-passer again. [Amoebiasis.] J. trop. Med., London 52 1949 pp. 23–24.
- 17.—Anon. Antrycide in the control of trypanosomiasis. Lancet, London 257 1949 pp. 108–109.
- 18.—Anon. Plate explanations of Rhumbler's "Plankton-Expedition". [Foraminifera.] The Micropaleont. N.Y. 3 (2) 1949 pp. 33-40.
- 19.—Anon. Sleeping sickness and nagana. Nature, London 163 1949 pp. 77–78.
- 20.—Anon. Dr. Joseph A. Cushman. [Obituary.] Verh. Ned. geol.-mijnb. Genootsc. n.s. 11 (10) 1949 p. 302.
 - Abalos, J. W. see Romaña, C.
- 21.—Abeele, D. van. Lepidocyclinae from Rembang (Java) with description of *L. wanneri* n. sp. K. ned. Akad. Wet., Amsterdam **52** (7) 1949 pp. 760–765 figs.

Abonnenc, E. see Floch, H. Accordi, B. see Morgante, S.

- 22.—Adams, A. R. D. & Seaton, D. R. Amoebiasis in England as a household disease. Brit. med. J. ii 1949 p. 136.
- 23.—Adams, A. R. D. & Seaton, D. R. Resistance to paludrine developed by a strain of *Plasmodium falciparum*. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 314–315.

Adams, A. R. D. see Seaton, D. R.

24.—Adams, F. H., Cooney, M., Adams, J. M. & Kablar, P. Experimental toxoplasmosis. Proc. Soc. exp. Biol. 70 1949 pp. 258-260.

Adams, G. see Brand, T. von.

Adams, J. M. see Adams, F. H.

Adamson, H. see Browning, C. H.

- 25.—Adler; S. Cutaneous leishmaniasis. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1119–1124.
- 26.—Agosin, M. & Badinez, O. Algunas caracteristicas de la infestación experimental con *T. cruzi* en el conejo. Bol. Informac. Parasitar. Chilen. 4 (2) 1949 pp. 6-7.

Agosin, M. see Pizzi, T.

- 27.—Alessandro, G. D., Oddo, F. & Smiraglia, C. Sulla fase di latenza nell' infezione da *P. gallinaceum.* Boll. Soc. ital. Biol. sper. 24 1948 pp. 1036–1038.
- 28.—Alexandrov, B. I. [On the method of measuring speed of movement in *Paramecium*.]. Zool. J., Moscow 27 (5) 1948 pp. 461–464 fig. [In Russian.]
- 29.—Alicata, J. E. Parasites and parasitic diseases of domestic animals in the Hawaiian Islands. Pacific Sci., Honolulu 1 (2) 1947 pp. 69–84.
- **30.**—Alimen, H. Présence de foraminifères dans la Meulière de Beauce. Bull. Soc. géol. Fr. (5) **17**, (7–9) 1947 [1948] pp. 445–452 figs.
- 31.—Allegre, C. F. Contributions to the life history of a gregarine parasitic in grasshoppers. Trans. Amer. micr. Soc. 67 1948 pp. 211–226 figs.
- 32.—Alliata, E. di Napoli. Esame micropaleontologico di campioni raccolti dal Prof. Marchesini nella

- zona del Monte Conero (Ancona). Giorn. geol. Bologna (2) **18** 1945-6 [1946] pp. 30-32.
- **33.**—Alliata, E di Napoli. News—Italy. [Foraminifera.] The Micropaleont., N.Y. **3** (4) 1949 pp. 8–12.
- Almeida, C. L. de see Cruz Ferreira, F. S. da.
- 34.—Alpatov, V. V. [On the prolonged survival of Paramecium caudatum without division.] Zool. J., Moscow 26 (2) 1947 pp. 169–170. [In Russian.]
- 35.—Alpatov, V. V. [Comparative thermal resistance of fresh water, brackish water and marine protozoa and crustacea.] C.R. Acad. Sci. U.S.S.R. (N.S.) 60 (6) 1949 pp. 1183-1185. [In Russian.]
- 36.—Anastopoulos, B. A preliminary note on routine culture methods for *Endamoeba histolytia*. Puerto Rico J. publ. Hlth. & trop. Med. 24 (3) 1948 pp. 240–245.
- 37.—Anderson, H. Quimioterapia de las enfermedades parasitarias. Bol. Ofic. Sanit. Panamer., Wash. D.C. 26, 1947 pp. 957–959.
- 38.—Andresen, N & Holter, H. The genera of amoebae. Science, Lancaster Pa. 110 1949 pp. 114-115,
- 39.—Andrews, E. A. Folliculinid life-cycle. J. Morph., Philadelphia 84 1949 pp. 401–409 figs.
- 40.—Andrews, E. A. Folliculina (Vorticella) ampulla (O. F. Mueller). Trans. Amer. micr. Soc., Menasha 68 (4) 1949 pp. 332–336 figs.
- 41.—Andrews, J. M. Present proportions of the malaria problem in the Nearctic Region. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 1 [1949] pp. 903–912 figs.

Anfinsen, C. B. see Ball, E. J. Anigstein, L. see Cross, J. B.

42.—Anigstein, R. Acclimatization of a marine free-living ciliate (Oxytrichidae) to lower osmotic pressure. Texas J. Sci. 1 (3) 1949 pp. 71–76 figs.

Armas, J. de see Vogelsang, E. G.

- 43.—Aru, L. La ricerca del parassita malarico mediante arricchimento. (Nota di tecnica.) Riv. Malariol., Rome 27 (1) 1948 pp. 47-52 figs. [English summary.]
- 44.—Asano, K. New Miocene foraminifera from Japan. J. Paleont.. Menasha Wis. 23 (4) 1949 pp. 423–430 figs.
- 45.—Asano, K. Foraminifera from the Asagi Formation (Tertiary) of Fukushima Prefecture, Japan. J. Paleont., Menasha Wis. 23 (5) 1949 pp. 473-478 figs.
- 46.—Ascoli, M. Exo-erythrocytic forms of malaria parasite. Brit. med. J. i 1949 p. 237.
- 47.—Awerinzew, S. Parasiten aus dem Blute von *Rana nutti*. Arch. Protistenk., Jena 1941 **95** pp. 15–21 figs.
- 48.—Ayzenberg, D. E., Brashnikova, N. E. & Shulga, P. L. [Breaks in the Lower Carboniferous succession in the Lemberg basin.] [Foraminifera.] C.R. Acad. Sci., Moscow, N.S. 69 (1) 1949 pp. 61-63. [In Russian.]
- 49.—Azzaroli, A. Alcune Alveoline dell'Eccene inferiore della Migiurtinia. Atti Soc. Toscana Sci. Nat. 55 Ser. A 1948 pp. 1-7 figs.
- 50.—Bach, F. W. Untersuchungen in Kriegs-, Friedens- und Nachkriegszeit über die Verbreitung parasitischer Darmprotozoen, insbesondere Entamoeba histolytica, unter der einheimischen Bevölkerung. Zbl. Bakt. (I. Orig.) Jena 153 1949 pp. 4–8. [With English summary.]
- 51.—Badcock, R. M. Studies in stream life in tributaries of the Welsh Dee. [Protozoa in general.] J. Animal Ecol. 18 (2) 1949 pp. 193–208.

Badinez, O. see Agosin, M.

- 52.—Bailey, W. S. & Williams, A. G. Balantidium infection in the dog. J. Amer. vet. med. Assoc. 115 1949 p. 238.
- 53.—Baker, E. G. & Schleichter, J. d'A. Temperature and population longevity in *Tetrahymena geleii*. Anat. Rec., Philadelphia 105 (3) 1949 p. 501.

- 54.—Balamuth, W. & Brent, M. M. Proof of direct action of an antibiotic on *Entamoeba histolytica*. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 pp. 23–24.
- 55.—Baldi, A. Sul reticolocitotropismo del *P. vivax*. Riv. Malariologia, Rome 28 1949 pp. 197–220. [With English summary.]
- **56.—Balech,** E. Étude de quelques espèces de *Peridinium*, souvent confondues. Hydrobiologia, Den Haag **1** (4) 1949 pp. 390-409 figs.

Baliff, L. see Ciuca, M.

- 57.—Ball, E. G., McKee, R. W., Anfinsen, C. B., Cruz, W. O. & Geiman, Q. M. Studies on malarial parasites.—IX. Chemical and metabolic changes during growth and multiplication in vivo and in vitro. J. biol. Chem., Baltimore 175 (2) 1948 pp. 547-571.
- 58.—Ball, G. H. Gregarines parasitic in Bermuda marine Crustaceans. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 pp. 41-42.
- 59.—Bamberger, J. W. & Martin, W. E. The effect of quinacrine hydrochloride on caecal coccidiosis of chickens. Proc. Indiana Acad. Sci. 56 1946 pp. 248–252.
- 60.—Bandy, O. L. Eocene and Oligocene foraminifera from Little Stave Creek, Clarke County, Alabama. Bull. Amer. Paleont., Ithaca 32 (131) 1949 pp. 30-236 figs.
- 61.—Bandy, O. L. Ontogenetic variation in *Eponides mexicanus* (Cushman). Bull. Geol. Soc. Amer. Washington D.C. 60 (12 pt. 2) 1949 pp. 1949.
- 62.—Bandy, O. L. New names for two species of foraminifera from Little Slave Creek, Clarke County, Alabama. J. Paleont., Menasha Wis. 23 (4) 1949 p. 440.
- 63.—Barbarin, V. V. & Solovjev, L. M. [Respiration in the infusorian Bursaria truncatella in conjugation and encystation.] C.R. Acad. Sci. U.S.S.R. (N.S.) 55 (7) 1947 pp. 677-680 figs. [In Russian.]

Barber, C. W. see Levine, P. P.

- 64.—Barnard, T. An abnormal chalk foraminifer. Proc. Geol. Ass., London 60 (4) 1949 pp. 284-287 figs.
- 65.—Bartenstein, H. Entwicklung der Gattung Lenticulina (Lenticulina) Lamarck 1804 mit ihren Unter-Gattungen. (For.) Senckenbergiana, Frankfurt 29 (1-6) 1948 pp. 41-65 figs.
- 66.—Bartenstein, H. Taxonomische Abgrenzung der Foraminiferen-Gattungen Palmula Lea, Flabellina Orbigny und Falsopalmula n.g. gleichzeitig eine Revision der JuraArten von "Flabellina." Senckenbergiana, Frankfurt 30 (4-6) 1949 pp. 119–137 figs.
- 67.—Bartenstein, H. Stratigraphische und ökologische Folgerungen aus dem Auftreten von Ostracodenund Foraminiferen im produktiven Ruhr-Oberkarbon. N. Jahrb. Min. Geol. Paläont., Stuttgart, Abt. B 1949 (1-3) pp. 60-64.
- 68.—Bartenstein, H. & Brand, E. New genera of foraminifera from the Lower Cretaceous of Germany and England. J. Paleont., Menasha Wis. 23 (6) 1949 pp. 669-672 figs.

Bartgis, I. L. see Reardon, L. V.

- 69.—Bass, C. C. Habitat of Endameba buccalis in lesions of periodontoclasia. Proc. Soc. exper. Biol. 66 1947 pp. 9–12 figs.
- 70.—Basu, B. C. Studies in arthropod transmission of surra. Proc. Indian Sci. Congr. 34 (3) 1948 p. 172.

Basu, P. C. see Jaswant Singh.

Basu, S. P. see Chakravarty, M.

- 71.—Battelli, C. Emoproteo ed emogregarine di alcuni rettili dell' Eritrea. Riv. Parassitol., Rome 10 1949 pp. 153–158 figs. [English summary.]
- 72.—Battelli, C. Richerche parassitologiche sui muridi di Asmara. Riv. Parassitol., Rome 10 1949 pp. 159–165. [English summary.]
- 73.—Batten, P. J. & DeGiusti, D. L. A gregarine parasite in the Amphipod, *Hyalella azteca*. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 31.

74.—Battey, M. H. The geology of the Tuakau-Mercer area, Auckland. [Foraminifera.] Trans. Proc. roy. Soc. N.Z. **77** (3) 1949 pp. 429-455 figs.

Band, C. A. see Chaix, P.

Baumann, H. see Schwetz, J.

- 75.—Baumeister, N. Die Dinoflagellaten der Kreise Pfarrkirchen und Eggenfelden (Gau Bayreuth).—I. Peridineen in Wiesenmulden. Arch. Protistenk., Jena 96 (3) 1943 pp. 325–343 figs.
- 76.—Baumeister, W. Die Dinoflagellaten der Kreise Pfarrkirchen und Eggenfelden (Gau Bayreuth).—II. Das Sumpfgebiet im Walde südlich Atasham. Arch. Protistenk., Jena 96 (3) 1943 pp. 344—364 figs.
- 77.—Baumeister, W. Eine neue Micterothrix-Art (Micterothrix rottalensis, sp. n.) aus schneewassergefüllten Wiesenmulden. Arch. Protistenk., Jena 96 (3) 1943 pp. 377–382 figs.
- 78.—Baumeister, W. Die Dinoflagellatenwelt zweier Rott-Tal-Kreise. Mikrokosmos, Stuttgart 38 (4) 1949 pp. 81–84 figs.; 38 (5) pp. 101–103 table.
- 79.—Baumeister, W. Kolkwitziella salebrosa Lindemann ist identisch mit Diplopsalis acuta (Apstein) Entz. Mikrokosmos, Stuttgart 38 (7) 1949 pp. 165–166 figs.

Bayles, A. see Thompson, P. E.

Beale, G. H. see Sonneborn, T. M.

- 80.—Beaver, P. C. & Deschamps, G. The viability of *E. histolytica* cysts in soil. Amer. J. trop. Med. 29 1949 pp. 189–191.
- 81.—Beaver, P. C. & Deschamps, G. The effect of acetic acid on the viability of *Endamoeba histolytica* cysts. Amer. J. trop. Med. 29 1949 pp. 193-197.
- 82.—Becker, E. R. Report on thirty-five drugs and three plant materials tested against *Plasmodium lophurae* in the Pekin duck. Iowa St. Coll. J. Sci. 23 (2) 1949 pp. 189–194.

- 83.—Becker, E. R., Brodine, C. E. & Clappison, B. L. The post-crisis in blood-induced *Plasmodium lophurae* infections in White Pekin ducks. Iowa St. Coll. J. Sci. 23 (3) 1949 pp. 237-247.
- 84.—Becker, E. R., Brodine, C. E., Marousek, A. A. & Byrd, D. A. Influence of normal and immune duck plasmas on chick infections of Plasmodium lophurae induced with parasites in duck erythrocytes. Iowa St. Coll. J. Sci. 23 (4) 1949 pp. 323-341.
- 85.—Becker, E. R., Marousek, A. A. & Brodine, C. E. Observations on Plasmodium lophurae infections in white Pekin ducklings transfused with duck and chick crythrocytes. J. National Malaria Soc., Columbia S.C. 8 (4) 1949 pp. 290–297.
- 86.—Becker, E. R., Marousek, A. A., Byrd, D. & Schwink, T. Further studies on the factor that spares erythrocytes from phagocytosis and its possible significance in malarial infection. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 24.

Becker, E. R. see Saul, L. A. Becker, R. B. see Uzzell, E. M.

- 87.—Beckman, H. Infectivity of sporozoites of *Plasmodium cathemerium* 3H2 exposed *in vitro* to hen and canary bloods. Proc. Soc. exp. Biol. 67 1948 pp. 172–176.
- 88.—Beckman, H. Influence of cells and plasma on *in vitro* survival of malaria sporozoites. Proc. Soc. exp. Biol. 72 1949 pp. 204–206.
- 89.—Beers, C. D. The ciliates of Strongylocentrotus dröbachiensis: incidence, distribution in the host, and division. Biol. Bull., Lancaster Pa. 94 1948 pp. 99-112 figs.
- 90.—Beets, C. On the occurrence of Biplanispira in the Uppermost Eocene (Kyet-U-Bok Band) of Burma. Geol. Mijnbouw, The Hague 11 (7) 1949 pp. 229–232 fig.
- 91.—Bell, W. B. & Threlkeld, W. L. Isospora laidlawi in mink. Cornell Vet. 38 1948 pp. 315–316.
- 92.—Bellen, R. C. van. News— The Near East. [Foraminifera.] The Micropaleont. N.Y. 3 (2) 1949 pp. 17–18.

- 93.—Beltran, E. Notas de historia protozoologica.—I. El descubrimiento de los sarcodarios y los trabajos de F. Dujardin. Rev. Soc. Mexicana Hist. nat. 9 (3-4) 1948 pp. 341-345.
- 94.—Beltran, E. Epidemiologia de las infecciones con *Endamoeba his*tolytica. Proc. 4th Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1056–1064.
- 95.—Beltran, E. & Pérez, R. Hallazgo de Schizotrypanum cruzi en una rata (Rattus norvegicus) en la Ciudad de Mexico. Rev. Inst. Salubr. Enferm. trop., Mexico 10 (3) 1949 pp. 235–238 fig. [English summary.]
- 96.—Beltran, E. & Villasana, L. Infectividad del plasma, filtrado y sin filtrar, en el paludismo aviario. Rev. Inst. Salubr. Enferm. trop., Mexico 10 1949 pp. 147–153. [English summary.]
- 97.—Bennison, B. E. & Coatney, G. R. Effects of X-irradiation on Plasmodium gallinaceum and Plasmodium lophurae infections in young chicks. J. National Malaria Soc., Columbia S.C. 8 1949 (4) pp. 280-289 figs.

Berberian, D. A. see Dennis, E. W.

- 98.—Bergmann, W. Comparative biochemical studies on the lipids of marine invertebrates, with special reference to the sterols. J. mar. Res., New Haven 8 (2) 1949 pp. 137–176 tables.
- 99.—Bermúdez, P. J. Tertiary smaller foraminifera of the Dominican Republic. Contr. Cushman Lab. Foraminif., Sharon Mass. Spec. Pub. No. 25 1949 pp. 1–322 figs.
- 100.—Bermúdez, P. J. Pavoninoides, a new genus of the Miliolidae from Panama. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (3) 1949 p. 58 fig.

Bermúdez, P. J. see Cushman, J. A. Beverley, A. W. see Finley, H. E.

101.—Bhatt, H. R. A note on a natural occurrence of sporozoites of *Plasmodium* in *Anopheles turkhudi* Liston. Indian J. Malariol. 3 1949 pp. 109-110.

102.—Bieda, F. Contribution à la connaissance des foraminifères du Flysch des Karpates polonaises. Ann. Soc. géol. Polon. 17 1947 [1948] pp. 195–222 figs. [In Polish with French résumé.]

Biguet, J. see Coutelen, F.

103.—Biocca, E. Osservazione sulla posizione sistematica del toxoplasma. Riv. Parassitol., Rome 10 (2) 1949 pp. 73–92. [English summary.]

104.—Biswal, G. Coccidiosis in buffalo calves. Indian vet. J. 25 1948 pp. 36–38.

105.—Black, R. H. Observations on the treatment of falciparum malaria. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 565–568 figs.

Black, R. H. see Tottey, M. M.

106.—Blanc, F. & Languillon, J. A propos des formes exo-érythrocytiques de l'hématozoaire de Laveran. Méd. trop., Marseille 9 (3) 1949 pp. 336-348 figs.

107.—Blanchard, K. C. Antimalarial drugs. Ann. Rev. Biochem., Palo Alto Cal. 16 1947 pp. 587-604.

Bliznick, A. see Brackett, S.

108.—Bogdanovitch, A. K. [On the microfauna in sediments of the river Fars (Northern Caucasus).] [Foraminifera.] C.R. Acad. Sci. U.S.S.R. (N.S.) 67 (4) 1949 pp. 715–716. [In Russian.]

Bonnel, D. see Lamy, L.

109.—Bonner, J. T. The demonstration of acrasin in the later stages of the development of the slime mold Dictyostelium discoideum. J. exp. Zool., Philadelphia 110 1949 pp. 259—271 figs.

110.—Boomgaart, L. Smaller Foraminifera from Bodjonegoro (Java). Utrecht 1949 175 pp. figs.

Bordas, E. see Downs, W. G.

- 111.—Bordiug, A. Immunisierungsversuche gegen Trypanosoma equiperdum. (Immunization experiments against Trypanosoma equiperdum.) Skand. Vet.-Tidskr., Uppsala 38 (7) 1948 pp. 371–378. [English summary.]
- 112.—Borrien, H. Sur la recherche du *Trichomonas vaginalis*. Ann. Biol. clin., Paris **6** 1948 pp. 530–531.

Borrotchin, M. see Pellegrino, J.

- 113.—Borutzkij, E. V. [Composition and formation of zooplancton in the Utchinsk reservoir.] Zool. J., Moscow 28 (1) 1949 pp. 71–78.
- 114.—Boschma, H. Sur les organelles d'absorption chez une espèce d'Amallocystis (Protozoa, Ellobiopsidae). Proc. K. Nederland. Akad. Wetensch. 51 (4) 1948 pp. 446–449 figs.

115.—Bovee, E. C. The use of the uroid as a taxonomic criterion for certain amebas. Anat. Rec., Philadelphia 105 (3) 1949 pp. 630-631.

116.—Bovee, E. C. Some observations concerning the morphology, locomotion, and rate of activity of *Trichamoeba osseosaccus* (Schaeffer). Anat. Rec., Philadelphia 105 (3) 1949 p. 631.

117.—Boventer, K. Ueber das Verhalten der Malariaparasiten im konservierten Blut. Z. Tropenmed. Parasitol., Stuttgart 1 (1) [1949] pp. 91–101.

118.—Boyd, M. F. & Coelho, R. D. A note on the apparent antagonism of a bacterial intoxication to a plasmodial infection. Amer. J. trop. Med. 29 1949 pp. 199–202.

119.—Brackett, S. & Bliznick, A. The effect of small doses of drugs on occyst production of infections with *Eimeria tenella*. Ann. N.Y. Acad. Sci. 1949 **52** (4) pp. 595–610.

Brancone, L. M. see Hewitt, R. I. Brand, E. see Bartenstein.

120.—Brand, T. von, Johnson, E. M. & Rees, C. W. Observations on the respiration of *Trypanosoma cruzi* in culture. J. gen. Physiol., Baltimore 30 (2) 1946 pp. 163–173 figs.

121.—Brand, T. von, Tobie, E. J., Kissling, R. E. & Adams, G. Physiological and pathological observations on four strains of *Trypanosoma cruzi*. J. inf. Dis., Chicago 85 (1949) pp. 5–16.

Brandt, M. C. see Waletzky, E.

Branham, S. E. see Stitt, E. R.

Brashnikova, N. E. see Ayzenberg, D.E.

Brent, M. M. see Balamuth, W. Breslin, D. see Rigdon, R. H.

122.—Brncic J., D. & Hoecker S., G. Accion del *Trypanosoma cruzi* sobre un sarcoma aviario trasmisible. Bol. Informac. Parasitar. Chilen. 4 (3) 1949 pp. 42-43.

Brncic J., D. see Knop K., K.

123.—Broderman, J. Presentacion de catalogo de foraminiferos de Cuba (fosiles y vivientes). Mem. Soc. cubana Hist. nat. 18 1946 pp. 1–2.

Brodine, C. E. see Becker, E. R.

- 124.—Brönniman, P. News—West Indies. [Foraminifera.] The Micropaleont., N.Y. 3 (1) 1949 pp. 4–5.
- 125.—Brönniman, P. Notes on the ecologic interpretation of fossil Globigerina cozes from the West Indies. The Micropaleont., N.Y. 3 (2) 1949 pp. 23-27.
- 126.—Brönniman, P. Pflanzenbewohnende tropische Foraminiferen nebst Beschreibung von *Cymbalopora tobagoensis* n. sp. Verh. naturf. Ges. Basel 60 1949 pp. 179–185 figs.
- 127.—Bronzini, E. Ricerche parassitologiche e biologiche sul materiale del Giardino Zoologico di Roma.

 I. Osservazioni parassitologiche su alcuni mammiferi di recente cattura ed importazione. Rend. Acc. Lincei (8) 6 (6) 1949 pp. 739–742 figs.
- 128.—Brooks, A. G. Leishmaniasis and the sandfly. Indian med. Gaz. 84 1949 pp. 224–227.
- 129.—Brotzen, F. News—Scandinavia. [Foraminifera.] The Micropaleont., N.Y. 3 (2) 1949 p. 16.
- 130.—Brotzen, F. Correction of genotype. [Reinholdella, foraminifera.] The Micropaleont., N.Y. 3 (2) 1949 p. 30.
- 131.—Brouardel, J. Étude de la durée de conjugaison chez l'*Urceolaria* patellae (Cuénot). C.R. Acad. Sci., Paris 229 1949 pp. 75–77.
- 132.—Broughton, N., Ogilvie, A. C. F. & Wylie, W. D. Diagnosis and treatment in latent amoebiasis. With special reference to cases presenting with pyrexia alone. J. trop. Med., London 52 1949 pp. 112–120.

- 133.—Brounst, G. Présence de *Plasmodium ovale* à Beyrouth (Liban). Bull. Soc. Path. exot., Paris 42 1949 pp. 257–259.
- 134.—Brown, C. H. A method of staining the cuticular lattice of *Paramecium*. Nature, London 164 (4179) 1949 pp. 968–969.
- 135.—Brown, M., Sinclair, R. G., Cronk, L. B., Clark, G. C. & Kuitunen-Ekbaum, E. Intestinal parasites of Eskimos on Southampton Island, Northwest Territories. Canad. J. publ. Hlth. 39 (11) 1948 pp. 451-454.
- 136.—Brown, R. W. & Lemke, R. W. Newly discovered outcrops of the Cannonball formation in North Dakota. [Foraminifera.] Science, Lancaster Pa. 107 (2789) 1948 pp. 624–625.

Browne, R. V. see Henson, F. R. S.

- 137.—Browning, C. H. Chemotherapy of *T. congolense* infections with phenanthridine compounds: biological aspects. Nature, London 163 1949 pp. 590-591.
- 138.—Browning, C. H., Calver, K. M. & Adamson, H. The chemotherapy of *Trypanosoma congolense* infection with phenanthridinium compounds etc. J. Path. Bact., London 60 1948 pp. 336-339.
- 139.—Browning, I. Relation between ion action and osmotic pressure on a ciliated protozoan. J. exp. Zool., Philadelphia 110 1949 pp. 441–460 figs.
- 140.—Brož, O. Die Herkunft der Zystenmembran von *Dermocystidium* ranae, Vest. Česk. zool. Společ. Prague 9 1944 pp. 16–25 figs.
- 141.—Brumpt, E. Précis de parasitologie. 6th ed. vol. I. Paris 1949 xii+1042 pp. figs. [Protozoa: pp. 89-574.]
- 142.—Brunelli, G., & Cannicci, G. Il lago di Massaciuccoli. [Protozoa.] Boll. Pesca Piscicolt. Idrobiol., Rome 18 1942 pp. 5-64 figs.
- 143.—Buck, M. Persistence of the parabasal body in a p-rosaniline resistant strain of *Trypanosoma* brucei. Proc. Soc. exp. Biol. 67 1948 pp. 77–79 fig.

- 144.—Bülbring, E., Lourie, E. M. & Pardoe, U. The presence of acetylcholine in *Trypanosoma rhodesiense* and its absence from *Plasmodium gallinaceum*. Brit. J. Pharmac. Chemotherapy 4 1949 pp. 290-294 figs.
- 145.—Büren, G. von. Der Burgäschisee. [Planktonic protozoa.] Mitt. naturf. Ges. Bern. N.F. 6 1949 pp. 1–83 figs.
- 146.—Bürgl, H. Zur Stratigraphie und Tektonik des oberösterreichischen Schliers. [Foraminifera.] Verh. geol. BundesAnst., Wien 1946 (10–12) [1949] pp. 123–163 tables.
 - Bulcke, M. A. van see Vincke, I. H.
- 147.—Bussolati, C. Alcune osservazioni su *Trichomonas caviae*Davaine, 1875. Riv. Parassitol.,
 Rome 10 1949 pp. 25–29 figs.
 [English summary.]
- 148.—Bustamante, M.E. Epidemiologia de la leishmaniasis en America. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1125–1131.
- 149.—Bychovskaja (Pavlovskaja), I. E. [Parasitic fauna of the perch, Perca fluviatilis L. and the influence of some ecological factors upon its changes.] Bull. Acad. Sci. U.S.S.R. (Biol.) 3 1949 pp. 316-339. [In Russian.]
- 150.—Bylmer, J. Tricercomonas intestinalis in the Netherlands. Doc. Neerland. Indones. Morbis trop., Amsterdam 1 (1) 1949 pp. 71-74 fig.

Byrd, C. L. see Young, V. M.

Byrd, D. A. see Becker, E. R.

Calver, K. M. see Browning, C. H.

Cambournac, F. J. C. see Fonseca, F.

Campea, R. see Stella, E.

Cannicci, G. see Brunelli, G.

- 151.—Cantrell, W. Antagonism of calcium pantothenate for the antimalarial effect of pantoyltaurylamide. J. Parasit., Lancaster 35 1949 pp. 219-220.
- 152.—Cantrell, W & Jordan, H. B. Relative susceptibility of Aedes aegypti, Aëdes albopictus, Aëdes canadensis and Anopheles quadri-

- maculatus to Plasmodium gallinaceum. J. inf. Dis., Chicago 85 1949 pp. 170–172.
- 153.—Caporale, G. Un metodo pratico per la dimostrazione del *Trichomonas foetus* Riedmüller 1928 nel maschio. Boll. Soc. Ital. Biol. sper. 20 (1-3) 1945 pp. 99-101.

Capponi, M. see Gallais, P.

- 154.—Carbajal, C. A. & Sacre, G. C. Denominacion de las enfermedades parasitarias. [Including protozoal diseases.] Medicina, Mexico 29 1949 pp. 377–379.
- 155.—Carini, A. & Reichenow, E. Entamoeba caudata n. sp. Z. Tropenmed. Parasitol., Stuttgart 1(1)[1949] pp. 102–105 figs.
- 156.—Carrera, G. M. & Changus, G. W. Demonstration of acid phosphatase in *Endamoeba histolytica*. Proc. Soc. exper. Biol. 68 1948 pp. 610–611 figs.
- 157.—Carrera, G. M. & Faust, E. C. Susceptibility of the guinea pig to Endamoeba histolytica of human origin. Amer. J. trop. Med. 29 1949 pp. 647-667 figs.
- 158.—Caruselli, M. Proposta di un nuovo terreno di arricchimento per la cultura dell'*Entamoeba his*tolytica dalle feci. Boll. Soc. ital. Biol. sper. 24 1948 p. 185.

Catanei, A. see Parrot, L.

Cèbe, J. see Galliard, H.

Chaffee, E. F. see Larsh, J. E.

Chain, V. E. see Tichomirov, U. V.

- 159.—Chaix, P. & Baud, C. A. Étude de la lyse de Glaucoma piriformis (Tetrahymena geleii) par l'acide linoléique et quelques autres acides gras. Arch. Sci. physiol., Paris 1 1947 pp. 3–9. [With English summary.]
- 160.—Chaix, P., Lacroix, L. & Fromageot, C. La toxicité des α-, β-, γ- et δ-hexachloro-cyclohexanes vis-λ-vis de Glaucoma piriformis (Tetrahymena geleii). Biochim. Biophys. Acta, N.Y. 2 1948 pp. 57-63. [With English summary.]

161.—Chakravarty, M. & Basu, S. P. Observations on some Myxosporidians in fishes, with an account of nuclear cycles in one of them. Proc. zool. Soc. Bengal 1 1948 pp. 23–33 figs.

10

- 162.—Chakravarty M. & Kar, A. B. Studies on the coccidia of Indian birds. Proc. Indian Sci. Congr. 32 (3) 1946 p. 97.
- 163.—Chakravarty, M. & Kar, A. B. Studies on haemosporidia from Indian birds. Proc. Indian Sci. Congr. 32 (3) 1946 p. 97.

Chang, I. C. see Hunter, G. W.

- 164.—Chang, S. L. Experimental physiology of amoebiasis. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1065–1074.
- 165.—Chang, S. L. Some epidemiological and biological problems in water-borne amoebiasis. Limnolog. Aspects of Water Supply & Waste Disposal (Amer. Ass. Adv. Sci.) 1949 pp. 16–32.

Changus, G. W. see Carrera, G. M.

- 166.—Chappuis, P. A. Eine neue subterrane Suctorie. Arch. Protistenk., Jena 97 1944 pp. 67-70 figs.
- 167.—Chatton, E. & Lwoff, A. Recherches sur les Ciliés Thigmotriches. Arch. Zool. exp. gén. 86 (4) 1949 [Protistologica CIV.] pp. 169-253 figs.

Chaudhuri, M. N. R. see Chaudhuri, R. N.

- 168.—Chaudhuri, R. M. & Chaudhuri, M. N. R. Falciparum infection refractory to paludrine. Indian J. Malariol. 3 1949 pp. 365–369.
- 169.—Cheissin, E. M. [New species of rabbit coccidium, Eimeria coecicola n.sp.] C. R. (Doklady) Acad. Sci., U.S.S.R. (N.S.) 55 (2) 1947 pp. 181–183 figs. [In Russian.]

Chelaresco, M. see Ciuca, M.

Chen, G. see Reilly, J.

Chen, K. K. see Henderson, F. G.

170.—Chen, T. T. Conjugation between double monsters and single animals in *Paramecium bursaria*. Proc. Nat. Acad. Sci. Wash. 35 (2) 1949 pp. 108-111.

- 171.—Chernin, E. & Sadun, E. H. Leucocytozoon simondi infections in domestic ducks in Northern Michigan with a note on Haemoproteus. Poultry Sci., Menasha 1949 28 pp. 890–893.
- 172.—Child, C. M. A further study of indicator patterns in ciliate protozoa. J. exp. zool., Philadelphia 111 1949 pp. 315–347 figs.

Christen, R. see Pizzi, T.

- 173.—Cita, M. B. Richerche stratigraphiche e micropaleontologiche sul Cretacico e sull'Eccene di Tignale (Lago di Garda). II. Paleontologia. [Foraminifera.] Riv. ital. Paleont. 54 (3) 1948 pp. 117–134 figs.
- 174.—Cita, M. B. Richerche stratigrafiche e micropaleontologiche sul Cretacico e sull-Eocene di Tignale (Lago di Garda). [Foraminifera.] Riv. ital. Paleont. 54 (4) 1948 pp. 143–169 figs.
- 175.—Ciuca, M., Baliff, L. & Chelaresco, M. Trials of causal prophylaxis of malaria with paludrine. Bull. World Hlth Organisation, Geneva 1 (2) 1948 pp. 297–300 figs.
- 176.—Giuca, M., Soflete, A., Constantinesco, P. & Teriteanu, N. Preliminary note on the therapy of malaria with paludrine in experimental infection by inoculation of infected blood. Bull. World Hlth Organisation, Geneva 1 (2) 1948 pp. 301–307.
- 177.—Cizancourt, M. de. Quelques nummulitidés nouveaux ou non encore signalés de l'Éocène de Cuba. Bull. Soc. géol. Fr. 5 (17) (7-9) 1947 [1948] pp. 513-522 figs.
- 178.—Cizancourt, M. de. News—France. [Foraminifera.] The Micropaleont., N.Y. 1949 3 (1) p. 9; 3 (4) pp. 7–8.
- 179.—Cizancourt, M. de. Bibliography. [Foraminifera.] The Micropaleont., N.Y. 3 (1) pp. 25–28.
- 180.—Cizancourt, M. de. & Frizzell, D. L. Ferayina in the Middle Eccene of Venezuela (Foraminifera, Rota-

liidae, Chapmanininae). J. Paleont., Menasha Wis. 23 (5) 1949 pp. 496– 497 figs.

Clappison, B. L. see Becker, E. R. Clark, G. C. see Brown, M.

181.—Clark, H. C. Equine trypanosomiasis—Murrina of Panama. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1342-1348.

182.—Clarke, C. H. D. Some records of blood parasites from Ontario birds. Canad. Field Nat. 60 1946 p. 34.

183.—Cleveland, L. R. Hormoneinduced sexual cycles of flagellates. I. Gametogenesis, fertilization, and meiosis in *Trichonympha*. J. Morph., Philadelphia 85 1949 pp. 197–295 figs.

184.—Cleveland, L. R. The whole life cycle of chromosomes and their coiling systems. [Holomastigotoides.] Trans. Amer. Phil. Soc. N.S. 39 (1) 1949 pp. 1–100 figs.

185.—Cloudsley-Thompson, J. L. The enemies of Myriapods. [Sporozoa.] Naturalist, London Oct.—Dec. 1949 pp. 137-141.

Clough, P. W. see Stitt, E. R.

186.—Coatney, G. R. Chemotherapy of malaria. Bull. Pan-Americ. Sanit. Bureau, Wash. D.C. 28 (1) 1949 pp. 27-37.

187.—Coatney, G. R. & Cooper, W. C. Recrudescence and relapse in vivax malaria. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 1 [1949] pp. 629-639 figs.

188.—Coatney, G. R., Greenberg, J., Cooper, W. C. & Trembley, H. L. The antimalarial activity of aureomycin against *Plasmodium gallinaceum* in the chick. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 25.

189.—Coatney, G. R., Greenberg, J., Cooper, W. C. & Trembley, H. L. Antimalarial activity of aureomycin against *Plasmodium gallinaceum* in the chick. Proc. Soc. exp. Biol. 72 1949 pp. 586-587.

Coatney, G. R. see Bennison, B. E. Coatney, G. R. see Cooper, W. C. Coatney, G. R. see Greenberg, J.

Coatney, G. R. see Rendtorff, R. C. Coatney, G. R. see Taylor, D. J.

Cochet, G. see Coutelen, F.

Coelho, R. D. see Boyd, M. F.

190.—Coggeshall, L. T., Rice, F. A. & Yount, E. H., jr. The cure of recurrent vivax malaria and status of immunity thereafter. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1 1948 [1949] pp. 749–755.

Coggeshall, L. T. see Yount, E. H.

191.—Cole, W. S. Upper Eccene larger foraminifera from the Panama Canal Zone. J. Paleont., Menasha Wis. 23 (3) 1949 pp. 267-275 figs.

Coleman, N. sec Haas, V. H.

192.—Colom, G. News—Spain and Portugal. [Foraminifera.] The Micropaleont. N.Y. 3 (4) 1949 pp. 12–13.

Conejos, M. see Romaña, C.

193.—Conrad, W. Matériaux pour la morphologie des *Synura* Ehrenberg. Bull. Mus. Hist. nat. Belg. 22 (11) 1946 pp. 1–12 figs [sep. pag.].

Constantinesco, P. see Ciuca, M.

Convit, J. see Mayer, M.

Cooney, M. see Adams, F. H.

194.—Cooper, W. C. Summary of antimalarial drugs. Publ. Hlth. Repts. 64 (23) 1949 pp. 717-732.

195.—Cooper, W. C., Coatney, G. R., Imboden, C. A., jr. & Jeffery, G. M. Aureomycin in experimental Chesson strain *vivax* malaria. Proc. Soc. exp. Biol. 72 1949 pp. 587–588.

196.—Cooper, W. C., Ruhe, D. S. & Coatney, G. R. Studies in human malaria. XVI. Results of massive subinoculation during latency from patients infected with St. Elizabeth strain vivax malaria. Amer. J. Hyg. 50 1949 pp. 189–193.

Cooper, W. C. see Coatney, G. R.

197.—Corliss, J. O. Comparative morphology of certain ciliates of the Colpidium — Glaucoma — Tetrahymena group. Anat. Rec., Philadelphia 105 (3) 1949 p. 548.

- 198.—Corradetti, A. Der schizogone Zyklus der Hämosporidien im Wirbeltier. Arch. Protistenk., Jena 96 1943 pp. 235–287 figs.
- 199.—Corradetti, A. Fondamenti di una classificazione degli emosporidi. Bull. Zool. Ital. 14 1943 pp. 49-56.
- 200.—Corradetti, A. Studi sulla patologia e immunologia comparate nelle infezioni da emosporidi. Riv. Parassitol., Rome 10 1949 pp. 129–141. [English summary.]
- 201.—Corticelli, B. Ricerche qualitative e quantitative sulla produzione di gas da coltura di *Trichomonas columbae*. Boll. Soc. ital. Biol. sper. 5 1949 pp. 425–426.
- 202.—Cosgrove, W. B. The problem of chemoautotrophy in *Chilomonas paramecium*. Anat. Rec., Philadelphia 105 (3) 1949 p. 547.
- 203.—Coudert, J. & Juttin, P. A propos des méthodes d'enrichissement des selles. [Intestinal Protozoa.] Bull. Soc. Path. exot., Paris 42 1949 pp. 111-114.
- 204.—Coulston, F. Excerythrocytic stages of *Plasmodium cynomolyi* in the *Macaca mulatta*. Proc. Soc. exp. Biol. 70 (2) 1949 pp. 360–364.
- 205.—Coutelen, F., Cochet, G. & Biguet, J. Fréquence du parasitisme à Giardia intestinalis chez les enfants agés de deux à six ans, de la région du Nord. Bull. Soc. Path. exot., Paris 42 1949 pp. 103–106.
- 206.—Covell, Sir G. A brief review of the history and development of anti-malarial drugs. Proc. Indian Sci. Congr. 34 (4) 1948 pp. 71–76.
- 207.—Covell, Sir G. Malaria problems in the Oriental and Australian Regions. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1 1948 [1949] pp. 932–939 fig.
- 208.—Covell, Sir G. Lagos strain of *Plasmodium falciparum* and paludrine. Trans. R. Soc. trop. Med. Hyg. 43 1947 p. 350.

- 209.—Covell, G., Nicol, W. D. Shute, P. G. & Maryon, M. "Paludrine" (proguanil) in prophylaxis and treatment of malarial infections caused by a West African strain of *P. falciparum*. Brit. med. J. 1949 pp. 88-91.
 - Covell, G. see Shortt, H. E.
- 210.—Crespin, I. Palaeontological review of the Holland's Landing bore, Gippsland. [Foraminifera.] J. min. Geol. Dept. Mines, Victoria 2 (4) 1941 pp. 252-256.
- 211.—Crespin, I. Some Permian foraminifera from eastern Australia. Proc. roy. soc. Queensl. 56 (3) 1945 pp. 23–30 figs.
- 212.—Crespin, I. Indo-Pacific influences in Australian Tertiary foraminiferal assemblages. Trans. roy. Soc. S. Aust. 72 (1) 1948 pp. 133-142 tables.
- 213.—Crespin, I. News—Australia. [Foraminifera.] The Micropaleont., N.Y. 3 (1) 1949 p. 18.

Cronk, L. B. see Brown, M.

Cros, R. see Gallais, P.

214.—Cross, J. B. & Anigstein, L. The inflammatory reaction to *Toxoplasma* in, the omentum and peritoneal fluid of the mouse. Amer. J. trop. Med. 29 1949 pp. 473–479 figs.

Cruz, W. O. see Ball, E. G.

215.—Cruz Ferreira, F. S. da, Pinto, A. R. & Almeida, C. L. de. Sobre o grau de infestação por tripanosomas das glossinas da Guiné Portuguesa. An. Inst. Med. trop., Lisbon 5 [1949] pp. 251–261. [English summary.]

Culwick, A. T. see Fairbairn, H. Culwick, A. T. see Ford, J.

- 216.—Curd, F. H. S. & Davey, D. G. "Antrycide": a new trypanocidal drug. Nature, London 163 1949 pp. 89-90.
- 217.—Cushman, J. A. News—The Cushman Laboratory. The Micropaleont., N.Y. 3 (1) 1949 p. 3.
- 218.—Cushman, J. A. Recent Belgian foraminifera. Mém. Inst. R. Sci. nat. Belg. no. 111 1949 pp. 1-59 figs.

- 219.—Cushman, J. A. The foraminiferal fauna of the Upper Cretaceous Arkadelphia Marl of Arkansas. Prof. Pap. U.S. Geol. Surv. 221-A 1949 pp. 1-19 figs.
- 220.—Cushman, J. A. & Bermudez, P. J. Some Cuban species of Globorotalia. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (2) 1949 pp. 26-45 figs.
- 221.—Cushman, J. A. & Glazewski, K. Upper Jurassic foraminifera from the Nizniow Limestone of Podole, Poland. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (1) 1949 pp. 1-11 figs.
- 222.—Cushman, J. A., Stewart, R. E. & Stewart, K. C. Upper Eocene foraminifers from the Toledo Formation, Toledo, Lincoln County, Oregon. Bull. Oregon Dept. Geol. Min. Indust. No. 36 (6) 1949 pp. 113-146 figs. bibl. p. 204.
- 223.—Cushman, J. A., Stewart, R. E. & Stewart, K. C. Quinault Pliocene foraminifera from Western Washington. Bull. Oregon Dept. Geol. Min. Indust. No. 36 (7) 1949 pp. 148–162 figs. map p. 116, bibl. p. 204.
- 224.—Cushman, J. A. & Stone, B. Foraminifera from the Eocene, Chacra Formation, of Peru. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (3) 1949 pp. 49-58 figs.
- 225.—Cushman, J. A. & Stone, B. Foraminifera from the Eocene, Verdun Formation, of Peru. Contr. Cushman Lab. Foraminif. Sharon Mass. 25 (4) 1949 pp. 73–84 figs.
- 226.—Cushman, J. A. & Todd, R. The genus Sphaeroidina and its species. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (1) 1949 pp. 11–21 figs.
- 227.—Cushman, J. A. & Todd, R. Species of the genera Allomorphina and Quadrimorphina. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (3) 1949 pp. 59-72 figs.
- 228.—Cushman, J. A. & Todd, R. Species of the genus *Chilostomella* and related genera. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (4) 1949 pp. 84–99 figs.

- 229.—Cuvillier, J. & Szakall, V. Foraminifères d'Aquitaine. Pt. 1. Toulouse 1949 112 pp. figs.
- 230.—Czosnowski, J. Obserwcje cytologiczne nad Euglena oxyuris Schmarda. [Cytological observations on Euglena oxyuris.] Spraw. Poznansk. Tow. Przyj. Nauk. 14 (1-2) 1947 pp. 91-92. [In Polish.]
- 231.—Czosnowski, J. O zakwicie neustonowym Chrysotilos tatrica n. sp. na Gubalówce pod Zakopanem. [Chrysotilos tatrica n. sp. from Carpathian ponds.] Spraw. Poznansk. Tow. Przyj. Nauk. 14 (1-2) 1947 pp. 92-94. [In Polish.]
- 232.—Dalling, T. Diseases of animals. [Trichomoniasis in cattle: pp. 20-21.] J. Roy. Agric. Soc. England 108 1947 p. 15.
- 233.—Dalling, T. Diseases of animals. [Coccidiosis in chickens: pp. 28-29.] J. Roy. Agric. Soc. England 109 1948 p. 13.
- 234.—Dam, A. ten. Observations sur le genre de foraminifères Karreria Rzehak 1891. Bull. Soc. géol. Fr. (5) 18 (4-5) 1948 pp. 285-288 figs.
- 235.—Dam, A. ten. Les espèces du genre *Epistomina* Terquem 1883. Rev. Inst. Français Pétrol. 3 (6) 1948 pp. 161–170 figs.
- 236.—Dam, A. ten. Review of "Foraminifera in the Gullmar Fjord and the Skagerak," by Hans Höglund. J. Paleont., Menasha Wis. 23 (2) 1949 p. 231.
- 237.—Dam, A. ten. News—North Africa. [Foraminifera.] The Micropaleont., N.Y. 3 (1) 1949 p. 15.
- 238.—Dam, A. ten & Magné, J. Les espèces du genre de foraminifères Globorotalites Brotzen. Rev. Inst. Français Pétrol. 3 (8) 1948 pp. 222–228 figs.
- 239.—Dam, A. ten & Sigal, J. Sur une espèce nouvelle du genre de foraminifères Biglobigerinella Lalicker 1948. C. R. Sèances Soc. gèol. Fr. 11 1949 pp. 234–235 figs.

- 240.—D'Antoni, J. S. The pattern of the literature of amebiasis: 1932–1947. A commentary on trends. Amer. J. trop. Med. 29 1949 pp. 269–293 figs.
- 241.—Das, S. M. British folliculinidae (Ciliata, Heterotricha). Nature, London 162 (4118) 1948 p. 534.
- 242.—Das, S. M. British Folliculinidae (Ciliata, Heterotricha). J. Mar. biol. Ass., Plymouth 28 1949 pp. 381–393 figs.

Davel, J. see Winsser, J.

Davey, D. G. see Curd, F. H. S.

David, A. see Jaswant Singh.

243.—Davies, L. M. Ranikothalia in East and West Indies. Geol. Mag., London 86 (2) 1949 pp. 113-16.

Davis, A. B. see Laird, R. L.

Davis, D. J. see Sullivan, T. D.

- 244.—Decloitre, L. Faune rhizopodique des marécages de M'Baonar. Feuille Nat. Paris N.S. 4 (2-4) 1949 pp. 32-36.
- 245.—Decourt, P Les stades exoérythrocytaires du *Plasmodium*: la forme pré-schizontique (protozoite) et la phase post-schizontique. Leurs rapports avec l'immunité. Bull. Soc. Path. exot., Paris 42 1949 pp. 452–456.

Decourt, P. see Schneider, J.

- 246.—Defiandre, G. Les soi-disant radiolaires du Précambrien de Bretagne et la question de l'existence de radiolaires embryonnaires fossiles. Bull. Soc. zool. Fr. 74 1949 pp. 351-352.
- 247.—Defiandre, G. Nothyocha nov. gen., Silicoflagellidé d'un type nouveau et aberrant, d'allure radiolarienne. C. R. Acad. Sci., Paris 229 1949 pp. 673–674 figs.

DeGiusti, D. L. see Batten, P. J. Delaplane, J. P. see Levine, P. P.

248.—Delappe, I. P. The effect of penicillin on the P strain of Entamoeba histolytica and associated bacterial flora, in vitro. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 pp. 33–34.

- 249.—Delpy, L. P. Recherches effectuées en Iran sur *Theileria annulata* Dschunkowsky et Luhz, et sa transmission dans les conditions naturelles et expérimentales. Bull. Soc. Path. exot., Paris 42 1949 pp. 285–294.
- 250.—Demanet, F. Contribution à l'étude de la microfauna marine du Westphalien de la Campine. [Endothyra bowmani, pp. 2-3.] Bull. Inst. R. Sci. nat. Belg. 25 (37) 1949 pp. 1-10 figs.
- 251.—Dennis, E. W., Berberian, D. A. & Hansen, S. S. Amoebicidal activity of bismuthoxy p-n-glycolylarsanilate and 7-iodo-4 (1-methyl-4-diethylaminobutylamino) quinoline diphosphate. Amer. J. trop. Med. 29 1949 pp. 683–689.
- 252.—Deom, J. La méthode du réveil provoqué dans le diagnostic des trypanosomiases bovines au Congo Belge. Communication préliminaire. Ann. Soc. Belge Méd. trop. 29 1949 pp. 1–7.

Deschamps, G. see Beaver, P. C.

- 253.—Deschiens, R. Considérations relatives à l'amibiase. Bull. Soc. Path. exot., Paris 42 1949 pp. 83-84.
- 254.—Deschiens, R. & Pick, F. Action de certains antagonistes de l'acide pantothénique sur le paludisme aviaire à *Plasmodium gallinaceum*, C. R. Soc. Biol., Paris 143 1949 pp. 662-664.
- 255.—Dias, E. Importancia continental da doença de Chagas. Brasil-Medico 62 (23-24) 1948 pp. 217-219.
- 256.—Dias, E. & Laranja, F. S. Chagas' disease and its control. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1159-1167.
- 257.—Diaz Ungria, C. Manual de parasitologia de los animales domesticos. [Including Protozoa.] Madrid 1947 523 pp. figs.
- 258.—Dickinson, E. M. Sulfonamides in the control of protozoan infection in poultry. J. Amer. Vet. Med. Assoc. 115 1949 pp. 42-45.

Dietzler, A. J. see Johnson, J. E.

- 259.—Dikmans, G. Anaplasmosis. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1404-1409.
- 260.—Diller, W. F. An extra postzygotic nuclear division in Paramecium caudatum. Anat. Rec., Philadelphia 105 (3) 1949 pp. 542–543.
- 261.—Diller, W. F. An abbreviated conjugation process in *Paramecium trichium*. Biol. Bull., Woods Hole 97 1949 pp. 331–343 figs.
- 262.—Docker, T. M. Bovine trichomoniasis. Its diagnosis and control in New Zealand herds. Austral. vet. J. 24 (8) 1948 pp. 226–234.
- 263.—Dogiel, V. A. [Significance of parasitological data for the solution of zoogeographical questions.] Zool. J., Moscow 26 (6) 1947 pp. 481-492 figs. [In Russian.]
- 264.—Dollfus, R. P. Comparaison entre la faune des parasites animaux de la morue et du hareng dans le domaine atlanto-arctique et mers tributaires. Sciences, Paris 75 (60) 1948 pp. 484–485.

Dominguez, E. see Pifano, C. F.

- 265.—Donatien, A., Gayot, G. & Rampon, L. Remarques sur la fréquence annuelle et saisonnière, le traitement et la prophylaxie des piroplasmoses bovines en Algérie. Arch. Inst. Pasteur Algérie 27 1949 pp. 131–133.
- 266.—Dons, C. On some marine sedentary protozoans from Tristan da Cunha. Res. Norw. Scient. Exped. Tristan da Cunha 1937–8, Oslo No. 16 1948 pp. 1–16 figs.
- 267.—Doran, D. J. & Jahn, T. L. Observations on Eimeria mohavensis sp. nov. from the Kangaroo rat Dipodomys mohavensis. Anat. Rec., Philadelphia 105 (3) 1949 pp. 631-632.
- 268.—Downs, W. G. & Bordas, E. A malaria survey of the Southern Territory of Lower California. Amer. J. trop. Med. 29 1949 pp. 695-699.
- **269.—Downs**, W. G. & **Bordas**, E. Hallazgo de *Anopheles aztecus* Hoffmann naturalmente infectado con

- Plasmodium en la zona de Xochimilco, D.F. Rev. Inst. Salubr. Enferm. trop., Mexico 10 1949 pp. 321-325. [English summary.]
- 270.—Dragesco, J. Sur la biologie du Zoothamnium pelagicum (Du Plessis). Bull. Soc. zool. Fr. 73 1949 pp. 130–134 figs.
- 271.—Dragesco, J. & Métain, C. La capture des proies chez Dileptus gigas. Bull. Soc. zool. Fr. 73 1948 pp. 62-65.
- 272.—Drechsler, C. Three Zoöpagaceae that subsist by capturing soil amoebae. Mycologia, Lancaster Pa. 40 (1) 1948 pp. 85–105 figs.

Drinnon, V. P. see Dubin, I. N. Drinnon, V. P. see Laird, R. L.

- 273.—Dschunkowsky, E. Limite septentrionale de l'aire de dispersion, en Europe, en Proche-Orient et en Moyen-Orient des Théilerioses du groupe Theileria annulata, considérées comme maladies différentes de la fièvre littorale Africaine. C. R. Acad. Sci., Paris 226 1948 pp. 1554—1556.
- 274.—Dubin, I. N. A search for exoerythrocytic forms in human malaria by means of tissue cultures of bone marrow. J. nation. Malaria Soc., Columbia S.C. 7 (4) 1948 pp. 330-332.
- 275.—Dubin, I. N., Laird, R. L. & Drinnon, V. P. The development of sporozoites of Plasmodium gallinaceum into cryptozoites in tissue culture. J. nation. Malaria Soc., Columbia S.C. 8 (3) 1949 pp. 175–180 figs.
- 276.—Dubinin, V. B. [Influence of the salinity of the river Maly Uzen on the parasitic fauna of its fishes.] Zool. J., Moscow 27 (4) 1948 pp. 335–342. [In Russian.]

Ducornet, J. see Fauré-Fremiet, E.

- 277.—Dumbleton, L. J. Diplocystis oxycani n. sp.—A gregarine parasite of Oxycanus cervinatus Walk. Trans. Proc. roy. Soc. N.Z. 77 (4) 1949 pp. 530–532 figs.
- 278.—Dunand, G. Au sujet du genre Gypsina (Foraminifère). Bull. Mus. Hist. nat. Paris (2) 21 (2) 1949 pp. 308-310 figs.

279.—Dunlap, J. S., Hawkins, P. A. & Nelson, R. H. Studies of sheep parasites. IX. The development of naturally-acquired coccidial infections in lambs. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 505–511.

Dunn, M. S. see Rockland, L. B.

- 280.—Durand, S. Yprésien fossilifère et Lutétien aux environs de Port-Louis (Morbihan). [Nummulites.] C. R. Acad. Sci., Paris 229 (3) 1949 pp. 230–232.
- 281.—Dusenbury, A. N. News—Venezuela. [Foraminifera.] The Micropaleont., N.Y. 3 (2) 1949 pp. 6-8
- 282.—Dusi, H. La culture et le pouvoir de synthèse d'*Euglena anabaena* var. *minor* Mainx. Ann. Inst. Pasteur, Paris 66 1941 pp. 159–168.
- 283.—Dusi, H. Le pouvoir de synthèse d'*Euglena viridis*. Ann. Inst. Pasteur, Paris 70 1944 pp. 311– 312.

Dusi, H. see Lwoff, A.

284.—Dzvelaja, M. F. [Relation between the Tarchan and Kotzachur beds in Georgia, Caucasus.] [Foraminifera.] C. R. Acad. Sci. U.S.S.R. (N.S.) 66 (5) 1949 pp. 913-914. [In Russian.]

Edeson, J. F. B. see Field, J. W.

- 285.—Edney, J. M. Haemogregarina stepanowi Danilewsky (1885) in middle Tennessee turtles. J. Tenn. Acad. Sci. 24 3 1949 pp. 220–222 figs.
- 286.—Eichenwald, H. Experimental toxoplasmosis. II. Effect of sulfadiazine and antiserum on congenital toxoplasmosis in mice. Proc. Soc. exp. Biol. 71 1949 pp. 45–49.

Ejnor, O. L. see Miklucho-Maklaj, A. D.

- 287.—Elliott, A. M. A photoelectric colorimeter for protozoan population densities. Trans. Amer. micr. Soc. 68 1949 pp. 228-233.
- 288.—Elliott, E. A. M. Growth factor requirements of *Tetrahymena geleii*. Anat. Rec., Philadelphia 105 (3) 1949 p. 527.

- 289.—Elliott, E. A. M. & Hogg, J. F. Comparative amino acid metabolism of *Tetrahymena geleii*. Anat. Rec., Philadelphia 105 (3) 1949 p. 528.
- 290.—Ellis, B. F. A new mounting device. [Foraminifera.] The Micropaleont., N.Y. 3 (1) 1949 pp. 23–25 figs.
- 291.—Ellis, B. F. Models of foraminifera. The Micropaleont., N.Y. 3 (4) 1949 pp. 22-23 figs.

Elms, M. A. see Goldich, S. S.

292.—Elsdon-Dew, R. Endemic fulminating amebic dysentery. Amer. J. trop. Med. 29 1949 pp. 337-340.

Elst, P. van der see Winsser, J.

293.—Emiliani, C. Studio micropaleontologico di una serie Calabriana. [Foraminifera.] Riv. ital. Paleont. 55 (1) 1949 pp. 1-17 figs.

Ercole, Q. N. see Mackerras, M. J.

- 294.—Everritt, M. G. Studies on encystation of *Endamoeba histolytica*. I. Size of inoculum, rate of multiplication and density of population compared to degree of encystation. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 33.
- 295.—Everitt, M. G. Studies on encystation of *Endamoeba histolytica*. II. Influence of density of population vs. rate of multiplication on encystation. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 33.
- 296.—Eyles, D. E. & Jeffery, G. M. The experimental transmission of Plasmodium falciparum by Anopheles albimanus. J. National Malaria Soc., Columbia S.C. 8 (4) 1949 pp. 344-345.

Eyles, D. E. see Young, M. D.

- 297.—Fairbairn, H. & Culwick, A. T. The differentiation of the polymorphic trypanosomes. Ann. trop. Med. Parasit., L'pool 43 1949 pp. 90-95.
- 298.—Fairley, N. H. Malaria with special reference to certain experimental, clinical and chemotherapeutic investigations. Brit. med. J. ii 1949 pp. 825–830, 891–897.

299.—Fairley, N. H. The efficacy of paludrine (proguanil) as a therapeutic agent. (West African and New Guinea strains of *Plasmodium falciparum*.) Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 623–626.

Fairley, N. H. see Shortt, H. E.

- 300.—Farr, M. M. & Wehr, E. E. Survival of Eimeria acervulina, E. tenella, and E. maxima occysts on soil under various field conditions. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 468-472.
- 301.—Farr, M. M., Wehr, E. E. & Jaquette, D. S. An outbreak of Hexamitiasis in turkeys in Virginia. Proc. helminth. Soc., Washington 15 1948 p. 42.
- 302.—Fauré-Fremiet, E. Podophrya parasitica nov. sp. Bull. biol-France-Belg. 79 1945 pp. 85-97 figs-
- 303.—Fauré-Fremiet, E. Un cas d'association entre cilié et tentaculifère epizoiques. An. Acad. Brasil. Cienc. 20 (2) 1948 pp. 117–123 figs.
- 304.—Fauré-Fremiet, E. Doublets homopolaires et régulation morphogénétique chez le cilié *Leucophrys patula*. Arch. Anat. micr. Morph. expér., Paris 37 (3) 1948 pp. 183–203 figs.
- 305.—Fauré-Fremiet, E. The ecology of some infusorian communities in intertidal pools. J. Animal Ecol. 17 1948 pp. 127–130 figs.
- 306.—Fauré-Fremiet, E. Deux espèces de *Vorticella* commensales des *Conochilus*. Hydrobiologia, Den Haag 1 (2) 1949 pp. 126–132 figs.
- 307.—Fauré-Fremiet, E. & Mugard, H. Le dimorphisme de Espejoia mucicola. Hydrobiologia, Den Haag 1 (4) 1949 pp. 379–389 figs.
- 308.—Fauré-Fremiet, E., Stolkowski, J. & Ducornet, J. Étude expérimentale de la calcification tégumentaire chez un infusoire cilié Coleps hirtus. Biochem. Biophys. Acta, N.Y. 2 1948 pp. 668–673 figs. [With English summary.]
- 309.—Fauré-Fremiet, E. & Thaureaux, J. Protéines de structure et cytosquelette chez les Urcéolarides. Bull. biol. France-Belg. 78 1944 pp. 143-156 figs.

- 310.—Faust, E. C. The etiologic agent of Chagas' disease in the United States. Bol. Offic. Sanit. Panameric. 28 (5) 1949 pp. 455-461.
- 311.—Faust, E. C. Reflections of a medical parasitologist. J. Parasit., Lancaster 35 1949 pp. 1-7.
- 312.—Faust, E. C. & Hemphill, F. M. Malaria mortality and morbidity in the United States for the year 1946. J. nation. Malaria Soc., Columbia S.C. 7 1948 pp. 285-292.

Faust, E. C. see Carrera, G. M.

Faust, E. C. see Fuller, F. W.

Feigelson, P. see Manwell, R. D.

Felsenfeld, O. see Ishihara, S. J.

Felsenfeld, O. see Young, V. M.

- 313.—Fernandez-Galiano, D. Los cilios táctiles de Nyctotherus cordiformis (Ehrenberg). Bol. Soc. Españ. Hist. nat. 46 1948 pp. 219-230 figs.
- 314.—Fernandez-Galiano, D. Sobre el aparato neuromotor y otras estructuras protoplasmaticas de Ophryoscolex purkinjei Stein. Trab. Inst. Cienc. nat. (Biol.) Madrid 2 (3) 1949 pp. 253-302 figs. [In Spanish.]
- 315.—Feugueur, L. Observations sur le Bartonien de la région d'Osny et Puiseux (Feuille Paris No. 48 NO). [Foraminifera.] Bull. Mus. Hist. nat., Paris (2) 20 1948 pp. 430-434.
- 316.—Feugueur, L. Sur l'Éocène inférieur au N.-O. du bassin de Paris et aux environs de Dieppe. [Foraminifera.] Bull. Mus. Hist. nat., Paris (2) 21 (2) 1949 pp. 321–332.
- 317.—Field, J. W. Blood examination and prognosis in acute falciparum malaria. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 33-48 figs.
- 318.—Field, J. W. The morphology of malaria parasites in thick blood films. Part V. The form and distribution of pigment. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 45–56 figs.
- 319.—Field, J. W. & Edeson, J. F. B. A note on presumed exoerythrocytic development of *Plasmodium vassali* in the liver of the Malayan squirrel. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 569-572 figs.

320.—Field, J. W. & Edeson, J. F. B. Paludrine resistant falciparum malaria. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 233-236 figs.

18

- 321.—Fiennes, R. N. T.-W. Treatment experiments with *Trypanosoma vivax* (Ziemann) disease of cattle. Vet. Rec., London **60** (32) 1948 pp. 392–393.
- 322.—Fieser, L. F. & Heymann, H. Naphthoquinone antimalarials. XXII. Relative antirespiratory activities (*Plasmodium lophurae*). J. biol. Chem., Baltimore 176 (3) 1948 pp. 1363–1370 figs.

Fieser, L. F. see Heymann, H.

- 323.—Filipponi, A. Gregarina dimorpha n. sp. parassita di Chlaenius vestitus Payk con osservazioni sulla su variabilita e sul suo dimorfismo sessuale. Rend. Accad. Lincei (8) 2 1947 pp. 856–864 figs.
- 324.—Filipponi, A. Gigaductus macrospora n. sp. Revisione del genere Gigaductus. Istituzione della nuova famiglia Gigaductidae (Gregarinida). Arch. zool. Ital. 33 1948 pp. 293–331 figs. [Italian with English summary.]
- 325.—Filipponi, A. Studi sugli Stylocephalidae (Sporozoa). I. Due nuovi Stilocefalidi parassiti di *Blaps* gigas L. Riv. Parassitol., Rome 10 1949 pp. 205–229 figs. [English summary.]
- 326.—Filipponi, A. Gregarine policistidee parassite di *Laemostenus algerinus* con considerazioni sulla nomenclatura nelle gregarine. Riv. Parassitol., Rome 10 1949 pp. 245—263. figs. [English summary.]

Fincher, E. L. see Redmond, W. B.

- 327.—F.[indlay], G. M. Lucien van Hoof, M.D. Brit. med. J. i 1949 pp. 34–35.
- 328.—Finley, H. E. & Beverley, A. W. On binary fission in *Spirostomum ambiguum*. Anat. Rec., Philadelphia 105 (3) 1949 p. 542.
- 329.—Finley, H. E. & Tracey, K. A. The effect of allyl isothiocyanate upon oxygen consumption and carbon dioxide output of *Spirostomum ambiguum*. Anat. Rec., Philadelphia 105 (3) 1949 p. 502,

- 330.—Finley, H. E. & Wanza, J. W. Effects of allyl isothiocyanate upon Spirostomum ambiguum. Trans. Amer. micr. Soc., Menasha 68 (2) 1949 pp. 110–117 figs.
- 331.—Finley, H. E. & Wise, H. A. Encystment studies on *Spirostomum ambiguum*. Anat. Rec., Philadelphia 105 (3) 1949 pp. 502-503.

Finley, H. E. see Shirley, E. S.

332.—Finol, D. B. Contribución al estudio de las enfermedades protozoarias naturales y experimentales de los bovinos en Venezuela. Rev. Med. vet. parasit., Caracas 6 1947 pp. 81-97.

Flick, E. W. see Seshacher, B. R.

- 333.—Floch, H. & Abonnenc, E Sur l'identification de *Trypanosoma conorrhini* (Donovan 1909); sa présence en Guyane Française. Bull. Soc. Path. exot., Paris 42 1949 pp. 221-229 figs.
- 334.—Floch, H. & Abonnenc, E. Sur une nouvelle trypanosomiase humaine américaine. Bull. Soc. Path. exot., Paris 42 1949 pp. 394—400.
- 335.—Floch, H. & Abonnenc, E. Sur un trypanosome et un schizotrypanosome de singe évoluant chez les Triatomidés et inoculables aux animaux de laboratoire; leurs rapports avec *T. rangeli* Tejera 1920. Pub. Inst. Pasteur Guyane No. 187 1949 pp. 1–11 figs.
- 336.—Floch, H. & Abonnenc, E. Trypanosomes des mammifères sylvestres, autres que S. cruzi, en Guyane française. Pub. Inst. Pasteur Guyane 1949 No. 193 pp. 1-14 figs.
- 337.—Floch, H. & Abonnenc, E. Sur la nouvelle trypanosomiase humaine américaine. Pub. Inst. Pasteur Guyane 1949 No. 194 pp. 1-6.
- 338.—Florent, A. Essai de quelques antiseptiques sur *Trichomonas foetus*. Parasitica Gembloux 3 1947 pp. 116–125.
- 339.—Florent, A. Méthode de culture de *Trichomonas bovis* sur milieu solide. C.R. Soc. Biol., Paris 142 1948 pp. 405–406.

Fogg, V. H. see Tomlinson, T. H. Foley, M. T. see Metz, C. B.

- 340.—Fonseca, F., Cambournac, F. J. C. & Pinto, M. R. Astrac du sérum d'individus en prémunition paludéenne sur l'infection sporozoitique du Pl. vivax. Arch. Portug. Sci. biol. [1948] 9 Suppl. pp. 105-106.
- 341.—Fonseca, P., Cambournac, F. J. C. & Pinto, M. R. A tion de la mépacrine et de l'association de la mépacrine et du sérum de convalescent sur l'infection sporozoitique du Pl. vivaz. Arch. Portug. Sei. biol. [1948] 9 Suppl. pp. 107-108.
- 342.—Fonseca, R. C. La incidencia de la *E. histolytica* en Cuba. (Incidence of *Endamoeba histolytica* in Cuba.) Bol. ofic. Sanit. Panamer., Wash. D.C. 26 1947 pp. 943–953. [English summary.]
- 343.—Ford, J., Whiteside, E. F. & Culwick, A. T. The trypanosomiasis problem. E. Afric. agric. J. 13 1948 pp. 187-194.

Fort, M. see Schwetz, J.

- 344.—Foster, A. O. The economic losses due to coecidiosis. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 434–442.
- 345.—Fott, B. Neue farblose Fiagellaten. Arch. Protistenk., Jena 93 (3) 1940 pp. 350-354 figs.

Fradkin, R. see Schmidt, L. H.

- 346. -Fraga de Azevedo, J. Sur la transmission du Kala-azar méditerranéen. An. Inst. Med. trop., Lisbon 5 [1949] pp. 269-287 figs. [English summary.]
- 347.—Frenkel, J. K. Dermal hypersensitivity to *Toxoplasma* antigens (Toxoplasmins). Proc. Soc. exper. Biol. 68 1948 pp. 634-639.
- 348.—Frenkel, J. K. Pathogenesis, diagnosis and treatment of human toxoplasmosis. J. Amer. med. Assoc. 140 1949 pp. 369-377 figs.
- 349.—Frickers, J. Experimenteel onderzoek van de runderparasieten Babesia bigemina en Anaplasma marginale in Suriname. Tijdschr. Diergeneesk., Utrecht 73 1948 pp. 517-539 figs. [English summary.]
- 350.—Frizzell, D. L. Rotaliid foraminifera of the Chapmanininae: their natural distinction and parallel-

- ism to the *Dictyoconus* lineage. J Paleont., Menasha Wis. **23** (5) 1949 pp. 481–495 figs.
- 351.—Frizzell, D. L. Flat filing cabinets for cardboard micro-slides. [Mainly foraminifera]. The Micropaleont., N.Y. 3 (2) 1949 p. 30.
- 352.—Frizzell, D. L. & Keen, A. M. On the nomenclature and generic position of Nautilus beccarii Linné (foraminifera, "Rotaliidae"). J. Paleont., Menasha Wis. 23 (1) 1949 pp. 106-108.

Frizzell, D. L. see Cizancourt, M. de. Fromageot, C. see Chaix, P.

- 353.—Froud, J. Observations on hypotrichous cilates: The genera Stichotricha and Chaetospira. Quart. J. micr. Sci., London 90 (2) 1949 pp. 141–158 figs.
- 354.—Frye, W. W. & Shaffer, J. G. Experimental pathology of amebiasis. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1075–1087 figs.

Frye, W. W. see Shaffer, J. G.

- 355.—Fuller, F. W. & Faust, E. C. Aureomyein in the cultivation of *Endamoeba histolytica*. Science, Lancaster Pa. 110 1949 pp. 509-510.
- 356.—Fulton, J. D. & Joyner, L. P. Studies on protozoa. Part I. The metabolism of Leishman-Donovan bodies and flagellates of Leishmania donovani. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 273-286 figs.
- 357.—Furgason, W. H. The significant cytostomal pattern of the "Glaucoma-Colpidium group", and a proposed new genus and species, Tetrahymena geleii. Arch. Protistenk., Jena 94 (2) 1940 pp. 224-266 figs.

Fusco, E. M. see Metz, C. B.

- 358.—Gabaldon, A. The malaria problem in the Neotropical Region. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 1 [1949] pp. 913-931 figs.
- 359.—Gabaldon, A. The nation-wide campaign against malaria in Venezuela. Trans. R. Soc. Trop. Med. Hyg. 43 1949 pp. 113-160.

- **360.**—**Gajevskaja**, N. S. [Check list of the fauna and flora of the northern seas of the U.S.S.R.] [Ciliates.] Moscow 1948 pp. 24–34 figs. [In Russian.]
- 361.—Gallais, P., Cros, R. & Capponi, M. Les stades exo-érythrocytiques du paludisme humain et la moelle osseuse étudiée en frottis. Analyse de 104 prelevements. Méd. trop., Marseille 9 (3) 1949 pp. 307–335 figs.
- 362.—Galliard, H. A propos de *Plasmodium berghei* Vincke et Lipe, 1948. Bull. Soc. Path. exot., Paris 42 1949 pp. 431–433.
- 363.—Galliard, H. & Cèbe, J. Theileriose et piroplasmose chez les buffles splénectomisés au Tonkin. Ann. Parasitol., Paris 24 1949 pp. 5–8.
- 364.—Gallo, P. Estudios inmunologicos sobre *Tripanosoma vene*zuelensis. Rev. Med. vet. parasit. Caracas 5 (1) 1946 pp. 45-52.
- 365.—Gallo, P. & Vogelsang, E. G. La anaplasmosis en Venezuela. Presencia de la *Babesia bovis, Grahamia* y *Eperythrozoon* (?) en bovinos. Rev. Med. vet. Parasit. Caracas 2 (3-4) 1940 pp. 3-16 figs.

Gallo, P. see Vogelsang, E. G.

- 366.—Gan, K. H. Amoebae in rats. Doc. Neerland. Indones. Morb. trop., Amsterdam 1 1949, pp. 371–376 figs.
- 367.—Gan, K. H. Bijdrage tot de kennis van de amoeben bij ratten. Med. Maandblad., Batavia 2 (3) 1949 pp. 70-76. [English summary.]
- 368.—Ganapati, P. N. & Tate, P. On the gregarine Lankesteria culicis (Ross), 1898, from the mosquito Aëdes (Finlaya) geniculatus (Olivier). Parasitology, Cambridge 39 1949 pp. 291–294 figs.

Gandolfi, R. see Petters, V.

- 369.—Gaona, M. R. de. La fauna numulitica del Flysch de Guipúzcoa. [Resumé.] Bol. Soc. Españ. Hist. nat. 45 (5–6) 1947 p. 395.
- 370.—Garcia, E. Y. The inhibition of malarial relapses by toxoid of Clostridium tetani. Ann. N.Y. Acad. Sci. 50 (3) 1948 pp. 171-186,

- 371.—Garnham, P. C. C. The incidence of malaria at high altitudes. J. nation. malaria Soc., Columbia, S.C. 7 1948 pp. 275-284 figs.
- 372.—Garnham, P. C. C. Malarial immunity in Africans: effects in infancy and early childhood. Ann. trop. Med. Parasit. L'pool 43 1949 pp. 47-61 figs.
- 373.—Garnham, P. C. C. 1. Plasmodium sp. in the blood of East African skink, Mabuia maculilabris (from near Homa Mountain, Victoria Nyanza). 2. Trypanosoma sp. in the blood of East African skink, M. maculilabris (from near Homa Mountain, Victoria Nyanza). Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 321–322.

Garnham, P. C. C. see Shortt, H. E. Gasic, L. G. see Knop, K. K.

Gayot, G. see Donatien, A.

- 374.—Geckler, R. P. Nitrogen mustard inactivation of the cytoplasmic factor Kappa, in *Paramecium aurelia*, variety 4'. Science, Lancaster Pa. 110 1949 pp. 89-90.
- 375.—Geigy, R. & Rahm, U. Testen von Antimalaria—Mitteln an Plasmodium gallinaceum im Darm von Aedes aegypti. Acta tropica, Basle 6 1949 pp. 153-157 figs.

Geiling, E. M. K. see Reilly, J.

- 376.—Geiman, Q. M. Cultivation and metabolism of malarial parasites. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington, 1948 1 [1949] pp. 618–627 figs.
- 377.—Geiman, Q. M. & McKee, R. W. Protein metabolism of parasites. [Blood protozoa.] J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949, p.19.

Geiman, Q. M. see Ball, E. G.

- 378.—Geitler, L. Kern-und Chromosomenbau bei Protisten im Vergleich mit dem höherer Pflanzen und Tiere. Ergebnisse und Probleme. Naturwissenschaften, Berlin 30 1942 pp. 151–156 162–167 figs.
- 379.—Gelei, J. v. Vollkommene Sinneselemente bei den höheren Ciliaten. II. Studie über Sinnesorganellen von Aspidisca-Arten. Allgemeines. Math. term. Ert. Budapest 58 (2) 1939 pp. 476–518 figs.

- 380.—Gelei, J. Die Gliederung des Neuronemensystems der Ciliaten. Math. term. Ert. Budapest 58 1939 pp. 950–975 figs. [German summary.]
- 381.—Gelei, J. v. Körperbau und Erregungsleitung bei den Ciliaten. Eine Studie an Lozocephalus und einigen anderen Ciliaten. Arch. Protistenk., Jena 93 (3) 1940 pp. 273— 316 figs.
- 382.—Gelei, G. v. Cinetochilum und sein Neuronemensystem. Arch. Protistenk., Jena 94 (1) 1940 pp. 57–79 figs.

Genther, C. S. see Schmidt, L. H.

- 383.—Georgévitch, J. 1. Sphaeractinomyxon danicae n. sp.; 2. Triactinomyxon ochridensis n.sp.; 3. T. petri n.sp. Ghlas Srpsk. Kralj. Akad. Belgrade 91 1940 pp. 19-79, 295-309, 311-324 figs. [Recorded also in 205, 206, 207 Z.R.(2) lxxvii.]
- 384.—Georgévitch, J. 1. Study on Infusoria Astomata of the Ochrida Lake Oligochaeta. Ghlas Srpsk. kralj. Akad., Belgrade 93 1941 pp. 1–99 figs. [In Serbian.]
- 385.—Georgévitch, J. 2. Infusoria Astomata of Ochrida Lake Triclada. Ghlas Srpsk. kralj. Acad., Belgrade 94 1941 pp. 149-161 figs. [In Serbian.]
- 386.—Gessner, F. Euglena neustonica n. sp. Mikrokosmos, Stuttgart 39 (1) 1949 pp. 16–19 figs.

Giacobbe, O. see Vucetich, M.

- 387.—Giese, A. A cytotoxin from Blepharisma. Biol. Bull., Lancaster Pa. 97 1949 pp. 145-149.
- 388.—Giese, A. C. & Zeuthen, E. Photooxidations in pigmented Blepharisma. J. gen. physiol., Baltimore 32 (4) 1949 pp. 525-535 figs.
- 389.—Gill, W. D. On the foraminifer Dicty[o]conoides cooki (Carter). Proc. Leeds phil. lit. Soc., Scient. Sect 5 (2) 1948 pp. 174–182 figs.
- 390.—Gilman, L. C. Intervarietal mating reactions in *Paramecium caudatum*. Biol. Bull., Woods Hole 97 1949 p. 239.

Glazewski, K. see Cushman, J. A.

- 391.—Goble, F. C. Para-substituted phenylarsonic acids as prophylactic agents against *Eimeria tenella* infections. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 533–537.
- 392.—Goble, F. C. Chemotherapeutic activity of certain 8-aminoquinclines, particularly pentaquine, in experimental Chagas' disease. J. Parasit., Urbana 35 1949 pp. 375–378.
- 393.—Göhre, E. Untersuchungen über den plasmatischen Feinbau der Gregarinen mit besonderer Berücksichtigung der Sexualitätsverhältnisse. Arch. Protistenk., Jena 96 1943 pp. 295–324 figs.
- 394.—Goldich, S. S. & Elms, M. A. Stratigraphy and petrology of the Buck Hill quadrangle, Texas. [Foraminifera.] Bull. Geol. Soc. Amer., Washington D.C. 60 (7) 1949 pp. 1133–1182.
- 395.—Goldman, M. An iron pieric acid—hematoxylin stain for parasites, in tissues. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 36.
- 396.—Goldschmidt, R. B. Biographical memoir of Charles Atwood Kofoid 1865–1947. Biogr. Mem. Nat. Acad. Sci., Washington 26 (7) 1949 pp. 121–151 portrait.
- 397.—Golubkov, I. A. & Mjatluk, E. V. [The Polanitza beds in the Eastern Carpathians.] [Foraminifera.] C.R. Acad. Sci. U.S.S.R. (N.S.) 66 (1) 1949 pp. 99–100. [In Russian.]
- 398.—Goodrich, H. P. Heliospora n.g. and Rotundula n.g., gregarines of Gammarus pulex. Quart. J. micr. Sci., London 90 1949 pp. 27–35 figs.
- 399.—Goodwin, L. G. Response of *Plasmodium berghei* to antimalarial drugs. Nature, London 164 1949 p. 1133.
- 400.—Graham, J. J. Occurrence of a questionable *Elphidium* in the early Tertiary of California. Bull. Geol. Soc. Amer., Washington D.C. 60 (12 pt. 2) 1949 p. 1950.
- 401.—Graham, J. J. A note on the occurrence of microfossils in the matrix of an Upper Cretaceous Plesiosaur from Lake Waco, McLennan County, Texas. The Micropaleont., N.Y. 3 (3) 1949 p. 13.

- 402.—Greenberg, J. Hypersensitivity to sulfadiazine of a chlorguanide-resistant strain of Plasmodium gallinaceum. J. nation. Malaria Soc., Columbia S.C. 8 (1) 1949 pp. 80-84.
- 403.—Greenberg, J., Trembley, H. L. & Coatney, G. R. Strain differences in *Plasmodium gallina*ceum Brumpt. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 20.

Greenberg, J. see Coatney, G. R.

Greenberg, J. see Nadel, E. M.

Greenberg, J. see Taylor, D. J.

- 404.—Grell, K. G. Die Entwicklung der Makronucleusanlage im Exkonjuganten von Ephelota gemmipara R. Hertwig. Biol. Zbl., Leipzig 68 1949 pp. 289–312 figs. [English summary.]
- 405.—Griffin, A. M. & McCarten, W. G. Some methods for the quantitative study of entozoic amoebae in cultures. J. Parasit., Lancaster 35 1949 pp. 193–198.
- 406.—Griffin, A. M. & McCarten, W. G. Sterols and fatty acids in the nutrition of entozoic amoebae in cultures. Proc. Soc. exp. Biol. 72 1949 pp. 645-648.
- 407.—Grill, R. Der Foraminiferenkatalog von Brooks F. Ellis und Angelina R. Messina (Catalogue of Foraminifera). [Review.] Verh. geol. BundesAnst. Wien 1946 (10–12) [1949] pp. 163–167 figs.
- 408.—Grill, R. News—Austria. [Foraminifera.] The Micropaleont., N.Y. 3 (2) 1949 pp. 12–13.
- 409.—Grimsdale, T. F. News The Near East. [Foraminifera.] The Micropaleont. N.Y. 3 (1) 1949 p. 16.
- 410.—Grimsdale, T. F. How they do vary. [Foraminifera.] The Micropaleont., N.Y. 3 (1) 1949 p. 22.,

[Grøntved, J.] see Paulsen, O.

411.—Grosdilova, L. P. [Fusulinidae of oilbearing limestones of Ishimbaevo district. (Ural)] Trans. Oil Geol. Inst. A 101 1938 pp. 90–192 figs. [Russian with English summary.]

Grumble, L. C. see Levine, P. P.

412.—Guilhon, J. Leishmaniose canine autochtone dans la région parisienne. C.R. Acad. Sei., Paris 226 1948 pp. 1399-1400.

Gumble, A. see Hewitt, R. I. Gurri, J. see Vanni, V.

413.—Haas, V. H., Wilcox, A. & Coleman, N. Modification of Plasmodium gallinaceum infections by certain tissue extracts. J. nation. Malaria Soc., Columbia S.C. 8 (1) 1949 pp. 85-99.

Hackett, P. I. see Wagtendonk, W. J. van.

- 414.—Hadži, J. The development of Suctoria: Spelaeophrya polypoides sp. n., S. lacustris sp. n. and Acineta karamani sp. n. Ghlas Srpsk. Kralj. Akad., Belgrade 91 1940 pp. 81–143 figs. [Recorded in 217 Z.R. (2) lxxvii.]
- 415.—Hadži, J. Favnula epizoičnich infusorijev na jamski mokrici (Microlista spinosissima Rac.). [Epizoic ciliate fauna on wood-louse, M. spinosissima.] Razpr. Mat.-Prirod. Razr. Akad. Znan. Ljublijana 1 1940 pp. 121-148 figs. [In Croatian.]
- 416.—Haiba, M. H. Haemoproteus sp. investigated in falcons (Falco tinnunculus ruftcoliformis and Falco naumanni pekinensis) of Egypt. J.R. micr. Soc., London 69 (4) 1949 pp. 239–242 figs.
- 417.—Haller, E. von. Superinfektionen mit dem homologen Stamm bei der Malaria tertiana. Beitrag für das Verständnis der Malaria-Immunität. Z. Tropenmed. Parasitol., Stuttgart 1 1949 pp. 328–339.
- 418.—Haller, E. von. Ueber die Möglichkeit der Provokation von Rückfällen bei latenter Malaria tertiana. Z. Tropenmed. Parasitol., Stuttgart 1 1949 pp. 340–354.

Hamon, V. see Lwoff, A.

Hansen, S. S. see Dennis, E. W.

419.—Hanzawa, S. The stratigraphical relation between the Carboniferous and Permian formations in Manchuria, Korea, and Japan proper. Japan. J. Geol. Geogr., Tokyo 18 (3) 1941 pp. 97–108.

- 420.—Hanzawa, S. Stratigraphic distribution of the fusulinid foraminifera found in South Manchuria and Japan. Japan. J. Geol. Geogr. 19 (1-4) 1944 pp. 1-10 figs.
- 421.—Hanzawa, S. A new type of the fusulinid foraminifera from Central Japan. J. Paleont., Menasha. Wis. 23 (2) 1949 pp. 205–209 figs.
- 422.—Harms, J. W. Zoobiologie für Mediziner und Landwirte. Jena. 1946. [Including Protozoa.]

Harris, D. A. see Waksman, S. A.

Harris, P. N. see Henderson, F. G.

- 423.—Hart, J. W. Observation on blood parasites of birds in South Carolina. [Including Protozoa.] J. Parasit., Lancaster 35 1949 pp. 79-82.
- 424.—Hartman, E. A highly efficient medium for the cultivation of Endamoeba histolytica, suitable for drug testing. J. Parasit. Lancaster 35 (no. 6 sect. 2) 1949 p. 17.

Harvey, M. see Seneca, H.

- 425.—Harvey, S. C. Sulfhydryl and disulfide content of normal and arsenic-resistant trypanosomes. Proc. Soc. exp. Biol. 67 1948 pp. 269-272
- 426.—Harvey, S. C. Anomalous effects of zine-insulin upon Trypanosoma hippicum. Proc. Soc. exp. Biol. 69 1948 pp. 555-557.
- 427.—Harvey, S. C. The carbohydrate metabolism of *Trypanosoma hippicum*. J. biol. Chem., Baltimore 179 1949 pp. 435–453 figs.
- 428.—Harwood, P. D. & Stunz, D. I. Nitrofurazone and coccidiosis. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 538-542.
- **429.**—[**Haslett**, A. W.] Ocean-bed research. Sci. Today, London **5** No. 121 1949 pp. 57–59.
- 430.—Hatae, N. Stratigraphical division of Meian System on fossil foraminifera (abstract). Jubilee Publ. Comm. Prof. H. Yabe, etc. 1 1939 pp. 561–562.
- 431.—Hauschka, T. S. Persistence of strain-specific behaviour in two strains of *Trypanosoma cruzi* after prolonged transfer through inbred mice. J. Parasit., Lancaster Pa. 35 1949 pp. 593–599.

- 432.—Hawking, F. & Perry, W. L. M. Resistance to proguanil (paludrine) in a mammalian malaria parasite. Lancet, London 255 1948 p. 850.
- 433.—Hawking, F., Perry, W. L. M. & Thurston, J. P. Tissue forms of a malaria parasite *Plasmodium cynomolgi*. Lancet, London 254 1948 pp. 783-789 figs.
- 434.—Hawkins, P. A. Eimeria meleagrimitis Tyzzer, 1929, in the turkey. J. Parasit., Lancaster 35 (no. 6 sect 2) 1949 p. 21.

Hawkins, P. A. see Dunlap, J. S. Hawkins, P. A. see Levine, P. P.

435.—Hecht, F. E. The stratigraphic importance of faunal pictures. [Foraminifera]. The Micropaleont., N. Y. 3 (1) 1949 pp. 20-21.

Heilshorn, K. see Lilly, D. M.

436.—Heinz, H. J. Methodik zur Untersuchung des Darminhaltes von Fliegen auf pathogene Darmprotozoen des Menschen. Zbl. Bakt. (I. Orig.), Jena 153 1949 pp. 106–108.

Hemphill, F. M. see Faust, E. C.

437.—Henbest, L. G. News—Eastern United States. [Foraminifera.] The Micropaleont., N. Y. 3 (2) 1949 pp. 3-6.

Henderson, E. see Seneca, H.

438.—Henderson, F. G., Rose, C. L., Harris, P. N. and Chen, K. K. γ-Dichroine, the antimalarial alkaloid of Ch'ang Shan. J. Pharmacol. exp. Therapeut., Baltimore 95 1949 pp. 191–200 figs.

Hendrix, H. see Rodhain, J.

- 439.—Henninot, E. Il faut penser au *Trichomonas vaginalis*. Ann. Biol. clin., Paris 6 1948 pp. 385–386.
- 440.—Henson, F. R. S. New Trochamminidae and Verneuilinidae from the Middle East. Ann. Mag. nat. Hist. 14 (11) 1948 pp. 605–630 figs.
- 441.—Henson, F. R. S. Recent publications on larger foraminifera of the Middle East. Ann. Mag. nat. Hist. 2 (12) 1949 pp. 173-177.

- 442.—Henson, F. R. S., Browne, R. V. & McGinty, J. A synopsis of the stratigraphy and geological history of Cyprus. [Foraminifera.] Quart. J. Geol. Soc., London, 105 (1) 1949 pp. 1-41 tables.
- 443.—Herman, C. M. Coccidiosis in native California valley quail and problems of control. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 621–623.

Herrick, C. A. see Ripsom, C. A.

- 444.—Hertig, M. Sandflies of the genus *Phlebotomus*—a review of their habits, disease relationships, and control. [*Leishmania* vectors]. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1609–1615.
- 445.—Hess, E. Behandlung Trichomonaden-infizierter Zuchtstiere. Schweizer Arch. Tierheilk. 91 (8) 1949 pp. 481–491 figs.
- 446.—Hewitt, R. I., Gumble, A., Kushner, S., Safir, S. R., Brancone, L. M. & Subbarow, Y. Experimental chemotherapy of trypanosomiasis. I. Effect of p-phenylene diguanidine and related compounds against experimental infections with *Trypanosoma equiperdum*. J. Pharmacol. exp. Therapeut., Baltimore 96 1949 pp. 305–314.
- 447.—Heymann, H. & Fieser, L. F. Napthoquinone antimalarials. XXI. Antisuccinate oxidase activity. J. biol. Chem., Baltimore 126 (3) 1948 pp. 1359–1362 tables.

Heymann, H. see Fieser, L. F. Hill, T. S. see Overman, R. R.

- 448.—Hiltermann, H. News—Germany. [Foraminifera.] The Micropaleont., N. Y. 3 (2) 1949 pp. 14-15.
- 449.—Hirshfield, H. The morphology of Urceolaria karyolobia, sp. nov., Trichodina tegula, sp. nov., and Scyphida ubiquita, sp. nov., three new ciliates from Southern California limpets and turbans. J. Morph., Philadelphia, 85 1949 pp. 1–34 figs.
- 450.—Hist, E. Die Trichomoniasis des Rindes und das Problem der künstlichen Besamung. Schweizer Arch. Tierheilk. 91 (11) 1949 pp. 717–738.

- 451.—Ho, E. A., Soong, T.-H. & Li, Y. Rate of disappearance of Leishmania in kala-azar patients under urea stibamine therapy. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 573–580.
- 452.—Hoare, C. A. The relationship of the Haemoflagellates, Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1110-1118.
- 453.—Hoare, C. A. [Corrigendum to paper on "The relationship of the Haemoflagellates" (452). (Correspondence).] Amer. J. trop. Med. 29 1949 p. 837, and Trans. R. Soc. Trop. Med. Hyg. 43 1949 p. 100.
- **454.**—**Hoare,** C. A. Charles Morley Wenyon: 1878–1948. *Obit. Not. Roy. Soc.*, London **6** (18) 1949 pp. 627–642 portrait.
- 455.—Hoare, C. A. Handbook of medical protozoology: for medical men, parasitologists and zoologists. London: 1949 xxvi+334 pp. figs.
- 456.—Hoare, C. A. The food habits of *Entamoeba histolytica*. Trans. R. Soc. Trop. Med. Hyg. 43 1949 p. 7.

Hoecker S., G. see Brncic J., D. Hoecker S., G. see Knop K., K. Hoecker, G. see Pizzi, T.

- 457.—Hofker, J. On Hagenowella and a new species. J. Paleont., Menasha, Wis. 23 (4) 1949 pp. 431–434 figs.
- 458.—Hofker, J. On foraminifera from the Upper Senonian of South Limburg (Maestrichtian). Mem. Inst. R. Sci. nat. Belg. No. 112 1949 pp. 1-69 figs.

Hogg, J. F. see Elliott, E. A. M.

- **459.**—**Hollande**, A. & **Pesson**, P. Biologie et cycle évolutif de *Dimoeriopsis destructor* nov. gen., nov. sp., flagellé parasite des pontes de limmée. Bull. biol. France-Belg. **79** 1945 pp. 1–16 figs.
- 460.—Holter, H. & Løvtrup, S. Proteolytic enzymes in *Chaos chaos*. C. R. Lab. Carlsberg, Sér. Chim. 27 (2) 1949 pp. 27-62 figs.

Holter, H. see Andresen, N.

461.—**Holz**, G. G. Synthesis of members of the vitamin—B complex by *Chilomonas paramecium*. Anat. Rec., Philadelphia **105** (3) 1949 pp. 547–548.

Honegger, C. see Schaeffer, A. A. Honigberg, B. see Kirby, H.

- 462.—Hood, M. N. Trypanosoma equiperdum, Trypanosoma brucei and Trypanosoma hippicum infections in laboratory animals. Amer. J. trop. Med. 29 1949 pp. 369–377.
- 463.—Hood, M. N. Trýpanosoma equiperdum, Trypanosoma brucei and Trypanosoma hippicum infections in avian hosts. Amer. J. trop. Med. 29 1949 pp. 379–387.
- 464.—Hoof, L. van. Trypanosomiase humaine Africaine: réflexions sur la lutte chimique contre l'endémie. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1145–1153.
- 465.—Hormann, H. Malaria in Deutschland 1945 bis 1947. Z. Tropenmed. Parasitol., Stuttgart 1 1949 pp. 32–91 figs.
- 466.—Hornby, H. E. Electrical charge of trypanosomes. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 626-628.
- 467.—Hornby, H. E. The development of our knowledge of animal trypanosomiases. Vet. Rec., London 61 (27) 1949 pp. 375–380.
- 468.—Horton-Smith, C. Some factors influencing the origin and course of epidemics of coccidiosis in poultry. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 449-457.
- 469.—Horton-Smith, C. The acquisition of resistance to coccidiosis by chickens during treatment with sulphonamides. Vet. Rec., London 61 (19) 1949 pp. 237-238.
- 470.—Horvath, J. Protozoa [pp. 45-60 figs.] In: Dudich, E. Az Allatok Gyüjtése [Zoological Collecting]. Budapest 1948 [In Hungarian.]
- 471.—Hossfeld, P. S. The stratigraphy of the Aitape skull and its significance. [Foraminifera.] Trans. roy. Soc. S. Aust. 72 (2) 1949 pp. 202–207.

Houlihan, R. K. see Seaman, G.R.

472.—Huff, C. G. Natural immunity and susceptibility of doves and pigeons to exoerythrocytic and erythrocytic stages of *Plasmodium relictum*. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 1 [1949] pp. 602–606.

Hughes, C. D. see Waletzky, E. Hughes, K. M. see Steinhaus, E. A.

473.—Hunter, G. W., Ritchie, L. S., Chang, I. C., Rolph, W. D. jr., Mason, H. C. & Szewczak, J. Parasitological studies in the Far East, VII. An epidemiological survey in Southern Korea. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 41.

Hunter, G. W. see Ritchie, L. S. Hupé, P. see Receveux, -.

- 474.—Hussey, K. M. Louisiana Cane River Eocene foraminifera. J. Paleont., Menasha, Wis. 23 (2) 1949 pp. 109-144 figs.
- 475.—Hutchens, J. O. Growth of Chilomonas paramecium in mass cultures. J. cell. comp. Physiol., Philad. 32 (2) 1948 pp. 105–116 figs. [Not seen].
- 476.—Hutchens, J. O., Podolsky, B. & Morales, M. F. Studies on the kinetics and energetics of carbon and nitrogen metabolism of *Chilomonas paramecium*. J. cell. comp. Physiol., Philad. 32 1948 pp. 117-141 figs.
- 477.—Ignatius, A. Einführung in die Tropenkrankheiten. Jena 1941 142 pp., figs. [Vectors of protozoal diseases].

Imboden, C. A. jr. see Cooper, W. C.

- 478.—Imlay, R. W. Paleoecology of Jurassic Seas in the western interior of the United States. [Foraminifera.] Rep. Mar. Ecol. Paleoecol., Wash. D. C. 1949 (9) 1948–1949 pp. 72–104.
- 479.—Indelli, E. Il microplancton di superficie del Golfo di Napoli. Acta pont. Acad. Scient. 8 (11) 1944 pp. 91-100 fig. & table.
- 480.—Indelli, E. Contributo alla conoscenza della fauna bentonica costiera del Golfo di Napoli. [Foraminifera.] Acta pont. Acad. Scient. 10 (19) 1946 pp. 207-214.

- 481.—Ishihara, S. J. & Felsenfeld, O. Action of neomycin on protozoa, J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 33.
- 482.—Ishizaki, K. On some Japanese species of *Lagenonodosaria*. Trans. nat. Hist. Soc. Formosa 33 (239) 1943 pp. 215–220 figs. [Japanese with English summary].
- 483.—Ishizaki, K. (Prefatory note by Prof. I. Hayasaka.) Six new fossil species of *Streblus* from Eastern Asia. Acta Geol. Taiwanica 2 (1) 1948 pp. 55–66 figs.
- 484.—Iziumov, G. T. [The digestive processes of *Tocophrya injusionum.*] Zool. J., Moscow 26 (3) 1947 pp. 263–268. [Russian with English summary.]
- 485.—Izjumov, T. N. [Digestion in Stylonychia mytilus.] Zool J., Moscow 27 (4) 1948 pp. 307–312. figs. [In Russian.]
- 486.—Jacobs, L. & Jones, F. E. The parasitemia in experimental toxoplasmosis. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 pp. 24—25.

Jahn, T. L. see Doran, D. J.

- 487.—James, D. M. The relationship between the effect of certain therapeutic agents on infusoria and on pathogenic protozoa. Ann. trop. Med. Parasit., L'pool 43 1949 pp. 164–173.
- **488.**—Jaquette, D. S. On the nomenclature of *Trichomonas gallinae*, a protozoan parasite of birds. Proc. helminth. Soc., Washington **15** 1948 pp. 68–72.
- **489.**—Jaquette, D. S. The duration of *Trichomonas gallinae* infections in individually housed pigeons. Prochelminth. Soc., Washington **15** 1948 pp. 72–73.

Jaquette, D. S. see Farr, M. M.

- 490.—Jaswant Singh. Recent researches on antimalarials: review of progress. Indian J. Malariol. 3 1949 pp. 413–419.
- 491.—Jaswant Singh & David, A. Staining and re-staining of oocysts and sporozoites from infected mosquitoes. Indian J. Malariol. 3 1949 pp. 349–352.

- 492.—Jaswant Singh, Ray, A. P. & Nair, C. P. Transmission experiments with *P. knowlesi*. Indian J. Malariol. 3 1949 pp. 145–150.
- 493.—Jaswant Singh, Ray, A. P. & Nair, C. P. A preliminary note on the preservation of unstained blood smears. [Blood protozoa.] Indian J. Malariol. 3 1949 pp. 327–329.
- 494.—Jaswant Singh, Ray, A. P. & Nair, C. P. Preliminary investigations on the chemotherapeutic activity of atebrin, paludrine, resochin, camoquin, metachloridine and aphacrine on simian malaria. Indian J. Malariol. 3 1949 pp. 387-403.,
- 495.—Jaswant Singh, Ray, A. P., Nair, C. P. & Basu, P. C. Screening of some biguanide derivatives for antimalarial activity. Indian J. Malariol. 3 1949 pp. 405-412.
- 496.—Jauch, C. & Jauch, N. A. Nosema coliadis, nueva especie de Microsporidio parasito de la "Isoca de los alfarfares" (Colias lesbia). An. Soc. cient. Argentina 145 (6) 1948 pp. 307-321 figs.

Jauch, N. A. see Jauch, C.

Jeanpierre, C. see Launoy, L.

Jeffery, G. M. see Cooper, W. C.

Jeffery, G. M. see Eyles, D. E.

Jeskey, H. A. see Morrison, D.B.

- 497.—Jirovec, O. Der Einfluss des Streptomycins und Patulins auf einige Protozoen. Experientia, Basel 5 (2) 1949 pp. 74–77.
- 498.—Jirovec, O. Chemotherapie der Kokzidiosen. Schweizer Arch. Tierlheilk. 91 (6) pp. 1949 396-397.
- 499.—Jirovec, O. & Peter, R. La trichomonose vaginale. Bull. Soc. Path. exot., Paris 42 1949 pp. 148–151.

Johnson, C. A. see Ripsom, C. A. Johnson, E. M. see Brand, T. von.

500.—Johnson, G. & Kupferberg, A. B. Chemotherapy of bacteria-free *Trichomonas vaginalis*. III. Action of analogues of pantothenic acid. Proc. Soc. exp. Biol. 67 1949 pp. 390-392.

Johnson, G. see Kupferberg, A.B.

- 501.—Johnson, J. E., Mussell, D. R. & Dietzler, A. J. The activity of 4, 4' isopropylidenebis (2-isopropylphenol) on cecal coccidiosis (Eimeria tenella) in chickens. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 518-532.
- 502.—Johnson, M. L. News about the life-cycle of the malaria parasite. New Biology, London 6 1949 pp. 120-123.

Johnson, T. H. jr. see Young, M. D. Johnstone, H. G. see Kessel, J. F.

Jones, E. R. jr. see Uzzell, E. M.

Jones, F. E. see Jacobs, L.

Jones, M. F. see Newton, W. L.

503.—Jones, W. R. The experimental chemotherapy of amoeebiasis. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 2 1948 [1949] pp. 1088–1099.

Jones, W. R. see Rendtorff, R. C.

Jordan, H. B. see Cantrell, W.

Josephson, E. S. see Nadel, E. M.

Joyner, L. P. see Fulton, J. D.

Juttin, P. see Coudert, J.

Kabler, P. see Adams, F. H.

- 504.—Kahler, F. Beiträge zur Kenntnis der Fusuliniden der Ostalpen: Lebensraum und Lebens weise der Fusuliniden. Palaeontographica, Stuttgart, A 94 (1-2) 1942 pp. 1-30 figs.
- **505.—Kahler, F.** Die Foraminiferengattung *Nummulostegina*, Schubert, 1907. Verh. geol. Bundes Anst., Wien **1946** (7–9) 1949 pp. 102–107 fig.
- 506.—Kahler, F., & Kahler, G. Beiträge zur Kenntnis der Fusuliniden der Ostalpen: Die Gattung Pseudoschwagerina und ihre Vertreter im unteren Schwagerinenkalk und im Trogkofelkalk. Palaeontographica, Stuttgart, A 92 (3-6) 1941 pp. 59-98 figs.
- 507.—Kahler, F. & Kahler, G. Zur Nomenklatur und Entwicklung der Fusuliniden. Verh. geol. Bundes Anst. Wien 1946 (10–12) [1949] pp. 167–172.

Kahn, M. C. see Torrey, J. C.

Kaplan, F. see Kessel, J. F.

- 508.—Kar, A. B. In vitro action of estrogen on rabbit coccidian occysts. Indian vet. J. 25 1949 pp. 390–399 figs.
 - Kar, A. B. see Chakravarty, M.
- 509.—Karstens, I. E. [The Ananur horizon.] [Radiolaria and Foraminifera.] Trans. Oil Geol. Inst. B 35 1932 pp. 1-7 figs. [In Russian.]
- 510.—Kartman, L. Observations on the *Haemoproteus* of pigeons in Honolulu, Hawaii. Pacific Sci., Honolulu 3 (2) 1949 pp. 127-132 figs.
- 511.—Kassel, R. & Kopac, M. J. The action of cations on the protoplasm of *Amoeba proteus* and *Pelomyxa carolinensis*. Anat. Rec., Philadelphia 105 (3) 1949 p. 586.

Keen, A. M. see Frizzell, D. L.

- 512.—Keidel, H. J. W., Sötmoller, P. & Nie, C. J. van. Een electieve voedingsbodem voor het aantonen van *Trichomonas gallinae* in geringe hoeveelheden. Tijdschr. Diergeneesk., Utrecht 73 1948 pp. 777–781 figs. [English summary.]
- 513.—Kessel. J. F. & Johnstone, H. G. The occurrence of Endamoeba polecki, Prowazek 1912, in Macaca mulatta and in man. Amer. J. trop. Med. 29 1949 pp. 311-316 figs.
- 514.—Kessel, J. F. & Kaplan, F. The effect of certain arsenicals on natural infections of Endamoeba histolytica and of Endamoeba polecki in Macaca mulatta. Amer. J. trop. Med. 29 1949 pp. 319–322.
- 515.—Ketusinh, O. The question of immunity in experimental treatment of malaria. Thai Sci. Bull. Bangkok 6 1949 pp. 9-13.
- 516.—Kiesselbach, A. Contributo alla conoscenza dei ciliati della Laguna Veneta. Boll. Pisca Piscicolt. Idrobiol., Roma 25 1949 pp. 5-15 figs.
- 517.—Kikoïne, J. Les Heterohelicidae du Crétacé supérieur Pyrénéen. Bull. Soc. géol. Fr. 18 (5) (1-3) 1948 pp. 15-35 figs.
- 518.—Kimball, R. F. The effect of ultraviolet light upon the structure of the macronucleus of *Paramecium aurelia*. Anat. Rec., Philadelphia 105 (3) 1949 p. 543.

- 519.—Kimball, R. F. The induction of mutations in *Paramecium aurelia* by beta radiation. Genetics, Menasha 34 (2) 1949 pp. 210-222 figs.
- 520.—Kimball, R. F. Inheritance of mutational changes induced by radiation in *Paramecium aurelia*. Genetics, Menasha 34 (4) 1949 pp. 412–424 tables.
- **521.**—Kimura, T. The radiolarian fauna of the Naradini Formation in the Sakawa basin in the provinces of Tosa. Japan. J. Geol. Geogr. **19** (1-4) 1944 pp. 273–279 figs.
- 522.—Kimura, T. A study on the radiolarian chert at Fukada on the south eastern border of the Sakawa basin in the province of Tosa. Japan. J. Geol. Geogr. 19 (1-4) 1944 pp. 281-284 figs.
- **523.** Kimura, T. Some radiolarians in Nippon. Japan. J. Geol. Geogr. **19** (1-4) 1944 pp. 285–288 figs.
- **524.**—**Kirby**, H. Morphology, morphogeny and kinship in some nonpigmented Flagellata. XIII Congr. Intern. Zool. Paris 1948 **1949** pp. 191–194.
- 525.—Kirby, H. Devescovinid flagellates of termites. V. The genus Hyperdevescovina, the genus Bullanympha, and undescribed or unrecorded species. Univ. California Publ. Zool. 45 (5) 1949 pp. 319–422 figs.
- 526.—Kirby, H. & Honigberg, B. Intestinal flagellates of a wallaroo, Macropus robustus. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 pp. 15–16.
- 527.—Kirby, H. & Honigberg, B. A contribution to the discussion about the relationship of *Chilomastix* and *Retortamonas*. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 16.
- 528.—Kirby, H. & Honigberg, B. Flagellates of the caecum of ground squirrels. Univ. California Publ. Zool. 53 (9) 1949 pp. 315–366 figs.
- 529.—Kirk, R. The differentiation and nomenclature of *Leishmania*. Parasitology, Cambridge 39 1949 pp. 263–273.

- 530.—Kirk, R. Studies in leishmaniasis in the Anglo-Egyptian Sudan. X. An interesting strain of Leishmania. Trans R. Soc. trop. Med. Hyg. 42 1949 pp. 501–502.
 - Kissling, R. E. see Brand, T. von.
- 531.—Kitching, J. A. Osmoregulatory capacity of contractile vacuoles. Nature, London, 162 (4108) 1948 p. 149.
- 532.—Kitching, J. A. The physiology of contractile vacuoles. V. The effects of short-term variations of temperature on a fresh-water peritrich ciliate. J. exp. Biol., Cambridge 25 (4) 1949 pp. 406-420 figs.
- 533.—Kitching, J. A. The physiology of contractile vacuoles. VI. Temperature and osmotic stress. J. exp. Biol., Cambridge 25 (4) 1949 pp. 421-436 figs.
- 534.—Klein, B. M. Differenzierungsstufen des Silberlinien- oder Neuroformation Systems. Arch. Protistenk., Jena 96 (1) 1942 pp. 1–30 figs.
- 535.—Knight, A. A., Tarun, D. W. & Miller, V. Studies on the influence of oxyquinoline drugs on growth of *Endamoeba histolytica* as measured in blood iodine levels of man. Amer. J. trop. Med. 29 1949 pp. 871–880.
- 536.—Knop K., K., Hoecker S., G., Brncie J., D. & Gasic L., G. Accion del Trypanosoma cruzi sobre tumores transplantados del raton. Bol. Informac. Parasitar. Chilen. 4 (1) 1949 pp. 5-6.
- 537.—Koechlin, E. Demonstration einiger neuer oder wenig bekannter Fossilien aus dem Jura der Umgebung von Basel. [Foraminifera. pp. 333–334 fig.] Ecl. geol. Helv. 41 (2) 1948 [1949] pp. 333–339 figs.
- 538.—Komp, W. H. W. The Anopheline vectors of malaria of the world. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1 1948 [1949] pp. 644-555.
 - Kopac, M. J. see Kassel, R.
- 539.—Korfsmeier, K. Strukturen des Stieles und Köpfchens peritricher sessiler Ciliaten. Zool. Jahrb., Jena (Anat.) 70 1949 pp. 193–224 figs.

- **540.—Korshikov,** A. A. On some new or little known flagellates. Arch. Protistenk., Jena **95** (1) 1941 pp. 22–44 figs.
- 541.—Kraneveld, F. C. & Mansjoer, M. Onderzoekingen over bloedparasieten I. Algemeene gegevens. Nederland. Ind. Bladen Diergeneesk. 54 (4) 1947 pp. 144–148 figs. [English summary.]
- 542.—Kucera, K. The resistance of *Trichomonas vaginalis* to the different agents in vitro. Pub. Med. Fac. Brno. 21 (1) 1948 pp. 1-47 [In Czech, with English summary].
- **543.—Kudo,** R. R. Pelomyxa carolinensis Wilson, III. Further observations on plastogamy. J. Morph., Philadelphia, **85** 1949 pp. 163–176 figs.

Kuitunen-Ekbaum, E. see Brown, M.

544.—Kupferberg, A. B., Johnson, G. & Sprince, H. Nutritional requirements of *Trichomonas vaginalis*. Proc. Soc. exp. Biol. 67 1948 pp. 304-308.

Kupferberg, A. B. see Johnson, J. Kupferberg, A. B. see Waksman, S.

Wushner S eee Howitt R I

Kushner, S. see Hewitt, R. I. Lacroix, L. see Chaix, P.

Lagodsky, H. see Launoy, L.

545.—Laird, R. L., Drinnon, V. P. & Davis, A. B. Routine culture methods in diagnosing Endamoeba histolytica. J. nation. Malaria Soc., Columbia, S. C. 8 1949 pp. 198–201.

Laird, R. L. see Dubin, I. N.

Laird, R. L. see McVay, L. V.

- **546.**—Lalicker, C. G. Dwarfed protozoan faunas. J. Sed. Petrology **18** (2) 1948 pp. 51–55.
- 547.—Lalicker, C. G. News—United States (Mid-Continent). [Foraminifera.] The Micropaleont. N. Y. 3 1949 (1) p. 2; (3) pp. 2–3.
- 548.—Lamy, L. Action du paraaminophénylsulfamide (1162F) sur les cultures d'amibes. (Note préliminaire.) Ann. Inst. Pasteur, Paris 70 1944 pp. 318–320,

- 549.—Lamy, L. Action du paraaminophénylsulfamide (1162F) sur le depart des cultures d'*Entamoeba* dysenteriae. Ann. Inst. Pasteur, Paris 72 1946 pp. 295–296.
- 550.—Lamy, L. & Bonnel, D. Emploi du sang dans les techniques de coloration des protozoaires de culture. Bull. Soc. Path. exot., Paris 42 1949 pp. 350-352.

Languillon, J. see Blanc, F.

- **551.—Lanzi,** G. Contributo alla conoscenza della fauna del Lago di Scanno (Abruzzo). Acta pont. Acad. Scient. **12** (19) 1948 pp. 215–227.
- 552.—Lapage, G. Diseases which man may acquire from his pets. [Including Protozoa]. The Medical Press 218 (5659) 1947 32 pp. [sep. pag.]
- **553.—Lapage,** G. Parasitic animals and the world's food. Indian Farming **9** 1948 pp. 203–208.
- **554.—Lapage,** G. Directories of parasites. [Including protozoa]. Nature, London **164** (4166) 1949 p. 415.

Laranja, F. S. see Dias, E.

- 555.—Larsh, J. E. jr. & Chaffee, E. F. The effectiveness of carbarsone in rendering young mice free of intestinal protozoa. Science, Lancaster, Pa. 108 1948 p. 725.
- **556.—Laser,** H. Haemolytic system in the blood of malaria-infected monkeys. Nature, London **161** 1948 p. 560.
- 557.—Launoy, L. Précisions sur la virulence actuelle de *T. gambiense* (souche Yaoundé) pour le rat. Bull. Soc. Path. exot., Paris 42 1949 pp. 243-249.
- 558.—Launoy, L. Recherches sur les trypanosomoses expérimentales. Index bibliographique, hypothèses de travail (1926–1949). 1949 Lons-le-Saunier. 131 pp.
- 559.—Launoy, L., Lagodsky, H. & Jeanpierre, C. Sur quelques caractères différentiels entre deux souches de *Trypanosoma brucei*. C. R. Soc. Biol., Paris **143** 1949 pp. 6–8.

- 560.—Launoy, L. & Prieur, M. Sur l'action trypanocide spéciale de certains dérivés de la phénanthridine pour T. congolense. Ann. Inst. Pasteur, Paris 73 1947 pp. 58-64.
- 561.—Lawick van Pabst, M. H. van. Congenital, malaria. Doc. Neerland. Indones. Morb. trop., Amsterdam 1 (2) 1949 pp. 131–133.
- 562.—Layer, D. B. Ludec Oil field, Alberta, a Devonian coral-reef discovery. [Foraminifera.] Bull. Amer. Assoc. Petrol. Geol. 33 (4) 1949 pp. 572–602 figs.
- **563.—Lee, H.** Change of mating type in *Paramecium bursaria* following exposure to X-rays. J. exp. zool., Philadelphia **112** 1949 pp. 125–130 table.

Lemke, R. W. see Brown, R. W.

- **564.—Lent,** H. *Triatoma* and Chagas' disease. Proc. 4th. Intern. Congr. Trop. Med. Malaria, Washington 1948 **2** [1949] pp. 1690–1701 figs.
- 565.—Levine, P.P., Barber, C. W., Dalaplane, J. P., Grumbles, L. C., Hawkins, P. A., Peterson, E. H. & Seeger, K. C. Special problems in coccidiosis in different regions of the United States. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 443–448.
- 566.—Lewert, R. M. Alterations in the development of *Plasmodium gallinaceum* following passage through tissue culture. Science, Lancaster, Pa. 107 1948. p. 250.
- 567.—Lewis, D. J. The tsetse fly problem in the Anglo-Egyptian Sudan. [Trypanosomes.] Sudan Notes & Records 30 (2) 1949 pp. 179 -210 figs.
- **568.—Lewis,** E. A. The effect of antrycide on *T. vivax* in tsetse flies. E. Afric. agric. J. **15** 1949 pp. 57–60 figs.

Li, Y. see Ho, E. A.

- 569.—Liebmann, H. Beitrag zur Kenntnis der Kernteilung bei vegetativen Stadien von Entamoeba coli Lösch. Arch. Protistenk., Jena 97 1944 pp. 1-6 figs.
- **570.**—Lillie, R. D. A note on Giemsa stains. [Blood protozoa.] Amer. J. trop. Med. **29** 1949 p. 625.
 - Lilligren, B. L. see Thompson, P. E.

- 571.—Lilly, D. M., Pignataro, A. & Heilshorn, K. Further studies on growth factors for carnivorous ciliates. Anat. Rec., Philadelphia 105 (3) 1949 p. 512.
- 572.—Lipparini, T. Studi stratigrafici e tettonici dell'Appennino settentrionale. [Foraminifera.] Boll. Uff. Geol. Ital. 69 1944 [1946] pp. 33–108 tables.

Little, P. see Sampath, A.

- 573.—Lloyd, L. Induced and spontaneous abnormalities in *Paramecium*. Proc. Leeds phil. lit. Soc., Scient. Sect. 5 (2) 1948 pp. 140-154 figs.
- 574.—Lloyd, O. C. & Sommerville, T. The fate of sporozoites of *Plasmodium cynomolgi* injected into the skin of *rhesus* monkeys. J. Path. Bact. 61 1949 pp. 144-146.

Lloyd., O. C. see Mulligan, H. W.

- 575.—Loeblich, A. R. & Tappan, H. Foraminifera from the Walnut Formation (Lower Cretaceous) of northern Texas and southern Oklahoma. J. Paleont., Menasha, Wis. 23 (3) 1949 pp. 245–266 figs.
- 576.—Loeblich, A. R. & Tappan, H. New Kansas Lower Cretaceous foraminifera. J. Washington, Acad. Sci. 39 (3) 1949 pp. 90–92.
- 577.—Loefer, J. B. Penicillin and streptomycin sensitivity of some protozoa. Texas J. Sci. 1 (1) 1949 pp. 92–94.

Lombard, L. see Morgan, B. B.

578.—Lopashov, G. V. [Comparative analysis of processes of formation in unicellular organisms.] Adv. mod. Biol., Moscow, 27 (3) 1949 pp. 345–368 figs. [In Russian.]

Lopez, L. P. see Vega, N. G. de

- 579.—López-Neyra, C. R. La parasitologia humana en el marruecos Español. [Protozoa in Moors.] Rev. Ibérica Parasit., Granada 9 (4) 1949 pp. 373-443.
- **580.—Lourie,** E. M. Selectivity of drug action in protozoal blood infections. Symposia Soc. exp. Biol., Cambridge **3** 1949 pp. 164–176.

Lourie, E. M. see Bülbring, E.

Lourie, E. M. see Rollo, I. M.

Lourie, E. M. see Seaton, D. R.

Løvtrup, S. see Holter, H.

Lu, K. S. Y. see Nie, D.

- **581.—Lubinsky**, G. A galvanotactic procedure for the concentration of *Balantidium coli* in feees. J. lab. clin. Med., St. Louis **34** (8) 1949 pp. 1154-1161.
- 582.—Lucena, D. T. de. Parasitas sanguicolas de alguns passaros dos arredores do Recife. Bol. Secr. Agric. Brasil 16 1949 pp. 5–8. [With English summary.]
- 583.—Lüling, K. H. Ueber eine neue Coccidie im Darm der Priapuliden: Priapulus caudatus (Lam.) und Halicryptus spinulosus (v. Sieb.). I. Erste Mitteilungen. Arch. Protistenk., Jena 96 1942 pp. 39-74 figs.
- 584.—Lund, E. E. Considerations in the practical control of intestinal coceidiosis of domestic rabbits. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 611-619.
- 585.—Lwoff. A. Limites de concentration en ions H et OH compatibles avec le développement in vitro du flagellé Polytomella caeca. Ann. Inst. Pasteur, Paris 66 1941 pp. 407-416.
- **586.—Lwoff**, A Kinetosomes and the development of ciliates. Growth Symposium **9** 1949 pp. 61–91 figs.
- 587.—Lwoff, A. & Dusi, H. Recherches sur la nutrition des flagellés. I. Polytoma uvella et Polytoma obtusum: nécessité du fer, nutrition azotée. Ann. Inst. Pasteur, Paris 67 1941 pp. 229–239.
- 588.—Lwoff, A., Nitti, F., Tréfouël, J. & Hamon, V. Recherches sur le sulfamide et les anti-sulfamides. I Action du sulfamide sur le flagellé Polytomella caeca.—II. Action antisulfamide de l'acide p-aminobenzoique en fonction du pH. Ann. Inst. Pasteur, Paris 57 1941 pp. 9–36.

Lwoff, A. see Chatton, E. Lwoff, A. see Lwoff, M.

589.—Lwoff, M. & Lwoff, A. Un nouveau réactif biologique de l'acide p-aminobenzoique, le Trypanosomide Strigomonas oncopelti. Ann. Inst. Pasteur, Paris 71 1945 pp. 206–209.

- 590.—Lwoff, A. & Schaeffer, P. La décoloration d'Euglena gracilis par la streptomycine. C. R. Acad. Sci., Paris, 228 (9) 1949 pp. 779-781.
- **591.**—**Lys**, M. & **Sigal**, J. French author's card-index. [Foraminifera.] The Micropaleont., N. Y. **3** (4) 1949 pp. 23–24.

McCarten, W. G. see Griffin, A. M.

- **592.—Macdonald,** A. Serological diagnosis of human toxoplasmosis. Lancet, London **256** 1949 pp. 950–953 figs.
- 593.—MacFarlane, J. O. & Ruchman, I. Cultivating of toxoplasma in the developing chick embryo. Proc. Soc. exp. Biol. 67 (1) 1948 pp. 1-4 figs.
- 594.—McGhee, R. B. The ability of the avian malaria parasite, Plasmodium lophurae, to infect erythrocytes of distantly related species. Anat. Rec., Philadelphia 105 (3) 1949 pp. 503–504.
- **595.**—**McGhee**, R. B. The course of infection of *Plasmodium gallinaceum* in duck embryos. J. infect. Dis., Chicago **84** 1949 pp. 98-104 figs.
- 596.—McGhee, R. B. Pre-erythrocytic development of *Plasmodium gallinaceum* in avian embryos. J. infect. Dis., Chicago 84 1949 pp. 105–110 figs.
- **597.**—**McGhee**, R. B. The course of infection of *Plasmodium lophurae* in chick embryos. J. Parasit, Lancaster **35** 1949 pp. 411-416.
- 598.—McGhee, R. B. The occurrence of bat malaria in the New Hebrides and Philippine Islands. J. Parasit., Lancaster, Pa. 35 1949 p. 545.
- 599.—McGhee, R. B. Infection of the immature white mouse with the avian malaria parasite, *Plasmodium* lophurae. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 23.
- 600.—McGhee, R. B. Infection of mammalian erythrocytes by the avian malaria parasite, *Plasmodium lophurae*. Proc. Soc. exp. Biol. 71 1949 pp. 92–93 figs.

McGhee, R. B, see Trager, W.

601.—MacGinitie, G. E. & MacGinitie, N. Natural history of marine animals. New York. 1949 473 pp. figs. [Protozoa pp. 101-107.]

73 pp. figs. [Protozoa pp. 101–107.]

MacGinitie, N. see MacGinitie, G. E.

McGinty, D. A. see Thompson, P. E.

McGinty, J. see Henson, F. R. S.

McGregor, T. see Sullivan, T. D.

602.—McIntyre, R. A., Jr. Length of application of the excystment-inducing stimulus in relation to percentage of excystment in Tillina magna. J. Elisha Mitchell Sci. Soc., Chapel Hill 65 (1) 1949 pp. 123–130.

McKee, R. W. see Ball, E. J.

McKee, R. W. see Geiman, Q. M.

- 603.—Mackerras, M. J. & Ercole, Q. N. Some observations on the action of quinine, atebrin, and plasmoquine on *Plasmodium vivax*. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 443–454 figs.
- 604.—Mackerras, M. J. & Ercole, Q. N. Observations on the action of quinine, atebrin and plasmoquine on the gametocytes of *Plasmodium falciparum*. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 455-463.
- 605.—McRobert, Sir G. [Announcement of the discovery by H. E. Shortt et al. of exoerythrocytic stages of Plasmodium falciparum.] Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 255–256.

McShan, W. H. see Smith, B. F.

606.—McVay, L. V., Laird, R. L. & Sprunt, D. H. A preliminary report of the successful treatment of amoebiasis with aureomycin. Science, Lancaster, Pa. 109 1949 pp. 590-591.

Magné, J. see Dam, A. ten.

- **607.**—**Magrou**, J. Etienne Sergent (1878–1948). Ann. Inst. Pasteur, Paris **75** 1949 pp. 564–566.
- 608.—Malamos, B. Tropical diseases in Brazil. [Including protozoal diseases.] Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 11–32.
- 609.—Malkin, D. S. News— United States (Gulf-Coast). [Foraminifera.] The Micropal., N. Y. 3 (4) 1949 pp. 2-5.

Mansjoer, M. see Kraneveld, F. C.

- 610.—Manson-Bahr, P. Trypanosomiasis in Africa. Nature, London 163 1949 pp. 118–120.
- **611.—Manwell,** R. D. Malaria, birds, and war. Amer. Scientist **37** (1) 1949 pp. 60-68.
- 612.—Manwell, R. D. Plasmodium oti and P. hexamerium. J. Parasit., Lancaster, Pa. 35 1949 pp. 561–565 figs.
- 613.—Manwell, R. D. & Feigelson, P. Glycolysis in *Plasmodium gallinaceum*. Proc. Soc. exp. Biol. 70 (4) 1949 pp. 578–582 figs.
- 614.—Marchesini, E. Fauna a Lepidocyclina delle brecce calcaree alla tempa petrelli presso Torella dei Lombardi (Avellino). Giorn. geol. Bologna, 15 (2) 1941 pp. 49–71 figs.
- 615.—Margalef, R. Contribucion al conocimiento hidrobiológico del país Vasco-Navarro. [Protozoa.] Aportación al Estud Fauna y Flora Vasco-Navarros, Zaragoza, 1946 pp. 7-44 figs.
- 616.—Margalef, R. Flora, fauna y comunidades bioticas de las aguas dulces del Pirineo de la Cerdaña. Zaragoza 1948 226 pp. figs. [Protozoa pp. 168–171.]
- 617.—Margalef, R. Datos para la hidrobiología de la Sierra de Guadarrama. [Freshwater protozoa.] Pub. Inst. Biol. apl., Barcelona 6 1949 pp. 5-21 figs.
- 618.—Markov, G. S. & Rogoza, M. L. [Parasitic fauna of males and females of *Rana temporaria.*] C. R. (Doklady) Acad. Sci., Moscow-Leningrad (N.S.) 65 (3) 1949 pp. 417–420 [In Russian.]

Marousek, A. A. see Becker, E. R.

- 619.—Marshall, P. B. The glucose metabolism of *Trypanosoma evansi* and the action of trypanocides. Brit. J. Pharmacol. Chemotherapy 3 1948 pp. 8–14 figs,
- 620.—Marshall, P. B. The glucose metabolism of *Plasmodium gallinaceum*, and the action of antimalarial agents. Brit. J. Pharmacol. Chemotherapy 3 1948 pp. 1-7 figs.

621.—Marsland, D. Protoplasmic contractibility. Pressure experiments on the motility of living cells. (Amoeba.] Scient. Monthly, Lancaster, Pa. 67 (3) 1948 pp. 193–200 figs.

Martin, W. E. see Bamberger, J. W. Maryon, M. see Covell, G.

Mason, H. C. see Hunter, G. W.

622.—Mason, K. E. Nutrition and reproduction. [Protozoa: p. 94.] Survey of biological progress, N. Y. 1949 pp. 89–114.

Massart, L. see Willems, R.

623.—Mathis, C. Considérations relatives à l'amibiase. Bull. Soc. Path. exot., Paris **42** 1949 pp. 80–82.

624.—Mayer, M. Observaciones sobre el *Trypanosoma venezuelense*. Arch. Venezol. Patol. trop. Parasitol. med. 1 (2) 1949 pp. 166–169. [With English summary.]

625.—Mayer, M., Convit, J. & Pifano C. F. Estudios experimentales con una cepa de *Leishmania brasiliensis* proveniente de un caso de leishmaniasis tegumentario diseminada de aspecto lepromatoso. Arch. Venezolan. Patol. Trop. 1 (2) 1949 pp. 183–192 figs.

626.—Mayer, M. & Pifano C., F. Observaciones sobre un trypanosoma del tipo *Trypanosoma duttoni* en ratones blancos de Venezuela. Arch. Venezol. Patol. trop. Parasitol. med. 1 (2) 1949 pp. 159–165 figs. [With English summary.]

627.—Mayer, M. & Pifano C., F. Conservacion por años en la nevera de cerebros con *Plasmodium falciparum*. Arch. Venezol. Patol. trop. Parasitol. med. 1 (2) 1949 pp. 327–328. [With English summary.]

628.—Mayer, M. & Pifano C., F. Sobre una Schizogregarina de Eutriatoma maculata de Venezuela. Arch. Venezol. Patol. trop. Parasitol. med. 1 (2) 1949 pp. 335–340 figs. [With English summary.]

Mayer, M. see Pifano C., F.

629.—Mazzotti, L. Parasitos intestinales en habitantes de la ciudad de Mexico. Rev. Inst. Salubr. Enferm. trop., Mexico 10 1949 pp. 183–202.

630.—Mechtiev, S. F. [On the geological age of volcanic rocks of Talysh, Russia.] C. R. Acad. Sci. U.S.S.R. (N.S.) 58 (4) 1947 pp. 635-637. [In Russian.]

Medina, R. see Pifano C., F.

631.—Meglitsch, P. A. On Kudoa funduli (Hahn). Trans. Amer. micr. Soc. 67 1948 pp. 272-274 figs.

632.—Meleney, H. E. & Zuckerman, L. K. Note on a strain of small race Endamoeba histolytica which became large in culture. Amer. J. Hyg. 47 1948 pp. 187–188.

633.—Menk, W. & Mohr, W. Zur Frage des Vorkommens der Entamoeba histolytica im Duodenalsaft des Menschen. Z. Tropenmed. Parasitol. Stuttgart 1 1949 pp. 231-233.

634.—Messina, A. R. Literature recently received. [Foraminifera, etc.] The Micropaleont., N. Y. 3 (3) 1949 pp. 23–40.

Metain, C. see Dragesco, J.

635.—Metalnikov, M. D. [Notes on nummulites discovered in environs of Sotshi.] Trans. Oil Geol. Inst. B 51 1935 pp. 35-41 figs. [In Russian.]

636—Metz, C. B. & Fo'ey, M. T. Fertilization studies on Paramecium aurelia: an experimental analysis of a non-conjugating stock. J. exp. zool., Philadelphia, 112 1949 pp. 505-528 tables.

637.—Metz, C. B. & Fusco, E. M. Mating reactions between living and lyophilized paramecia of opposite mating type. Biol. Bull., Woods Hole, 97 1949 p. 245.

638.—Meyer, H. Cultivo de Plasmodium gallinaceum em culturas de tecido a partir de sangue infectado. II. Rev. Brasil. Biol. 9 1949 pp. 211-216 figs.

639.—Micks, D. N. Investigations on the mosquito transmission of Plasmodium elongatum Huff, 1930. J. nation. Malaria Soc., Columbia, S. C. 8 (3) 1949 pp. 206-218 figs.

640.—Micks, D. W. Malaria in English sparrow. J. Parasit., Lancaster, 35 1949 pp. 543-544. 641.—Middelhoek, A. Sociologische excursie op een slakkenhuisje. [Associations between freshwater Protozoa and other animals.] Levende Nat., Amsterdam 50 1947 pp. 23–26 figs.

34

- 642.—Middelhoek, A. Remarks on Microgromia socialis Hertwig et Lesser. Hydrobiologia, Den Haag, 1 (2) 1949 pp. 210–214 figs.
- 643.—Miklucho-Maklaj, A. D. [New data on the foraminiferal fauna from the Permian deposits of the Caucasus.] C. R. Acad. Sci. U.S.S.R. (N. S.) 58 (2) 1947 pp. 269-271. [In Russian.]
- 644.—Miklucho-Maklaj, A. D. [The discovery of Carboniferous deposits in the Sikhota-Alin district (Siberia).] C. R. Acad. Sci. U.S.S.R. (N. S.) 58 (8) 1947 pp. 1749–1750. [In Russian.]
- 645.—Miklucho-Malkaj, A. D. & Ejnor, O. L. [Foraminiferal fauna of Permian deposits of Transcaucasia.] C. R. Acad. Sci. U.S.S.R. (N. S.) 58 (7) 1947 pp. 1447-1449. [In Russian.]

Miklucho-Maklaj, A. D. see Ognev, V. N.

646.—Milanović, D. Changements saisoniers dans la composition du phytoplancton de l'Obedska Bara (Marais de Kupinovo.) [Mastigophora.] Bull. Mus. Hist. nat. Pays Serb., Belgrade, 1949 (B) no. 1–2 pp. 127–162 figs. [French summary.]

Miller, A. K. see Thompson, M. L. Miller, J. see Knight, A. A.

- 647.—Miller, M. J. Entamoeba histolytica infections in young chicks. J. Parasitology, Lancaster 35 (no. 6 sect.2) 1949 p. 34.
- 648.—Milon, M. Y. Étude préliminaire des calcaires Briovériens de Saint-Thurial et de leur microfaune. Bull. Soc. Géol. Min. Bretagne, 4 (2) 1923 pp. 113-116.
- 649.—Minato, M. Phasenanalyse der Gebirgebildungen der palaeozoischen Aera im Kitakami-Gebirge (nordöstliches Honsyu, Japan.) [Foraminifera.] Japan. J. Geol. Geogr. 19 (1-4) 1944 pp. 151-180 figs.

650.—Mirigliano, G. Pliocene tra Licusati, S. Iconio e Porto degl' Infreschi (Salerno). [Foraminifera.] Boll. Soc. Nat. Napoli 57 1949 pp. 60-71.

Protozoa

Misra, B. G. see Raghavan, N. G. S.

Mitzopoulous, M. see Renz, C.

Mjatluk, E. V. see Golubkov, I. A.

- 651.—Mohler, W. A. Über das Vorkommen von Alveolina und Neoalveolina in Borneo. Ecl. geol. helv. 41 (2) 1948 [1949] pp. 321–329 figs.
- 652.—Mohler, W. A. Spiroclypeus und Flosculinella in Kalken aus dem Küstengebirge zwichen Patjitan und Blitar (Java). Ecl. geol. helv. 41 (2) 1948 [1949] pp. 329–332 figs.
- 653.—Mohler, W. A. Das Alter des Eozänkalkes von Guning Gamping, westlich Djokjakarta, Java. [Large foraminifera.] [Abstract.] Verh. Schweiz. naturf. Ges. 129 1949 pp. 150-151.
- 654.—Mohler, W. A. Flosculinella reicheli n. sp. aus dem Tertiäre 5 von Borneo. [Abstract.] Verh. Schweiz. naturf. Ges. 129 1949 p. 151.
- 655.—Mohr, J. L. Trichochona lecythoides, a new genus and species of marine Chonotrichous ciliate from California, with a consideration of the composition of the order Chonotricha Wallengren, 1895. Occas. Paper Allan Hancock Foundation, Los Angeles, Pub. 5 1948 pp. 1–20 figs.

Mohr, W. see Menk, W.

Mold, J. D. see Riegel, B.

656.—Montel, L. R. Considérations relatives à l'amibiase. Bull. Soc. Path. exot., Paris 42 1949 pp. 82-83.

Montézin, G. see Schneider, J.

Morales, M. F. see Hutchens, J. O.

- 657.—Morehouse, N. F. Coccidiosis as a disease of turkeys. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 501–504.
- 658.—Morehouse, N. F. Experimental chemotherapy of coccidiosis in turkeys. Ann. N. Y. Acad. Sci. 53 (4) 1949 pp. 589-594.

Morellet, J. see Morellet, L.

- 659.—Morellet, L. & Morellet, J. Le Bartonien du Bassin de Paris. Foraminifères. Mém. Carte Géol. Détail. Fr. 1948 pp. 18-20.
- 660.—Morgan, B. B. Giardia infection in chinchilla, J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 34.
- 661.—Morgan, B. B., Lombard, L. & Pierce, A. E. Chemotherapy of Trichomonas foetus infections in rabbits. Proc. Soc. exp. Biol. 70 (2) 1949 pp. 243-246.
- 662.—Morgante, S. & Accordi, B. Ricerche geologico-petrografiche sui materiali incontrati da un pozzo ad Ariano Polesine. Atti. Ist. Veneto 106 (2) 1947–48 [1948] pp. 80–98.
- 663.—Moriggi, M. Nuove gregarine policistidee parassite di carabidi italiani. Arch. Protistenk., Jena 96 1943 pp. 221–234 figs.
- 664.—Morishima, M. A new Miocene Lepidocyclina from Shizuoka Prefecture, Japan. J. Paleont. Menasha, Wis. 23 (2) 1949 pp. 210—213 figs.
- 665.—Mornod, L. Les Globotruncana du Crétacé supérieur du Montsalvens (Fribourg.) [Abstract.] Verh. Schweiz. naturf. Ges. 129 1949 pp. 139-140.
- 666.—Morrison, D. B. & Jeskey, H. A. Alterations in some constituents of the monkey erythrocyte infected with *Plasmodium knowlesi* as related to pigment formation. J. nation. Malaria Soc., Columbia, S. C. 7 (4) 1948 pp 259-264 figs.
- 667.—Moses, M. J. Nucleoproteins and the cytological chemistry of *Paramecium* nuclei. Proc. Soc. exp. Biol. 71 (4) 1949 pp. 537–539 table.
- 668.—Most, H. Recent advances in the therapy of the more common protozoan and helminthic infections of man. Bull. N. Y. Acad. Med. 25 (11) 1949 pp. 717-740 figs.
- 669.—Moulder, J. W. Inhibition of pyruvate oxidation in the malarial parasite *Plasmodium gallinaceum* by quinine treatment of the host. J. inf. Dis., Chicago 85 1949 pp. 195–204.

- 670.—Moulder, J. W. The oxygen requirements of parasites. [Including Protozoa.] J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 18.
- 671.—Mudrow-Reichenow, L. Unser heutiges Wissen von der Plasmodienentwicklung im Wirbeltier. Z. Tropenmed. Parasitol., Stuttgart 1 (1) [1949] pp. 113-152.
- 672.—Mudrow-Reichenow, L. & Reichenow, E. Die Entwicklung von Plasmodium cathemerium im Endothel und Blut des Kanarienvogels. Zool. Jahrb., Jena (Anat.) 70 1949 pp. 129-168 figs.
- Mugard, H. see Fauré-Fremiet, E. Muller, G. R. see Swartzwelder, J. C.
- 673.—Mulligan, H. W., Sommerville, T. & Lloyd, O. C. Observations on the infectivity of tissues of Macaca mulatta during the incubation period following exposure to infection with sporozoites of Plasmodium cynomolgi. Indian J. Malariol. 3 1949 pp. 211-220.
- 674.—Muniz, J. & Medina, H. Leishmaniose tegumentar do cobaio, Leishmania enriettii n. sp.—Guineapig tegumentary leishmaniosis, Leishmania enriettii. Arq. Biol. Techn., Parana 3 1948 pp. 13-30 figs. [Portuguese with English summary: Reprint of 663 in Z. R. lxxxv (2).]

Mussell, D. R. see Johnson, J. E.

675.—Nadel, E. M., Taylor, D. J., Greenberg, J. & Josephson, E. S. Adrenal hypertrophy in chicks infected with Plasmodium gallinaceum. J. nation. Malaria Soc., Columbia, S. C. 8 (1) 1949 pp. 70-79 figs.

Nair, C. P. see Jaswant Singh.

Nájera, L. see Romaña, C.

- 676.—Nakkady, S. E. The foraminiferal fauna of the Esna Shales of Egypt. Bull. Inst. Egypt. 31 1949 pp. 209-247.
- 677.—Napier, L. E. The rate of disappearance of Leishmania in Kala-azar patients under urea stibamine therapy. Trans R. Soc. trop. Med. Hyg. 43 1949 pp. 231-233.

- 678.—Navarro Cándido, A. Clasificación de los animales. Madrid, 1949 317 pp. figs. [Protozoa pp. 14–23.]
- 679.—Neal, R. A. Entanceba muris: a complicating factor in the experimental infection of rats with E. histolytica. Nature, London 163 1949 pp. 99-100 figs.
- 680.—Neghme, A. & Silva, R. Amebiasis en zonas rurales y suburbanas de la Provincia de Santiago. Bol. Informac. Parasitar. Chilen. 4 (4) 1949 pp. 51–52 [English summary.]

Neghme, A. see Pizzi, T.

681.—Nelson, E. C. Some observations on vitamins and antibiotics in the cultivation of Endamoeba histolytica. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 17.

Nelson, R. H. see Dunlap, J. S.

- 682.—Neve, G. A. de. Foraminifera from the shore zone of the islands of Roeang and Siaoe. Chronica Naturae, Batavia, 105 (4) 1949 pp. 113-115 map.
- 683.—Neve, G. A. de. Opmerkkingen over een foraminifer enhoudonde kalksteen van Baranti op het schriereiland Sangaar (Soem Bawa) en de strandzanden van Poeloe Ngali (Salehbaai) en Poeloe Madang. Chronica Naturae, Batavia, 105 (4) 1949 pp. 116–118.
- 684.—Neve, G. A. de. Foraminifera from the Shore zone of the islands of Morotai and Ternate. Chronica Naturae, Batavia, 105 (7-8) 1949 pp. 196-198.
- 685.—Neve, G. A. de. Foraminifera from the shore zone of Parigi and Pozo (Gulf of Tomini). Chronica Naturae, Batavia 105 (10) 1949 pp. 252-254.
- 686.—Neve, G. A. de. Een notitie over de foraminifera van de oudstë diepzeelodingen in Indonesie. Chronica Naturae Batavia, 105 (11) 1949 pp. 291–292.
- 687.—Newell, N. D. Phyletic size increase, an important trend illustrated by fossil invertebrates. [Foraminifera.] Evolution, Lancaster, Pa. 3 (2) 1949 pp. 103–124 figs.

- 688.—Newton, W. L. & Jones, M. F. The effect of ozone in water on cysts of *Endamoeba histolytica*. Amer. J. trop. Med. 29 1949. pp. 669-681.
- 689.—Newton, W. L. & Jones, M. F. Effectiveness of silver ions against cysts of Endamoeba histolytica. J. Amer. Water Works Assoc. 41 (11) 1949 pp. 1027–1034.

Nicol, W. D. see Covell, G.

Nie, C. J. van see Keidel, H. J. W.

- 690.—Nie, D. The structure and division of *Chilomastix intestinalis* Kuczynski, with notes on similar forms in man and other vertebrates. J. Morph., Philadelphia 82 1948 pp. 287–329 figs.
- 691.—Nie, D. & Lu, K. S. Y. Studies on Spathocyathus caridina gen. et sp. nov., a Suctoria attached to the antennae of a fresh-water shrimp, Caridina sp. Sinensia, Nanking, 16 1945 pp. 57-64 figs.

Nie, D. see Wenrich, D H.

692.—Nikolaev, B. P. [Subspecies of benign tertian malaria (*Plasmodium vivax*).] C. R. (Doklady) Acad. Sci., Moscow-Leningrad (N. S.) 67 (1) 1949 pp. 201–204 [In Russian.]

Nitti, F. see Lwoff, A.

- 693.—Noble, E. R. A new Myxosporidian (Protozoan) parasite from Scyliorhinus torazame. Trans. Amer. micr. Soc. 67 1948 pp. 254–256 figs.
- 694.—Nodenot, L. Note sur une infection accidentelle avec une souche de *Trypanosoma gambiense*. Bull. Soc. Path. exot., Paris 42 1949 pp. 16-18.

Novik, E. O. see Ayzenberg, D. E.

- 695.—Nozawa, K. Ecto-endoplasmic ratio as a physiological factor for the determination of the cell volume of Actinosphaerium eichhorni (Ehrenberg). Japan. J. zool. 9 1940 pp. 1–18 figs.
- 696.—Nozawa, K. Studies on the quantitative relation between the nuclei and the cytoplasm in Actinosphaerium eichhorni. Japan, J. Zool. 9 1940 pp, 139-152 figs,

- 697.—Nozawa, K. A new primitive hypotrichous ciliate, *Kiitricha marina* n. g., n. sp. Annot. zool. jap. 20 1941 pp. 24-26 figs.
- 698.—Nozawa, K. Some notes on a suctorian, *Tokophrya quadripartita* (Claparède et Lachmann). Annot. zool. jap. 20 1941 pp. 146–150 figs.
- 699.—Nozawa, K. Systematic studies of the plankton organisms occurring in Iwayama Bay, Palao. V. Two planktonic suctorians from Palao. Palao trop. biol. Sta. Studies, Tokyo, 2 (3) 1942 pp. 581–584 figs.
- 700.—Nyden, S. J. Changes in ascorbic acid metabolism of the rat during infection with *Trypanosoma hippicum*. Proc. Soc. exp. Biol. 69 1948 pp. 206-210.
- 701.—Nygaard, G. Hydrobiological studies on some Danish ponds and lakes. [Phytomastigina.] Biol. Skr. Kjøbenhavn 7 (1) 1949 pp. 1–293 figs.
- 702.—Oakley, K. P. International Geological Congress, 1948. Section H. The Pliocene-Pleistocene boundary [Foraminifera.] Man, London, 49 art. 72 1949 pp. 56-58.

Oddo, F. see Alessandro, G. D'.

703.—Ogaki, M. Bird malaria parasites found in Malay Peninsula. Amer. J. trop. Med. 29 1949 pp. 459-462.

Ogilvie, A. C. F. see Broughton, N.

- 704.—Ognev, V. N. & Miklucho-Maklaj, A. D. [Age of the palaeozoic strata of the Ferghana Chain (Asiatic Russia).] C. R. Acad. Sci. U.S.S.R. (N. S.) 57 (3) 1947 pp. 279–280 [In Russian.]
- 705.—Ohta, Y. [Japanese paper dealing with *Paramecium* and other ciliates.] Dobut. Zassi [Zoological Magazine.] Tokyo 56 (4-6) 1944 p. 47.
- 706.—Oinomikado, T. News—Japan. [Foraminifera.] The Micropaleont., N. Y. 3 (1) 1949 pp. 18–19; 3 (3) pp. 10–11.
- 707.—Oinomikado, T. Assemblage slide used in the laboratory of Imperial Oil Co., Tokyo, Japan. [Foraminifera.] The Micropaleont., N.Y. 3 (2) 1949 p. 32 fig.

- 708.—Oka, A. Gedanken über Fortpflanzung, Entwicklung und Vererbung. [General, including protozoa.] Annot. zool. Jap. 20 1941 pp. 57-66.
 - O'Malley, B. see Seaman, G. R.
 - Ordal, E. N. see Shaw, E. H.
 709.—Orlini, A. Sulla presenza di
- 709.—Orlini, A. Sulla presenza di Globotruncana calcarata Cushman in Italia. Riv. ital. Paleont. 55 (1) 1949 pp. 35–36.
- 710.—Orlov, A. F. [Adaptations and permanent modifications in infusoria.] Zool. J., Moscow, 26 (6) 1947 pp. 521-530. figs. [In Russian.]
- 711.—Orsi, A. Tintinnidi del Golfo di Genova. Boll. Mus. Zool. Anat. comp. Genova 16 1936. pp. 3–18 figs.
- 712.—Ostroumov, V. G. [Trypanoplasm of Pseudoscaphirhynchus kaufmanni from Amu-Daria.] C. R. (Doklady) Acad. Sci., Moscow-Leningrad (N. S.) 66 (1) 1949 pp. 129–131 figs. [In Russian.]

Otero, P. M. see Soto, O. B.

- 713.—Overman, R. R., Hill, T. S., & Wong, Y. T. Physiological studies in the human malarial host. I. Blood, plasma, "extracellular" fluid volumes and ionic balance in therapeutic *P. vivax* and *P. falciparum* infections. J. nation. Malaria Soc., Columbia. S. C. 8 (1) 1949 pp. 14–31 figs.
- 714.—Ovey, C. D. The Zoological Record. [Protozoa.] The Micropaleont., N. Y. 3 (1) 1949 p. 21.
- 715.—Ovey, C. D. News—Great Britain. [Foraminifera.] The Micropaleont. 3 (1) 1949 pp. 7-9; 3 (3) p. 6.
- 716.—Ovey, C. D. Dr. J. A. Cushman. [Obituary.] Nature, London 163 (4155) 1949 p. 944.
- 717.—Ovey, C. D. Note on the evidence for climatic changes from sub-oceanic cores. [Foraminifera.] Weather, London 4 1949 pp. 228—231 figs.
- 718.—Owen, H. M. Flagellar structure. II. The flagellum as a taxonomic character. Trans. Amer. micro. Soc. 68 (3) 1949 pp. 261-274 figs.

- 719.—Ozaki, Y. & Yagiu, R. A new marine ciliate Cirrhogaster monilifer n. g., n. sp. Annot. zool. jap. 21 1942 pp. 79-81 figs.
- 720.—Ozawa, Y. A note on the Fusulina Limestone of Omi-mura, Echigo. Journ. geol. Soc. Tokyo 32 (376) 1925 pp. 27-35. [Japanese only.]
- 721.—Packard, C. E. The effects of certain chemicals on the macronucleus of *Spirostomum teres*, with notes on the genus. Trans. Amer. micr. Soc. 67 1948 pp. 275–279 figs.

Pan. C. see Ritchie, L. S.

- 722.—Panthier, R. Impaludation primaire de sujets adultes, transplantés en zone d'endémicité et d'hyperendémicité palustre. Bull. Soc. Path. exot., Paris 42 1949 pp. 97–100.
- 723.—Paraense, W. L. A transmissão de *Plasmodium gallinaceum* pelo *Aedes (Ochlerotatus) lepidus*. Mem. Inst. O. Cruz., Rio de J. **42** 1945 pp. 81-84.
- 724.—Paraense, W. L. The ineffectiveness of "Paludrine" against Toxoplasma. Mem. Inst. O. Cruz, Rio de J. 46 1949 pp. 639-645 [Portuguese with English summary.]
- 725.—Paraense, W. L. Observações sobre a biologia da *Babesia canis*. Rev. Brasil. Biol 1949 **9** (4) p. 520.
- 726.—Paraense, W. L. Caracteristicas morfologicas e biologicas de una amostra Brasileira do *Plasmodium circumflexum*. Rev. Brasil. Biol. 9 (4) 1949 p. 521.
- 727.—Paraense, W. L. & Vianna, Y. L. Algumas observações sobre a babesiose dos cães no Rio de Janeiro. Mem. Inst. O. Cruz., Rio de J. 46 1949 pp. 595–603 [English summary.]

Pardoe, U see Bülbring, E.

- 728.—Párducz, B. Strudelnde Lebensweise und Sessilität. II. Math. term. Ert. Budapest 58 (2) 1939 pp. 556–557 fig. [Hungarian with German summary.]
- 729.—Paribok, V. P. & Zaugalnikov S. D. [The problem of dynamics in small aquatic animals.] [Protozoa

- general.] C. R. Acad. Sci. U.S.S.R. (N. S.) **64** (4) 1949 pp. 561–562 figs. [In Russian.]
- 730.—Parr, W. J. New genera of foraminifera from the Tertiary of Victoria. J. Min. Geol. Dept. Mines, Victoria, 2 (6) 1942 pp. 361-363 figs.
- 731.—Parr, W. J. The age of the lignite deposits of Parwan. [Foraminifera.] J. Min. Geol. Dept. Mines. Victoria 2 (6) 1942 pp. 363-364.
- 732.—Parr, W. J. Foraminfera. [General article.] S. Austral. Nat. 21 (3) 1942 pp.1-
- 733.—Parrot, L. Sur quelques souches de *Leishmania*. Arch. Inst. Pasteur Algérie 27 1949 pp. 106–109.
- 734.—Parrot, L. & Catanei, A. La contamination palustre du nourrisson en milieu hyperendémique Algérien. Arch. Inst. Pasteur Algérie 27 1949 pp. 250–256.
- 735.—Pascher, A. Rhizopodiale Chrysophyceen. Arch. Protistenk., Jena, 93 (3) 1940 pp. 331-349 figs.
- 736.—Pascher, A. Zur Klärung einiger gefärbter und farbloser Flagellaten und ihrer Einrichtungen zur Aufnahme animalischer Nahrung. Arch. Protistenk., Jena 96 (1) 1942 pp. 75–108 figs.
- 737.—Pascher, A. Eine neue Art der farblosen Flagellatengattung Histiona aus den Uralpen. Arch. Protistenk., Jena 96 (2) 1943 pp. 288–294 figs.
- 738.—Passendorfer, E. Étude stratigraphique et paléontologique du Crétacé de la série hauttatrique dans les Tatras. [Foraminifera.] Trans. Serv. géol. Pologne, 2 (4) 1929 [1930] pp. 511-676 figs.
- 739.—Pastiels, A. Contribution à l'étude des microfossiles de l'Écoène Belge. [Silicoflagellates, dinoflagellates, radiolaria, foraminifera.] Mém. Mus. Hist. nat. Belg. No. 109 1948 pp. 1–77 figs.
- 740.—Pastori, G. Studi sperimentali intorno alle fisiologia delle Vorticelle. Comment. pont. Acad. Sci. 9 (4) 1945 pp. 115–142 figs. [In Italian.]

- 741.—Paulsen, O. [& Grønstved, J.] Observations on Dinoflagellates. Kongel. Dansk. Vidensk. Selsk., Biol. Skr. 6 (4) 1949 pp. 5-67 figs.
- 742.—Pavlov, P. Recherches sur les Piroplasmidea Wenyon 1926 et les maladies qu'ils provoquent en Bulgarie. Annuaire Acad. Rurale, Fac. Zootechn., Sofia 1 1949 pp. 7-62. [Bulgarian with French summary.]
- 743.—Pavlovsky, E. N. The microorganism, the transmitter, the environment and their interrelations. Zool. J., Moscow 26 1947 pp. 297-313. [In Russian.]
- 744.—Pavlovsky, E. N. [Biocoenology and parasitology.] [Parasitic protozoa.] Zool. J., Moseow 27 1948 pp. 97-112. [In Russian.]
- 745.—Payzin, S. La relation de la diarrhée d'été avec la présence de Lamblia intestinalis et de Trichomonas intestinalis dans la matière fécale des enfants. Rév. Turque Hyg. Biol. exp. 4 1947 pp. 69-80 figs. [Turkish with French summary.]

Peeters, G. see Willems, R.

- 746.—Pellegrini, D. Trypanosoma simiae (Bruce) infection of the camel. E. Afric. agric. J. 13 1949 pp. 207-209.
- 747.—Pellegrini, D. Trypanosoma vivax in the camel. Natural and experimental infection. E. Afric. agric. J. 14 1949 pp. 133-135.
- 748.—Pellegrino, J. & Borrotchin, M. Inquerito sobre a doença de Chagas no Hospital da Santa Casa de Misericordia de Belo Horizonte (Minas Gerais, Brasil.) Mem. Inst. O. Cruz, Rio de J. 46 1949 pp. 419 457 figs. [English summary.]
- 749.—Penard, E. Habituation. [Various Protozoa.] J. R. micr. Soc., London (3) 67 1948 pp. 43-45 figs.
- 750.—Pennak, R. W. Annual limnological cycles in some Colorado reservoir lakes. [Protozoa in general.] Ecol. Monogr., Durham, N. C. 19 (3) 1949 pp. 233–267.

Pérez, R. see Beltran, E.

Perry, W. L. M. see Hawking, F.

Pesson, P. see Hollande, A.

Peter, R. see Jirovec, O.

- 751.—Peterson, E. H. Coccidiosis in laying hens due presumably to Eimeria acervulina. Ann. N. Y. Acad. Sci. 52 (4) 1949 pp. 464-467.
 - Peterson, E. H. see Levine, P. P.
- 752.—Petters, V., & Gandolfi, R. Contributo alla conoscenza dei foraminiferi Oligocenici nel versante nord dell'Appennino settentrionale (Fam. Rotaliidae e Anomalinidae.) Riv. ital. Paleont, Milano, 54 (3) 1948 pp. 97–116 figs.
- 753.—Pflugfelder, O. Haplosporidienwucherungen (Sporozoa) in Asellus aquaticus L. (Wasserassel) nach Exstirpation der rudimentären Antennennephridien. Zbl. Bakt. (I. Orig.), Jena 152 1948 pp. 519-526 figs. [With English summary.]
- 754.—Phelps, A. Effect of visible light on growth of *Tetrahymena geleii*. Anat. Rec., Philadelphia 105 (3) 1949 pp. 500-501.
- **755.—Phleger**, F. B. Submarine geology and Pleistocene research. [Foraminifera.] Bull. Geol. Soc. Amer. **60** (9) 1949 pp. 1457–1461.

Pick, F. see Deschiens, R.

- 756.—Piekarski, G. Menschliche Toxoplasma-Infektionen in Deutschland. Naturwissenschaften, Berlin 36 1949 p. 158 figs.
- 757.—Piekarski, G. Ueber den Befall mit Darmparasiten bei Schulkindern und ehemaligen Soldaten. Z. Parasitenk., Berlin 14 (4) 1949 pp. 372–387.
- 758.—Piekarski, G. Zur Epidemiologie der Toxoplasmose. Z. Parasitenk., Berlin 14 (4) 1949 pp. 388–389.
- **759.—Piekarski**, G. Blepharoplast und Trypaflavinwirkung bei *Trypanosoma brucei*. Zbl. Bakt. (I. Orig.) Jena **153** (3–5) 1949 pp. 109–115.

Piekarski, G. see Schuckmann, W. von.

Pierce, A. E. see Morgan, B. B.

760.—Pifano, C. F. [Note on Trypanosoma rangeli: in discussion of paper by E. Dias.] Proc. 4th. Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1168-1169.

761.—Pifano C., F. La leishmaniasis tegumentaria en Venezuela. Arch. Venezuel. Patol. trop. Parasitol. med. 1 (2) 1949 pp. 170–182. [With English summary.]

762.—Pifano C., F. & Mayer, M. Hallazgo de formas evolutivas del *Trypanosoma rangeli* en el jugo de la trompa de *Rhodnius prolixus* de Venezuela. Arch. Venezolan. Patol. Trop. 1 (2) 1949 pp. 153-158 figs. [English summary.]

763.—Pifano C., F., Mayer, M., Römer, M., Dominguez, E., Medina, R. & Pinto, E. B. Estado actual de las investigaciones en Venezuela sobre una nueva trypanosomiasis humana de la region Neotropica producida por el Trypanosoma rangeli. Arch. Venezol. Patol. trop. Parasitol. med. 1 (2) 1949 pp. 135–152 figs. [With English summary.]

Pifano C., F. see Mayer, M. Pignataro, A. see Lilly, D. M.

764.—Pigon, A. The structure of the pellicle of *Paramecium caudatum* Ehrb. as revealed by micro-dissection. C. R. Acad. Cracovie (6-7) 1949 pp. 8-9.

765.—Pillai, S. C. & Subrahmanyan, V. The role of protozoa in the aerobic purification of sewage. Proc. Indian Sci. Congr. 32 (3) 1946 p. 20.

Pillai, S. C. see Wadhwani, T. K.

Pinto, A. R. see Cruz Ferreira, F. S. da.

Pinto, E. B. see Pifano, C.

Pinto, M. R. see Fonseca, F.

Pinzon, T. de see Rodaniche, E. de.

766.—Pipkin, A. C. Experimental studies of the role of filth flies in the transmission of *Endamoeba histolytica*. Amer. J. Hyg. 49 1949 pp. 255–275.

767.—Pitelka, D. R. Observations on flagellum structure in Flagellata. Univ. California Publ. Zool. 53 (11) 1949 pp. 377-430 figs.

768.—Pizzi, T., Agosin, M., Christen, R., Hoecker, G. & Neghme, A. Estudios sobre immunobiologia de las enfermedades parasitarias: I. Influencia de la constitucion genetica en la resistencia de las lauchas a la infeccion experimental por *Trypanosoma cruzi*. Bol. Informac. Parasitar. Chilen. **4** (4) 1949 pp. 48-49. [English summary.]

Podolsky, B. see Hutchens, J. O.

769.—Poindexter, H. A. A laboratory epidemiological study of certain infectious diseases in Liberia. [Including protozoa.] Amer. J. trop. Med. 29 1949 pp. 435–442.

770.—Polianski, Y. & Strelkov, A. [Thirty years of Soviet protistology.] Zool. J., Moscow. 26 (5) 1947 pp. 415-436. [In Russian.]

771.—Popov, M. Experimentally induced sexual processes in Protozoa. C. R. Acad. Bulgare Sci., Sofia. Sci. math. nat. 1 (2-3) 1948 pp. 27-29.

772.—Poul, J. Diagnostic de la leishmaniose générale canine par la recherche des *Leishmania* dans le mucus nasal et dans le testicule. Arch. Inst. Pasteur Algérie 27 1949 pp. 315-316.

773.—Poupé, F. & Rodova, H. The photodynamic action of the photooxides of 3, 4 benzpyrene on the ciliate *Glaucoma piriformis*. Acta Soc. 2001. Čechoslov., Prague 12 1948 pp. 132-140.

Prieur, M. see Launov, L.

774.—Přivora, M. Sporozoa from the blood of *Rana esculenta*. Acta Soc. zool. Čechoslov., Prague 12 1948 pp. 141–149 figs. [Czech with English summary.]

Prochorov, S. M. see Vermel, E. M. Provost, A. see Roubaud, E.

775.—Puri, H. S. News—India. [Foraminifera.] The Micropaleont. N. Y. 1949 3 (1) p. 17; 3 (2) pp. 19-22; 3 (3) pp. 8-10; 3 (4) p. 15.

776.—Puri, H. S. & Sen, J. Recent advances in applied micropaleontology and micropaleobotany. [Foraminifera.] Science & Culture, Calcutta 14 (12) 1949 pp. 510-517.

777.—Raabe, Z. Studies on the family Hysterocinetidae Diesing. Ann. mus. zool, Polon. 14 (4) 1949. pp. 21-68 figs.

- 778.—Raabe, Z. Remarks on protozoan parasitocenose of some representatives of genus *Mytilus*. Ann. Univ. M. Curie-Skłodowska, Lublin 4 C (1) 1949 pp. 1-16 figs.
- 779.—Raabe, Z. Recherches sur les ciliés Thigmotriches (Thigmotricha Ch. Lw.). III. Developpement non-parallèle de deux espèces du genre Sphenophrya Ch. Lw. Ann. Univ. M. Curie-Skłodowska, Lublin 4 C (4) 1949 pp. 119–135 figs.
- 780.—Raabe, Z. Recherches sur les ciliés Thigmotriches (Thigmotricha Ch. Lw.). IV. Position systematique du genre *Protophrya* Kofoid. Ann. Univ. M. Curie-Skłodowska 4 C (8) 1949 pp. 195–201 figs.
- 781.—Ragab, H. A. Effect of humidity and temperatures on the size and number of occysts of *Plasmodium gallinaceum* transmitted by a mosquito. Nature, London 163 1949 pp. 643–644.
- 782.—Ragab, H. A. Observations on the isolated gut of the mosquito. [Plasmodium.] Trans. R. Soc. Trop. Med. Hyg. 43 1949 pp. 225-230 fig.
- 783.—Raghavan, N. G. S. & Misra, B. G. A preliminary note on experimental infections of avian malaria and sauropsidal filariasis in C. fatigans Weid., 1828. Indian J. Malariol. 3 1949 pp. 243–247.

Rahm, U. see Geigy, R.

784.—Rajn, M. L. & Swaminathan, P. S. Trypansomiasis in circus tigers. Indian vet. J. 24 1947 pp. 134–135.

Rampon, L. see Donatien, A.

Ranque, J. see Sautet, J.

- 785.—Rao, S. R. N. On the two species of foraminifera figured by Kossmat (1897) from Pondicherry, S. India. [Abstract]. Proc. Indian Sci. Congr. 34 (3) 1948 p. 144.
- 786.—Rašin, K. La toxoplasmose du lièvre (*Lepus europaeus* Pall.). Acta Soc. zool. Čechoslov., Prague 12 1948 pp. 157–179 figs. [Czech with French summary.]
 - Ray, A. P. see Jaswant Singh.

- 787.—Ray, H. N. Protozoa affecting the health of domesticated animals in India. Proc. Indian Sci. Congr. 32 (2) 1946 pp. 136-149.
- 788.—Ray, H. N. Observations on the transmission of theileriasis to their progeny by the ticks, *Hyalomma* aegyptium Neumann. Proc. Indian Sci. Congr. 34 (3) 1948 p. 171.
- 789.—Ray, H. N. Protozoa affecting the sheep and goats in India. Indian Farming 10 1949 pp. 487-489.
- 790.—Ray, H. N. Application of allergic test in the detection of latency of surra in bovines artificially infected with *Trypanosoma evansi*. Proc. Indian Sci. Congr. 35 (3) 1949 pp. 89-90.
- 791.—Ray, H. N. Exoerythrocytic schizogony in *Plasmodium* sp. in the Himalayan flying squirrel, *Petaurista inornatus* (Geoffrey). A preliminary note. Proc. nat. Inst. Sci. India 15 (6) 1949 pp. 241–244 figs.
- 792.—Ray, H. N. A modification of Feulgen's technique for demostrating protozoa in the salivary glands of ticks. Proc. nat. Inst. Sci. India 15 (6) 1949 pp. 245–247 figs.
- 793.—Ray, H. N. & Singh, H. Occurrence of *Isospora dirumpens* Hoare in the intestine of the grass snake, *Natrix piscator*, at Mukteswar. Proc. Indian Sci. Congr. 35 (3) 1949 p. 191.
- 794.—Reardon, L. V. & Bartgis, I. L. The cultivation of the small race of *Endamoeba histolytica* with a single species of bacteria. J. Parasit. Lancaster 35 1949 pp. 218-219.
- 795.—Receveur, —., Sigal, J. & Hupé, P. Microfaunes du Crétacé supérieur (Campanien-Maestrichtien) des Hautes-Pyrenées. C. R. Séan. Soc. géol. Fr. no. 4 1949 pp. 74-75.
- **796.—Redmond,** C. D. News—Colombia. [Foraminifera.] The Micropaleont., N. Y. 1949 **3** (1) p. **6**; **3** (3) pp. 3–4.
- 797.—Redmond, C. D. What is the genus *Eponides*? The Micropaleont. N. Y. 3 (4) 1949 pp. 18-21 figs.

- 798.—Redmond, W. B. & Fincher, E. L. Excerythrocytic forms in relation to paludrine administration in pigeons infected with *Plasmodium relictum*. J. Parasitol., Lancaster 35 (no. 6 sect. 2) 1949 p. 25.
- 799.—Rees, C. W. Observations of Endamoeba histolytica in microcultures of Trichomonas foetus, J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 17.

Rees, C. W. see Brand, T. von.

- 800.—Rees-Wright, W. A further note on mounting media for parasitological materials. [Blood protozoa.] Ann. trop. Med. Parasit., L'pool 43 1949 p. 373.
- 801.—Reichel, M. News—Switzerland. [Foraminifera.] The Micropaleont., N. Y. 3 (1) 1949 pp. 10-13.
- 802.—Reichel, M. Observations sur les Globotruncana du gisement de la Breggia (Tessin). [Abstract]. Verh. Schweiz. naturf. Ges. 129 1949 pp. 137–138.
- 803.—Reichel, M. Sur un nouvel Orbitoidé du Crétacé supérieur hellénique. [Abstract.] Verh. Schweiz. naturf. Ges. 129 1949 p. 140.
- 804.—Reichel, M. Alvéolines de l'oligo-miocene de Cuba. [Abstract.] Verh. Schweiz, naturf. Ges. 129 1949 p.1 48.
- 805.—Reichel, M. Remarques sur le genre Boreloides Cole and Bermudez. [Abstract.] Verh. Schweiz. naturf. Ges. 129 1949 p. 148.

Reichel, M. see Renz, C.

806.—Reichenow, E. Grundrisse der Protozoologie für Aerzte und Tierärzte. Leipzig. 2nd ed. 1946 vi+99 pp. figs.

Reichenow, E. see Carini, A.

Reichenow, E. see Mudrow-Reichenow, L.

- 807.—Reilly, J., Chen, G. & Geiling, E. M. K. An evaluation of antimalarials with *Plasmodium lophurae* in the chick. J. infect. Dis., Chicago 85 1949. pp. 205–212.
- 808.—Rendtorff, R. C. Jones, W. R. & Coatney, G. R. Studies on the life-cycle of *Haemoproteus columbae*. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 7-8.

- 809.—Renz, C. & Mitzopoulos, M. Kreideforaminiferen aus dem Kalkhügel von Eleusis (Attika.) Ecl. geol. helv. 41 (2) 1948 [1949] pp. 348–350.
- 810.—Renz, C. & Mitzopoulos, M. Le Maestrichtien aux environs du lac Hyliki en Béotie (Grèce moyenne). Ecl. geol. helv. 41 (2) 1948 [1949] pp. 375–379.
- 811.—Renz, C. & Reichel, M. Neue Foraminiferenfunde imboeotischen Seengebiet (Mittelgriechenland.) Ecl. geol. helv. 41 (2) 1948 [1949] pp. 379–389 figs.
- 812.—Renz, C. & Reichel, M. Neue Foraminiferenfunde in Griechenland und Vorderasien. [Abstract.] Verh. Schweiz. naturf. Ges. 129 1949 pp. 142–144.
- 813.—Renz, C. & Trikkalinos, J. Das Jungpalaeozoikum im Aegaleos bei Athen. [Foraminifera.] Ecl. geol. helv. 41 (2) 1948 [1949] pp. 351-353.
- 814.—Renz, H. H. Stratigraphy and fauna of the Aqua Salada group, State of Falcón, Venezuela [Foraminifera.] Mem. Geol. Soc. Amer. Washington D. C. 32 1949 pp. 1–219 figs.

Rice, F. A. see Coggeshall, L. T.

- 815.—Richards, O. W. Biological phase microscopy. Cold Spring Harbor Symposia Quant. Biol. 11 1946 pp. 208–214 figs.
- 816.—Rickards, A. G. On the incidence of protozoal and bacillary intestinal infections in men of the Royal Air Force returning from service in tropical and subtropical lands. J. trop. Med., London 52 1949 pp. 2–11.
- 817.—Riegel, B., Stanger, D. W., Wikholm, D. M., Mold, J. D. & Sommer, H. Paralytic shellfish poison. V. The primary source of the poison, the marine plankton organism, Gonyaulax catenella. J. biol. Chem., Baltimore 177 1949 pp. 7–11.
- 818.—Riehn, W. Trichomonaden, ihre Morphologie und Erkennung. Mikrokosmos, Stuttgart 38 (9) 1949 pp. 211–213 figs.

- 819.—Rigdon, R. H. & Breslin, D. Effect of human blood on Plasmodium knowlesi infection in monkeys. J. National Malaria Soc., Columbia, S. C. 8 (4) 1949 pp. 298–308 figs.
- 820.—Ripsom, C. A., Johnson, C. A. & Herrick, C. A. Some host-parasite relationships between the chicken and its protozoan parasite *Eimeria tenella*. Ann. N. Y. Acad. Sci. 52 (4) 1949 p. 473.
- 821.—Ritchie, L. S., Hunter, G. W., Pan, C., Yokogawa, M. & Szewczak, J. T. Parasitological surveys in the Far East. VI. An epidemiological survey of Kyushu Island, Japan. [Human intestinal protozoa.]. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 41.

Ritchie, L. S. see Hunter, G. W.

- 822.—Ritterson, A. L. & Stauber, L. A. Protein intake and leishmaniasis in the hamster. Proc. Soc. exp. Biol. 70 1949 pp. 47-50.
- 823.—Roberts, J. I. A parasitological survey of African school children in Nairobi schools with haematological results of malarial infections. J. trop. Med., London 52 1949 pp. 31-33.
- 824.—Roberts, J. I. A protozoological and helminthological survey of three races in Nairobi, Kenya. J. trop. Med., London 52 1949 pp. 49-59
- 825.—Roberts, J. I. The parasite rate in high altitude malaria. J. trop. Med., London 52 1949 pp. 160–169.
- 826.—Roberts, J. I. Biological studies on Kenya school children. J. trop. Med., London 52 1949 pp. 225–237.
- 827.—Roberts, T. G. Fusulinidae. Part III in: Newell, N. D., Chronic, B. J. & Roberts, T. G. Upper Paleozoic of Peru. 1949 pp. 174—241 figs.
- 828.—Roccuzzo, M. Coltivabilità della Leishmania donovani in brodo di placenta umana. Boll. Soc. Ital. Biol. sper. 20 (8) 1945 pp. 476-478.
- 829.—Rockland, L. B. & Dunn, M. S. Growth studies on Tetrahymena geleii. J. biol. Chem., Baltimore, 179 (2) 1949 pp. 511-521 figs.

- 830.—Rodaniche, E. de & Pinzon, T. de. Spontaneous toxoplasmosis in the guinea-pig in Panama. J. Parasit., Lancaster 35 1949 pp. 152–155. figs.
- 831.—Rodhain, J. Le comportement du cotton rat vis-à-vis du *Plas-modium berghei* (Vincke et Lips). Ann. Soc. Belge Méd. trop. 29 1949 pp. 483-489 figs.
- 832.—Rodhain, J. & Hendrix, H. Un cas d'infection spontanée par *Toxoplasma* chez la marmotte. C.R. Soc. Biol., Paris 142 1948 pp. 1583-1585.

Rodova, H. see Poupé, F. Römer, M. see Pifano C., F.

Rogoza, M. L. see Markov, G. S.

833.—Rollo, I. M., Williamson, J. & Lourie, E. M. Studies on the chemotherapy of melaminyl arsenicals and antimonials in laboratory trypanosome infections. Ann. trop. Med. Parasit., L'pool 43 1949 pp. 194-208.

Rolph, W. D. jr. see Hunter, G. W.

- 834.—Romaña, C. Profilaxis de la enfermedad de Chagas. (Prevention of Chagas' disease.) Bol. Ofic. Sanit. Panamer., Washington 26 1947 pp. 936-942.
- 835.—Romaña, C. & Abalos, J. W. Distribución de flebotomos y leishmaniosis tegumentaria en la Argentina. An. Inst. Med. Reg., Tucuman 2 (3) 1949 pp. 293–302 figs. [English summary.]
- 836.—Romaña, C., Nájera, L., Conejòs, M. & Abalos, J. W. I.— Leishmaniosis tegumentaria en perros de Tucuman. II.—Foco domestico de leishmaniosis. An. Inst. Med. Reg., Tucuman 2 (3) 1949 pp. 283–292 figs. [English summary.]

Rose, C. L. see Henderson, F. G.

- 837.—Rose, F. L.—The differential activity of certain anti-malarial agents against protozoa and bacteria. Symposia Soc. exp. Biol., Cambridge 3 1949 pp. 14–35.
- 838.—Rose, M. Sur le cycle évolutif de *Trypanophis grobbeni*, Poche. Bull. biol. France-Belg. 81 1947 pp. 6-32 figs.

- **839.—Roubaud,** E. Charles Morley Wenyon (1878–1948). Bull. Soc. Path. exot., Paris **42** 1949 pp. 5–7.
- 840.—Roubaud, E. & Provost, A. Infection du cobaye par le trypanosome des ruminants des Antilles Trypanosoma viennei, souche Américaine de Tr. cazalboui (vivax). Ann. Inst. Pasteur, Paris 67 1941 pp. 359-360.
- 841.—Rousselot, R. Piroplasma lemniscomysi, n. sp. Ann. Parasitol. Paris 24 1949 pp. 409-411 figs.
- 842.—Rozovskaja, S. E. [Classification and systematic characters of genus *Triticites.*] C.R. (Doklady) Acad. Sci. Moscow-Leningrad (N.S.) 59 (9) 1948 pp. 1635–1638 figs. [In Russian.]
- 843.—Rozovskaja, S. E. [Stratigraphical distribution of fusulinids in Upper and Lower Permian deposits of the South Urals.] C.R. Acad. Sci. U.S.S.R. (N.S.) 69 (2) 1949 pp. 249–252 figs. (In Russian.]

Ruchman, I. & MacFarlane, J. O.

844.—Rudzinska, M. A. An abnormal type of development in the life cycle of *Tokophrya infusionum*. Anat. Rec., Philadelphia 105 (3) 1949 p. 500.

Ruhe, D. S. see Cooper, W. C. Russ, S. B. see Warren, J.

- 845.—Russo, A. Diminuizione cromatica nei blastomeri somatici di alcuni Metazoi e negli individui equivalenti di un Ciliato "Cryptochilum echini" Maupas, loro potere germinale causa dei processi di digenerazione e delle neoformazione. Rend. Acc. Lincei (8) 7 (1-4) 1949 pp. 42-46 figs.
- 846.—Ruzhentsev, V. E. [On the extent of the Sakmara formation.] [Foraminifera.] C.R. Acad. Sci. U.S.S.R. (N.S.) 57 (2) 1947 pp. 935–938. [In Russian.]

Ryden, F. W. see Shaffer, J. G. Sacre, G. C. see Carbajal, C. A. Sadun, E. H. see Chernin, E. Safir, S. R. see Hewitt, R. I.

- 847.—Said, R. Foraminifera of the Northern Red Sea. Contr. Cushman Lab. Foraminif., Sharon Mass., Spec. Pub. 26 1949 pp. 1-44 figs.
- 848.—Sampath, A. & Little, P. Cultivation of *Trypanosoma cruzi* in liquid media. J. Bact., Baltimore 57 (2) 1949 p. 265.
- 849.—Samuels, R. Studies on amphibian Trichomonads in culture. Anat. Rec., Philadelphia 105 (3) 1949 p. 632.
- 850.—Samuels, R. The effects of colchicine on a flagellate protozoan, *Trichomonas augusta*. Anat. Rec. Philadelphia 105 (3) 1949 pp. 632-633.
- 851.—Sandon, H. Opalinids from Nile fish. Nature, London 164 1949 p. 410.
- 852.—Sanfile, V. & Zavagli, V. Procedimiento diagnostico en la trichomoniasis de los bóvidos. An. Soc. Vet. Zootecnica, Madrid 3 1949 pp. 19–26.
- 853.—Sankaranarayan, N. S. Intestinal trichomoniasis in calves. Proc. Indian Sci. Congr. 35 (3) 1949 pp. 87–88.
- 854.—Santos-Pinto, J. dos. Um caso de "red water" motivado por abundância anormal de *Goniaulax poliedra* Stein. Bol. Soc. portug. Ciênc. nat. 11 (2) 1949 pp. 94-96 figs.

Santos-Pinto, J. dos see Sousa e Silva, E. de.

- 855.—Sarkisjan, S. G. [Possible mineralogical correlations of the Sakmaz-Artin deposits in Tshimbaevo oilbearing district.] [Foraminifera.] C.R. Acad. Sci. U.S.S.R. (N.S.) 58 (1) 1947 pp. 113–114. [In Russian.]
- 856.—Sartory, P. K. The cleaning, mounting and preservation of foraminifera. J. Quekett micr. Cl. (4) 2 (6) 1949 pp. 325-329 figs.
- 857.—Saul, L. A. & Becker, E. R. Course of *Trypanosoma lewisi* infections in white rats treated with sodium salicylate. J. Parasit., Lancaster 35 1949 pp. 54-60.

- 858.—Saunders, L. G. A survey of helminth and protozoan incidence in man and dogs at Fort Chipewyan, Alberta. J. Parasit., Lancaster 35 1949 pp. 31–34.
- 859.—Sautet, J. & Rangue, J. Action d'un principe bactériostatique de l'eucalyptus sur *Trypanosoma brucei*. Méd. trop., Marseille 9 (3) 1949 pp. 400-402.
- 860.—Savinov, S. I. [The fauna of the peripheral part of the middle and upper Lower Carboniferous of the Shirnovsk elevation in the Stalingrad district.] [Foraminifera.] C.R. Acad. Sci. U.S.S.R. (N.S.) 69 (1) 1949 pp. 65–67. [In Russian.]
- 861.—Savio. L. Osservazioni sperimentali sulla fissazione delle vorticelle migranti. Boll. Soc. Ital. Biol. sper. 23 (9-11) 1947 pp. 1078-1079 fig.
- 862.—Ščedrin, Z. G. [On the distribution of foraminifera in the Greenland Sea.] C.R. Acad. Sci. U.S.S.R. (N.S.) 55 (9) 1947 pp. 871-874. [In Russian.]
- 863.—Ščedrina, L. G. [Check list of the fauna and flora of the northern seas of the U.S.S.R.] [Foraminifera] 1948 pp. 1–24 figs. [In Russian.].
- 864.—Schaeffer, A. A. & Honegger, C. Fourteen-day rhythms and surface relationships of leucocytes and amebas. Anat. Rec., Philadelphia 105 (3) 1949 p. 523.

Schaeffer, P. see Lwoff, A.

865.—Scheff, G. J. & Thatcher, J. S. The role of potassium as cause of death in experimental trypanosomiasis. J. Parasit., Lancaster 35 1949 pp. 35-40.

Schleichter, J. d'A. see Baker, E. G.

- 866.—Schmidt, L. H., Genther, C. S., Fradkin, R. & Squires, W. Development of resistance to chlorguanide (paludrine) during treatment of infections with *Plasmodium cynomolyi*. J. Pharmacol. exp. Therapeut. Baltimore 95 1949 pp. 382-398 tables.
- 867.—Schneider, J., Decourt, P. & Montézin, G. Sur l'utilisation d'un nouveau Plasmodium (Pl. berghei) pour l'étude et la recherche de médicaments antipaludiques. Bull.

- Soc. Path. exot., Paris 42 1949 pp. 449-452.
- 868.—Schneider, J. & Montézin, G. Amibiase expérimentale et amibiase spontanée du rat. Mise au point d'une technique. Bull. Soc. Path. exot., Paris 42 1942 pp. 94–96.
- 869.—Schoenborn, H. W. Survival of Astasia longa following X-irradiation. Anat. Rec., Philadelphia 105 (3) 1949 p. 500.
- 870.—Schoenborn, H. W. Growth of Astasia longa in relation to hydrogen ion concentration. J. exp. Zool. Philadelphia 111 1949 pp. 437-447 figs.
- 871.—Schoenborn, H. W. Growth of protozoan flagellates in relation to hydrogen ion concentration. [Abstract.] J. Tenn. Acad. Sci. 24 (3) 1949 pp. 175–176.
- 872.—Schoenborn, H. W. Growth of protozoa in glassware cleaned with sulphuric acid—potassium bichromate solution. Physiol. Zool. Chicago 22 1949 pp. 30-35 tables.
- 873.—Schoenmann, R. Die Welt der Tiere. Wien 1949 654 pp. figs. [Including Protozoa.]
- 874.—Schuckmann, W. von & Pickarski, G. Beiträge zum Problem der Dauermodifikation bei Protozoen. Arch. Protistenk., Jena 93 1940 pp. 355–416.
- 875.—Schwartz, V. Ueber die Physiologie des Kerndimorphismus bei *Paramaecium bursaria*. Naturf. Wiesbaden 2b (9-10) 1947 pp. 369-381 figs.
- 876.—Schwartz, V. Ueber die Genetik von Paramaecium. (Nach Arbeiten von Sonneborn, Kimball und deren Mitarbeitern). Naturwissenschaften, Berlin 36 1949 pp. 182–184.
- 877.—Schwetz, J. L'état actuel du problème paludéen au Congo Belge, resp. en Afrique Centrale. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1 1948 [1949] pp. 896–902.
- 878.—Schwetz, J. Notes on endemic and acute malaria in Central African natives. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 403-408.

879.—Schwetz, J., Baumann, H. & Fort, M. Contribution à l'étude du paludisme endémique dans le district du Kwango. IV. Sur le paludisme des villages de la Lukula supérieure. Avec des considérations générales sur le problème paludéen dans le Kwango. Ann. Soc. Belge Méd. trop. 29 1949 pp. 191–205.

Schwink, T. see Becker, E. R.

- 880.—Scott, J. W. The role of coccidia as parasites of wild life. (Abstract.) J. Colorado-Wyoming Acad. Sci. 2 (6) 1940 p. 45.
- 881.—Seaman, G. R. Utilization of atmospheric nitrogen by the animal microorganism, *Colpidium campylum*. Anat. Rec., Philadelphia 105 (3) 1949 pp. 522-523.
- 882.—Seaman, G. R. The presence of the tricarboxylic acid cycle in the ciliate *Colpidium campylum*. Biol. Bull., Woods Hole 96 1949 pp. 257–262 figs.
- 883.—Seaman, G. R. Cytochrome C, diphosphopyridine nucleotide, glutathione, and adenosine triphosphatase content of the ciliate Colpidium campylum. J. cell. comp. Physiol., Philad. 33 (3) 1949 pp. 441–443 table.
- 884.—Seaman, G. R. & Houlihan, R. K. Effect of arsonacetic, trans I, 2, cyclopentanedicarboxylic, and β-phosphonopropionic acids on enzyme systems in the ciliate, Colpidium campylum. Biol. Bull., Woods Hole 97 1949 pp. 246–247.
- 885.—Seaman, G. R. & O'Malley, B. The adaptive utilization of sucrose by the ciliate, *Colpidium campilum*. Biol. Bull., Woods Hole 97 1949 p. 261.
- 886.—Seaton, D. R. & Adams, A. R. D. Acquired resistance to proguanil in *Plasmodium falciparum*. Lancet, London 257 1949 pp. 323-324.
- 887.—Seaton, D. R. & Lourie, E. M. Acquired resistance to proguanil (paludrine) in *Plasmodium vivax*. Lancet, London 256 1949 pp. 394–395.

Seaton, D. R. see Adams, A. R. D. Seeger, K. C. see Levine, P. P.

- 888.—Semichatova, S. V. [The stratigraphy of the Lower and Middle Carboniferous.] [Foraminifera.] C.R. Aead. Sei. U.S.S.R. (N.S.) 69 (6) 1949 pp. 845–848. [In Russian.]
 - Sen, J. see Puri, H. S.
- 889.—Seneca, H., Henderson, E. & Harvey, M. Effect of hyaluronidase and of hyaluronic acid on cultures of trypanosomes, leishmania, and amoebae. Science, Lancaster Pa. 108 1948 pp. 714-715.
- 890.—Seneca, H., Henderson, E. & Harvey, M. The synergistic action of penicillin and streptomycin on *Endameba histolytica* cultures. Amer. J. trop. Med. 29 1949 pp. 37-39.
- 891.—Seneca, H., Henderson, E. & Harvey, M. Purification of hemo-flagellate cultures with antibiotics. Amer. J. trop. Med. 29 1949 p. 41.
- 892.—Sen Gupta, P. C. Researches on Kala-azar in India, 1938-48. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 2 [1949] pp. 1135-1142.
- 893.—Sergent, Ed. Contribution a l'étude du second cycle évolutif insexué des *Plasmodium* chez les paludéens. Arch. Inst. Pasteur Algérie 27 1949 pp. 211–249 figs.
- 894.—Sergent, Ed. Aphorismes de paludologie. Arch. Inst. Pasteur Algérie 27 1949 pp. 289-303.
- 895.—Sergent, Ed. Sur les deux cycles évolutifs insexués des *Plas-modium* chez les paludéens. C.R. Acad. Sci., Paris 229 1949 pp. 455-458.
- 896.—Sergent, Ed. & Sergent, Et. Agents de propagation et réservoirs de virus des leishmanioses en Afrique du Nord. Arch. Inst. Pasteur Algérie 27 1949 pp. 101-105.

Sergent, Et. see Sergent, Ed.

- 897.—Seshachar, B. R. Chromatin elimination and the ciliate macronucleus. Proc. Indian Sci. Congr. 34 (3) 1948 p. 171.
- 898.—Seshachar, B. R. & Flick, E. W. Application of perchloric acid technique on protozoa. Science, Lancaster Pa. 110 (2868) 1949 p. 659.

- 899.—Seshachar, B. R. & Srinath, K. V. The ciliate macronucleus. Current Sci. Bangalore 16 (3) 1947 pp. 83-84.
- 900.—Seshachar, B. R. & Srinath, K. V. The micronucleus of *Epistylis*. Proc. Indian Sci. Congr. 34 (3) 1948 p. 171.
- 901.—Seurat, L. G. Zoologie Saharienne. Alger. 1944 58 pp. [Protozoa pp. 11–13.]
- 902.—Shaffer, J. G. & Frye, W. W. Studies on the growth requirements of Endamoeba histolytica. I. Maintenance of a strain of E. histolytica through one hundred transplants in the absence of an actively multiplying bacterial flora. Amer. J. Hyg. 47 1948 pp. 214–221.
- 903.—Shaffer, J. G., Ryden, F. W. & Frye, W. W. Studies on the growth requirements of Endamoeba histolytica. III. The growth and multiplication of two strains of E. histolytica in a transparent medium without the addition of rice flour or other particulate matter and without demonstrable bacterial growth. Amer. J. Hyg. 47 1948 pp. 345-350.
- 904.—Shaffer, J. G., Ryden, F. W. & Frye, W. W. Studies on the growth requirements of Endamoeba histolytica. IV. Further observations on the cultivation of E. histolytica and other intestinal protozoa in a clear medium without demonstrable bacterial multiplication. Some modifications and simplifications of the medium. Amer. J. Hyg. 49 1949 pp. 127-133.
- 905.—Shaffer, J. G., Walton, J. G. & Frye, W. W. Studies on the growth requirements of *Endamoeba histolytica*. II. Preliminary observations on the cultivation of *E. histolytica* in a modified thioglycollate medium. Amer. J. Hyg. 47 1948 pp. 222–225.

Shaffer, J. G. see Frye, W. W.

906.—Shannon, J. A. Screening tests and the pharmacologic appraisal of prospective plasmocides. [Malaria.] Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 1 [1949] pp. 714-724.

- 907.—Shaw, E. H. jr., Ordal, E. N. & Wingfield, F. J. Preliminary report of the toxic effect of uranium to Paramecium caudatum. Proc. S. Dakota Acad. Sci. 28 1949 pp. 121–127 figs.
- 908.—Shirley, E. S. & Finley, H. E. The effects of ultra-violet radiations on *Spirostomum ambiguum*. Trans, Amer. mier. Soc. 68 (2) 1949 pp. 136-153 figs.
- 909.—Shortt, H. E. The preerythrocytic cycle of *Plasmodium* cynomolgi. Proc. 4th Intern. Congr. Trop., Med. Malaria, Washington 1948 1 [1949] pp. 607-617 figs.
- 910.—Shortt, H. E. Presidential address. [Medical protozoology.] Trans. R. Soc. Trop. Med. Hyg. 43 1949 pp. 239–254.
- 911.—Shortt, H. E., Fairley, N. H., Covell, G., Shute, P. G. & Garnham, P. C. C. The pre-erythrocytic stage of *Plasmodium falciparum*. A preliminary note. Brit. med. J. ii 1949 pp. 1006–1008 figs.
- 912.—Shortt, H. E. & Garnham, P. C. C. Earliest form seen to date of the pre-crythrocytic cycle of *Plasmodium cynomolgi*—fourth day after bite of the mosquito. Trans. R. Soc. Trop. Med. Hyg. 42 1949 p. 321.

Shulga, P. L. see Ayzenberg, D. E.

913.—Shute, P. G. The comparative distribution of occysts of human malaria parasites on the stomach wall of *Anopheles*. Trans. R. Soc. trop. Med. Hyg. 42 1949 p. 324.

Shute, P. G. see Shortt, H. E.

Shute, P. G. see Covell, G.

- 914.—Sicé, A. Etienne Sergent (1878–1948). Bull. Soc. Path. exot., Paris 42 1949 pp. 9–10.
- 915.—Sicé, A. L. van Hoof (1890–1948). Bull. Soc. Path. exot., Paris 42 1949 pp. 78–80.
- 916.—Sicé, A. L. Morenas (†1949). Bull. Soc. Path. exot., Paris 42 1949 pp. 425-427.
- 917.—Sigal, J. Notes sur les genres de foraminifères Rotalipora Brotzen 1942 et Thalmanniella. Rev. Inst. Français Pétrol. 3 (4) 1948 pp. 95–103 figs.

918.—Sigal, J. Un exemple de polyphylétisme et d'évolution parallèle: le "genre" Globotruncana (foraminifères). XIII Int. Zool. Congr. 1948, Sect. 9 1949 pp. 548-549.

919.—Sigal, J. Dano-Montian ou Paléocene? ou le passage du Crétacé au Tertiaire en Algérie. C. R. Séances Soc. géol. Fr. 8 1949 pp. 150–151.

920.—Sigal, J. Une date remarquable dans l'évolution de la microfaune du Cénomanien-Turonien en Algérie. [Foraminifera.] C. R. Séances Soc. géol. Fr. 12 1949 pp. 265–266.

921.—Sigal, J. Sur quelques foraminifères de l'Aquitanien des environs de Dax. Rev. Inst. Français Pétrol. 4 (5) 1949 pp. 155–165 figs.

Sigal, J. see Dam, A. ten.

Sigal, J. see Lys, M.

Sigal, J. see Receveur, -..

922.—**Silva,** P. C. C. de. Amoebiasis in infancy. Brit. med. J. ii 1949 pp. 1208–1210.

Silva, R. see Neghme, A.

923.—Silvestri, A. La Siphonclavulina trigona A. Silv. dell' Eocene Piemontese. Bol. Soc. geol. ital. 66 (1) 1948 pp. 43–45 fig.

924.—Silvestri, A. Paleontologia della Somalia. III. Fossili del Cretaceo. Foraminiferi del Cretaceo della Somalia. Palaeontogr. Ital. 32 (suppl. 6) 1948 pp. 135–168 figs.

925.—Silvestri, A. Paleontologia della Somalia. IV. Fossili dell' Eocene. Foraminiferi dell' Eocene della Somalia. Palaeontogr. Ital. 32 (suppl. 6) 1948 pp. 277–330 figs.

926.—Simon, L. J. Foraminiferal picking tray. The Micropaleont. N.Y. 3 (3) 1949 pp. 21-22 fig.

927.—Simpson, M. L. Reproduction of the "3T" strain of *Plasmodium cathemerium* in white Pekin ducks. Amer. J. Hyg. 47 1948 pp. 315-334.

Sinclair, R. G. see Brown, M.

928.—Singh, B. N. The effect of artificial fertilizers and dung on the numbers of amoebae in Rothamsted soils. J. gen. Microbiol., London 3 (2) 1949 pp. 204-210.

Singh, H. see Ray, H. N.

Singher, H. O. see Waksman, S. A.

929.—Sjolte, I. P. Toxoplasmosis canis. Skand. vet. Tidskr. Uppsala 37 (9) 1947 pp. 501-516 figs. [With English summary.]

Smiraglia, C. see Allessandro, G. D'.

930.—Smith, B. F. & McShan, W. H. The effect of the protozoan parasite, *Eimeria stiedae*, on the succinic dehydrogenase activity of liver tissue of rabbits. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 496-500.

Smith, C. S. see Tomlinson, T. H.

931.—Smith, F. G. W. Probable fundamental causes of red tide off the west coast of Florida. [Dinoflagellates.] Quart. J. Florida Acad. Sci. 11 (1) 1949 pp. 1-6.

Sötmoller, P. see Keidel, H. J. W.

Soflete, A. see Ciuca, M.

Solovjev, L. M. see Barbarin, V. V.

932.—Sommer, G. Die Peritrichen eines astatischen Gartenbeckens. Schweiz. Z. Hydrol. 11 (3-4) 1949 pp. 608-617 figs.

Sommer, H. see Riegel, B.

Sommerville, T. see Lloyd, O. C. Sommerville, T. see Mulligan, H. W.

933.—Sonneborn, T. M. Experimental control of the concentration of cytoplasmic genetic factors in *Paramecium*. Cold Spring Harbor Symposia Quart. Biol. 11 1946 pp. 236–255 figs.

934.—Sonneborn, T. M. Genes, cytoplasm and environment in *Paramecium*. Scient. Monthly, Lancaster Pa. 67 (3) 1948 pp. 154-160.

935.—Sonneborn, T. M. Ciliated protozoa: cytogenetics, genetics, and evolution. Ann. Rev. Microbiol. Stanford Cal. 3 1949 pp. 55-90 figs.

936.—Sonneborn, T. M. & Beale, G. H. Genes, plasmagenes and environment in the control of anti-

genic traits in *Paramecium aurelia* (variety 4). Proc. 8th Internat. Congr. Genetics (suppl. Vol. to Hereditas, Lund 1949 pp. 451–460).

Soong, T.-H. see Ho, E. A.

937.—Soto, O. B. & Otero, P. M. Action of a parasitic amoeba and the antibiotic of a micrococcus on Brucella cultures. Puerto Rico J. publ. Hith. trop. Med. 24 1948 pp. 305–336.

938.—Sousa e Silva, E. de & Santos-Pinto, J. dos. O planeton da Baía de S. Martinho do Porto. [Dinoflagellates.] Bol. Soc. Portug. Ciênc. nat. 16 [(2) 1] 1948 pp. 134—187 figs.

939.—Sousa e Silva, E. de & Santos-Pinto, J. dos. O planeton da Baía de S. Martinho do Porto. II. Zooplaneton. [Ciliates and foraminifera.] Bol. soc. Portug. Ciênc. nat. 17 [(2) 2] 1949 pp. 203–241 figs.

Sprince, H. see Kupferberg, A. B.

Sprunt, D. H. see McVay, L. V.

Squires, W. see Schmidt, L. H.

Srinath, K. V. see Seshachar, B. R. Stahler, N. see Terzian, L. A.

940.—Stainforth, R. M. The Hannatoma· fauna in the Zapotal Sands of southwest Ecuador. [Foraminifera]. J. Paleont., Menasha Wis. 23 (2) 1949 pp. 155–156.

941.—Stainforth, R. M. Foraminifera in the Upper Tertiary of Egypt. J. Paleont., Menasha Wis. 23 (4) 1949 pp. 419-422.

942.—Stainforth, R. M. Nomenclatural notes on *Pullenia* and *Cibicides*. J. Paleont., Menasha Wis. 23 (4) 1949 pp. 436–438.

943.—Stainforth, R. M. Work in comfort. [Microscopy.] The Micropaleont., N.Y. 3 (2) 1949 pp. 29-30.

944.—Stainforth, R. M. Further notes on fossil *Globigerina* oozes. The Micropaleont., N.Y. 3 (3) 1949 pp. 12-13.

Stanger, D. W. see Riegel, B. Stauber, L. A. see Ritterson, A. L.

945.—Steenis, P. B. van. Enkele opmerkingen over amoebendysenterie en amoebiasis. Nederland, Tijdschr. Geneesk. 93 (1) 1949 pp. 11–18. [English summary.]

946.—Steinhaus, E. A. & Hughes, K. M. Two newly-described species of Microsporidia from the potato tuberworm, Gnorimoschema operculella (Zeller) (Lepidoptera, Gelechiidae). J. Parasit., Lancaster 35 1949 pp. 67-75 figs.

947.—Stella, E. Il ciclo planctonico annuale di un fontanile: la fonte di Giuturna al Foro Romano. Boll. Pesca Piscicolt. Idrobiol., Rome 23 1947 pp. 21–35.

948.—Stella, E. & Campea, R. La fauna protozoaria del Tevere. Boll. Pesca Piscicolt. Idrobiol., Rome 24 1948 pp. 151–169 figs.

949.—Stewart, G. T. Nature of the action of emetine upon *Enta*moeba histolytica. Nature, London 163 1949 p. 842.

950.—Stewart, J. L. Porcine try-panosomiasis. Vet. Rec., London 59 (47) 1947 p. 648.

Stewart, K. C. & Cushman, J. A.

Stewart, K. C. see Stewart, R. E.

951.—Stewart, R. E. & Stewart, K. C. Local relationships of the mollusca of the Wildcat coast section, Humboldt County, California, with related data on the foraminifera and ostracoda. Bull. Oregon Dept. Geol. Min. Indust. 36 (8) 1949 pp. 169–203 figs. map p. 116.

Stewart, R. E. see Cushman, J. A. 952.—Stiller, J. A Heligoland Peritricha-fauna. Math. term. Ért. Budapest 58 (2) 1939 pp. 551–556. [In Hungarian with German summary.]

953.—Stitt, E. R., Clough, P. W. & Branham, S. E. Practical bacteriology, haematology and animal parasitology. 10th edn. London xiv-1991 pp. figs.

Stolkowski, J. see Fauré-Fremiet, E.

954.—Stone, B. New foraminifera from northwestern Peru. J. Paleont. Menasha Wis. 23 (1) 1949 pp. 81-83 figs.

- 955.—Stone, B. Age of the Chira group, northwest Peru. [Foraminifera.] J. Paleont., Menasha Wis. 23 (2) 1949 pp. 156-170.
- 956.—Stone, B. News—Peru. [Foraminifera.] The Micropaleont. N.Y. 3 (2) 1949 pp. 9-10.

Stone, B. see Cushman, J. A.

Strelkov, A. see Polianski, Y.

957.—Ströbel, W. Mikrofauna im Weissen Jura a der mittleren und Südwestalb. N. Jahrb. Min. Geol. Paläont., Stuttgart 88 (1) 1943 pp. 1–37 figs.

Stunz, D. I. see Harwood, P. D.

Styles, H. see Waksman, S. A.

Subbarow, Y. see Hewitt, R. I.

958.—Subbotina, N. N. [Comparison of foraminiferal strata of the northern Caucasus with the numulitic strata of Africa.] C.R. Acad. Sci. U.S.S.R. (N.S.) 57 (5) 1947 pp. 481–483. [In Russian.]

Subrahmanyan, V. see Pillai, S. C.

- 959.—Subramanian, M. K. Is the macronucleus of ciliates endopolyploid? Current Sci. Bangalore 16 (7) 1947 pp. 228–229.
- 960.—Sullivan, B. J. Fatty acid and protein synthesis in *Chilomonas paramecium*. Anat. Rec., Philadelphia 105 (3) 1949 pp. 612-613.
- 961.—Sullivan, T. D., McGregor, T., Eads, R. B. & Davis, D. J. Incidence of *Trypanosoma cruzi*, Chagas, in *Triatoma* (Hemiptera, Reduviidae) in Texas. Amer. J. trop. Med. 29 1949 pp. 453–458.
- 962.—Sullivan, W. D. The effect of cholesterol on growth in *Colpidium campylum*. Trans. Amer. micr. Soc. 67 1948 pp. 262-265.

Swaminathan, P. S. see Raju, M. L.

- 963.—Swartzwelder, J. C. & Muller, G. R. Failure to demonstrate precipitins in dogs infected with *Endamoeba histolytica*. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 32.
- 964.—Swellengrebel, N. H. Stages in the development of collective immunity in malaria. Doc. Neerland. Indones. Morb., trop. Amsterdam 1 (2) 1949 pp. 165–174.

Szakall, V. see Cuvillier, J.

Szewczak, J. see Hunter, G. W.

Szewczak, J. T. see Ritchie, L. S.

Taliaferro, L. G. see Taliaferro, W. H.

- 965.—Taliaferro, W. H. Dr. Charles Morley Wenyon (1878–1948). J. Parasitol., Lancaster 35 1949 pp. 322–323 portrait.
- 966.—Taliaferro, W. H. Acquired immunity in malaria. Proc. 4th Intern. Congr. Trop. Med. Malaria Washington 1948 1 [1949] pp. 776–782
- 967.—Taliaferro, W. H. & Taliaferro, L. G. The role of the spleen and lymphoid-macrophage system in the quinine treatment of gallinaceum malaria. III. The action of quinine and of immunity on the parasite. J. infect. Dis., Chicago 84 1949 pp. 187–220 figs.
- 968.—Taliaferro, W. H. & Taliaferro, L. G. A sexual reproduction of *Plasmodium knowlesi* in rhesus monkeys. J. inf. Dis., Chicago **85** 1949 pp. 107-125 figs.
- 969.—Talice, R. V. Recherches sur la maladie de Chagas en Uruguay. Bull. Soc. Path. exot. Paris 42 1949 pp. 352-354.
- 970.—Talice, R. V. The Chagas' disease of Uruguay. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 107-112.

Tappan, H. see Loeblich, A. R.

971.—Tarao, S. On the nature of cytoplasmic constituents in *Amoeba diploidea* examined by means of staining and chemical reactions.
J. Fac. Sci. Hokkaido Univ. (Zool.)
8 1942 pp. 9-30 figs.

Tarun, D. W. see Knight, A. A.

Tate, P. see Ganapati, P. N.

- 972.—Taubert, W. Foraminiferen-Statistik zur Gliederung des turonen Plänermergels von Dresden. N. Jahrb. Min. Geol. Paläont., Stuttgart, 86 (1) 1941 pp. 99–161 figs.
- 978.—Taylor, D. J., Greenberg, J. & Coatney, G. R. Experimental infection of guinea pigs with *Endamoeba histolytica*. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 24.

Taylor, D. J. see Nadel, E. M.

- 974.—Tchang-Si. Recherches limnologiques et zoologiques sur le lac de Kunming, Yunnan. Contr. Inst. Zool. Peiping 4 1948 pp. 1–24.
- 975.—Tedeschi, G. G. Sull' attività antiprotozoaria di un pigmento estratto dall' Aspergillus niger.—Nota II. Boll. Soc. ital. Biol. sper. 23 (12) [1948] pp. 1212-1213.

Teriteanu, N. see Ciuca, M.

- 976.—Terzian, L. A., Stahler, N. & Weathersby, A. B. The action of antimalarial drugs in mosquitoes infected with *Plasmodium gallinaceum*. J. infect. Dis., Chicago 84 1949 pp. 47-55 figs.
- 977.—Terzian, L. A. & Weathersby, A. B. The action of antimalarial drugs in mosquitoes infected with Plasmodium falciparum. Amer. J. trop. Med. 29 1949 pp. 19-22.
- 978.—Testi, B. La reazione del mezzo colturale determinata dallo sviluppo di alcuni ceppi di *Trichomonas* coltivati in purezza ed in associazione ad altri microganismi. Boll. Soc. ital. Biol. sper. 25 1949 pp. 422–425.
- 979.—Thalmann, H. E. Memorial to Louis Martin Robert Rutten. Geol. Soc. Amer. Proc. Vol. 1947 pp. 217–230.
- 980.—Thalmann, H. E. Mitteilungen über Foraminiferen. VII. Organisches Baumaterial der sandschaligen Foraminiferen. Ecl. geol. helv. 41 (2) 1948 [1949] pp. 366–368.
- 981.—Thalmann, H. E. Mitteilungen über Foraminiferen. VII. Pathologische Beobachtungen an fossilen Foraminiferen-Schalen. Ecl. geol. helv. 41 (2) 1948 [1949] pp. 368–369.
- 982.—Thalmann, H. E. Mitteilungen über Foraminiferen. VII. Fehlerhafte Namengebung bei den Foraminiferen. Ecl. geol. helv. 41 (2) 1948 [1949] pp. 369–370.
- 983.—Thalmann, H. E. Einige Ratschläge für das Aufstellen neuer Gattungen und Arten bei den Foraminiferen. Ecl. geol. helv. 41 (2) 1948 [1949] pp. 370–371.

- 984.—Thalmann, H. E. Mitteilungen über Foraminiferen VII. Foraminiferen-Assoziationen (Biozoenosen). Ed. geol. helv. 41 (2) 1948 [1949] pp. 371–372.
- 985.—Thalmann, H. E. Problem der Micropaläontologie. [Protozoa and other micro-organisms.] Ecl. geol. helv. 41 (2) 1948 [1949] pp. 372–375.
- 986.—Thalmann, H. E. Homonyms in foraminifera erected during 1948 and 1949. Contr. Cushman Lab. Foraminif., Sharon Mass. 25 (4) 1949 pp. 100–103.
- 987.—Thalmann, H. E. Bibliography and index to new genera, species, and varieties of foraminifera for the year 1947. J. Paleont. Menasha Wis. 23 (4) 1949 pp. 395–418.
- 988.—Thalmann, H. E. Bibliography and index to foraminifera (supplements and corrections for the period 1931 to 1947). J. Paleont. Menasha Wis. 23 (5) 1949 pp. 498–506.
- 989.—Thalmann, H. E. Bibliography and index to new genera, species, and varieties of foraminifera for the year 1948. J. Paleont. Menasha Wis. 23 (6) 1949 pp. 641-668.
- 990.—Thalmann, H. E. Homonyms of foraminifera erected in 1947. The Micropaleont., N.Y. 3 (2) 1949 p. 28.
- 991.—Thalmann, H. E. Charles Davies Sherborn, 1861-1942. [Obituary.] The Micropaleont., N.Y. 3 (3) 1949 pp. 19-21.
- 992.—Thalmann, H. E. Tan Sin Hok. [Obituary.] The Micropaleont. N.Y. 3 (4) 1949 pp. 25–26.
- 993.—Thalman, H. E. Mitteilungen über Foraminiferen. VIII. Die Gattung Hautkenina im indopazifischen Eozän. Verh. Schweiz. naturf. Ges. 129 1949 pp. 148–149.
- 994.—Thalmann, H. E. Mitteilungen über Foraminiferen. VIII. Bemerkungen zur Gattung *Lenticulina* Lamarck, 1804. Verh. Schweiz. naturf. Ges. 129 1949 p. 149.

- 995.—Thalmann, H. E. Mitteilungen über Foraminiferen. VIII. Riesen und Zwerge bei den Foraminiferen. Verh. Schweiz. naturf. Ges. 129 1949 p. 149.
- 996.—Thalmann, H. H. Mitteilungen über Foraminiferen. VIII. Über aufgearbeitete Globotruncana-Vorkommen. Verh. Schweiz. naturf. Ges. 129 1949 p. 149.
- 997.—Thalmann, H. E. Mitteilungen über Foraminiferen. VIII. Stratigraphische Verbreitung der Foraminiferenfamilien und -gattungen. Verh. Schweiz. naturf. Ges. 129 1949 pp. 149–150.
- 998.—Thalmann, H. E. Mitteilungen über Foraminiferen. VIII. Fossile und rezente Brackwasser Foraminiferen. Verh. Schweiz. naturf. Ges. 129 1949 p. 150.
- 999.—Thalmann, H. E. Regionalstratigraphische Verbreitung der Foraminiferengattung Rzehakina Cushman, 1927. Verh. Schweiz. naturf. Ges. 129 1949 p. 150.

Thatcher, J. S. see Schoff, G. J.

Thaureaux, J. see Fauré-Fremiet, E.

- 1000.—Thiel, P. H. van. The transmission of toxoplasmosis and the role of *Calliphora erythrocephala* Meig. Doc. Neerland. Indones. Morb. trop., Amsterdam 1 1949 pp. 264–269.
- 1001.—Thiel, P. H. van. Toxoplasmosis hominis; isolation of a new strain. Doc. Neerland. Indones. Morb. trop., Amsterdam 1 (2) 1949 pp. 175-179 figs.
 - Thiel, P. H. van see Winsser, J.
- 1002.—Thompson, M. L. The Permian fusulinids of Timor. J. Paleont., Menasha Wis. 23 (2) 1949 pp. 182–192 figs.
- 1003.—Thompson, M. L. & Miller, A. K. Permian fusulinids and cephalopods from the vicinity of the Maracaibo basin in northern South America. J. Paleont., Menasha Wis. 23 (1) 1949 pp. 1-19 figs.
- 1004.—Thompson, P. E. & Lilligren, B. L. Chemotherapy of experimental *Endamoeba histolytica* infection in dogs. Amer. J. trop. Med. 29 1949 pp. 323–336 figs.

- 1005.—Thompson, P. E., McGinty, D. A., Wilson, M. L. & Bayles, A. Further studies on radioiron in avian malaria. J. Parasit., Lancaster 35 1949 pp. 216-221.
 - Threlkeld, W. L. see Bell, W. B.
- 1006.—Thunmark, S. Die Abwasserfrage der Växjöseen in hydrobiologischer Beleuchtung. Grundzüge in der regionalen Planktologie von Südschweden. Medd. Lunds Univ. Limnol. Inst. 4 1945 pp. 1–239 figs.

Thurston, J. P. see Hawking, F.

- 1007.—Tichomirov, V. V. & Chain, V. E. [Submarine landslips in Tertiary deposits of north-eastern Azerbaidjan.] [Foraminifera.] C.R. Acad. Sci. U.S.S.R. (N.S.) 58 (1) 1947 pp. 105–108. [In Russian.]
- 1008.—Tichomirov, V. V. & Chain, V. E. [Lower Paleogene between the Terter and Gandshatchay rivers (Asserbaidjan U.S.S.R.).] C.R. Acad. Sci. U.S.S.R. (N.S.) 69 (3) 1949 pp. 417-420. [In Russian.]
- 1009.—Tittler, I. A. The role of thiamine in the metabolism of *Tetrahymena geleii*. Anat. Rec. Philadelphia 105 (3) 1949 p. 501.

Tobie, E. J. see Brand, T. von.

- 1010.—Tobie, J. E. Experimental infection of the rabbit with Endamoeba histolytica. Amer. J. trop. Med. 29 1949 pp. 859-870 figs.
- 1011.—Todd, R. Joseph A. Cushman, 1881–1949. [Obituary.] The Micropaleont. N.Y. 3 (3) 1949 pp. 15–18.
 - Todd, R. see Cushman, J. A.
- 1012.—Tomlinson, T. H., jr., Fogg, V. H. & Smith, C. S. Parasites found in certain Sciuridae of the southwestern United States. J. nation. Malaria Soc., Columbia S.C. 8 1949 pp. 202-205.
- 1013.—Tomlinson, T. H., jr., Smith, C. S. & Fogg, V. H. A piroplasm, Babesia wrighti, n. sp., from the rock squirrel (Citellus variegatus buckleyi). J. nation. Malaria Soc. Columbia S.C. 7 1948 pp. 254–259 figs,

- 1014.—Toriyama, R. The fusulinids in the Limestone conglomerates of the Sakuradani Area in the province of Awa. Studies on the Yasuba conglomerate and its allies in the Titibu group in the Island of Sikoku—II. Japan J. Geol. Geogr. 19 (1-4) 1944 pp. 67-82 figs.
- 1015.—Toriyama, R. On some fusulinids from Northern Tai. Japan J. Geol. Geogr. 19 (1-4) 1944 pp. 243-248 figs.
- 1016.—Torrealba, J. F.´ Dos casos agudas mas de Tripanosomosis rangeli, Tripanosomosis de Tejera, tercera Tripanosomosis humana o Tripanosomosis de la Region Caribiana. Rev. Med. vet. parasitol. Caracas 8 (1) 1949 pp. 111-113 figs.
- 1017.—Torrey, J. C. & Kahn, M. C. Precipitation tests in *Plasmodium lophurae* malaria. J. Immunol., Baltimore 62 1949 pp. 41–48 figs.
- 1018.—Tottey, M. M. & Black, R. H. Respiration of malaria parasites. Trans. R. Soc. trop. Med. Hyg. 42 1949 pp. 313-314.
- 1019.—Toumanoff, C. Réactions de défense chez les chenilles de fausses Teignes des ruches, parasitées par un Sporozoaire (Coelogregarina ephestiae Ghél.). C.R. Acad. Sci. Paris 228 1949 pp. 506-508 figs.
- 1020.—Townshend, R. H. Failure of an attempt to demonstrate hyaluronidase production by *Entamoeba histolytica*. Trans. R. Soc. trop. Med. Hyg. 42 1949 p. 314.

Tracey, K. A. see Finley, H. E.

- 1021.—Trager, W. Studies on the extracellular development in vitro of an intracellular parasite (avian malaria). Anat. Rec., Philadelphia 105 (3) 1949 pp. 504–505.
- 1022.—Trager, W. Observations with the phase microscope on the malaria parasite *Plasmodium lophurae* and on its extracellular development *in vitro*. J. Parasit. Lancaster 35 (no. 6 sect. 2) 1949 p. 23.
- 1023.—Trager, W. & McGhee, R. B. The antimalarial activity of the plasma of certain adult ducks

- against *Plasmodium lophurae*. J. Parasit., Lancaster **35** (no. 6 sect. 2) 1949 p. 24.
 - Tréfouël, J. see Lwoff, A.
 - Trembley, H. L. see Coatney, G. R.
 - Trembley, H. L. see Greenberg, J.
- 1024.—Triebel, E. Die Foraminiferen.—Gattung Ammodiscus im Deutschen Zechstein. Senckenbergiana, Frankfurt 29 (1-6) 1948 pp. 137–139 figs.
 - Trikkalinos, J. see Renz, C.
- 1025.—Trincão, C. A inoculação da Leishmania donovani em culturas in vitro de medula ossea e nos ovos embrionados de galinha. An. Inst. Med. trop., Lisbon 5 [1949] pp. 141– 147 fig. [English summary.]
- 1026.—Tripathi, Y. R. A new species of ciliate, *Trichodina branchicola*, from some fishes at Plymouth J. Mar. Biol. Ass., Plymouth 27 1948 pp. 440–450 figs.
- 1027.—Tromp, S. W. The value of Globigerinidae ratios in stratigraphy. J. Paleont., Menasha Wis. 23 (2) 1949 pp. 223–224.
- 1028.—Tromp, S. W. The determination of the Cretaceous-Eocene boundary by means of quantitative, generic, microfaunal determinations and the conception "Danian" in the Near East. [Foraminifera.] J. Paleont., Menasha Wis. 23 (6) 1949 pp. 673–676.
- 1029.—Tromp, S. W. Additional information on the so-called "Middle Tertiary Orbulina surface". The Micropleont., N.Y. 3 (3) 1949 p. 14.
- 1030.—Tuzet, O. Le plancton du Golfe du Lion et de l'étang de Thau. [Flagellates.] Bull. Mus. Hist. nat. Marseille 7 (2-3) 1947 pp. 91-95.
- 1031.—Uttangi, J. C. Note on Nyctotherus cochlearis nov. sp. from Rana curtipes Jerdon. Current Sci. Bangalore 17 (11) 1948 pp. 325–327 figs.
- 1032.—Uttangi, J. C. Contribution to the study of infusorian parasites of frogs and toads of the Karnatak. Proc. Indian Sci. Congr. 34 (3) 1948 p. 172.

1033.—Uzzell, E. M., Becker, R. B. & Jones, E. R. Jr. Occurrence of Protozoa in the bovine stomach. J. Dairy Sci., Lancaster, Pa. 32 (9) 1949 pp. 806-811.

54

- 1034.—Vaccari, I. La tricomoniasi dei piccioni: la penicillina e la streptomicina nell'isolamento in coltura pura di *Trichomonas columbae*. Boll. Soc. ital. Biol. sper. **25** 1949 pp. 418–420.
- 1035.—Vaccari, I. Coltura del Trichomonas columbae e del Trich. foetus in terreno di Petragnani. Locke-siero (P.L.S.) ed in terreno L.E.S. modificato. Boll. Soc. ital. Biol. sper. 25, 1949 pp. 420–422.
- 1036.—Vanni, V. & Gurri, J. Reaccion mucosa intestinal y parasitismo por tricomonas. Arch. Soc. Biol. Montevideo 15 1949 pp. 29-32 figs.
- 1037.—Vasilenko, V. P. [Discovery of Conorbina martini Brotzen in the Cognac-Santon deposits of the Volga region]. C. R. Acad. Sci. U.S.S.R. (N.S.) 66 (5) 1949 pp. 909–911 figs. [In Russian.]
- 1038.—Vedder, E. B. [Importance of thin blood films in malaria diagnosis (Correspondence).] Amer. J. Trop. Med. 29 1949 p. 429.
- 1039.—Vega, N. G. de, Villar, C. G.-M. & López, L. P. Discusion sobre un caso de pentastomiasis pulmonar humana, con revision de las parasitosis pulmonares del hombre. [Sporozoa in human lungs.] Riv. Iberica Parasit. 9 (2) 1949 pp. 167–206 figs. [Spanish with English summary.]

Verlinde, T. D. see Winsser, J.

- 1040.—Vermel, E. M. & Prochorov, S. M. [Biological observations on Parameerium caudatum made during the production of a scientific film.] Zool., J., Moscow 26 (3) 1947 pp. 289-290. [In Russian.]
- 1041.—Verolini, F. Sulle modalità di comparsa del ciclo endoistiocitario del *P. gallinaceum* in polli previmente splenectomizzati. Riv. Parassitol., Rome 10 (4) 1949 pp. 197-204.
 - Vianna, Y. L. see Paraense, W. L. Villar, C. G.-M. see Vega, N. G. de. Villasana, L. see Beltran, E.

- 1042.—Vinberg, G. G. [The intensity of exchange of matter in the lower organisms.] Adv. mod. Biol. Moscow 28 (2(5)) 1949 pp. 226–246. [In Russian.]
- 1043.—Vincent, I. Studies on the endoparasites of the Texas horned lizards *Phrynosoma cornutum* (Harlan). [Including Protozoa.] Proc. Texas Acad. Sci. 30 1948 pp. 250–252.
- 1044.—Vincke, I. H. & Bulcke, M. A. van den. Observations sur l'entretien de la souche K173 du Plasmodium berghei, Vincke et Lips. Ann. Soc. Belge Méd. trop. 29 1949 pp. 525-535.
- 1045.—Vincke, I. H. & Bulcke, M. A. van den. Réaction des Rattus rattus vis-à-vis du Plasmodium berghei, Vincke et Lips. Ann. Soc. Belge Méd. trop. 29 1949 pp. 537–543.
- 1046.—Vincke, I. H. & Bulcke, M. A. van den. Réaction des Thamnomys surdaster surdaster vis-àvis du Plasmodium berghei, Vincke et Lips. Ann. Soc. Belge Méd. trop. 29 1949 pp. 545–548 fig.
- 1047.—Viswanathan, G. R. Acute bovine trypanosomiasis in Madras Presidency. Indian vet. J. 23 1947 pp. 290–299.
- 1048.—Vlk, W. Über eine neue farblose Monade: Peltomonas volitans nov. gen., nov. spec. Arch. Protistenk., Jena 95 (1) 1941 pp. 79-80 figs.
- 1049.—Vogelsang, E. G. & Armas, J. de. Observaciones con el Tripanosoma venezuelense, Mesnil 1910. Rev. Med. vet. parasit. Caracas 5 (1) 1946 pp. 39-43.
- 1050.—Vogelsang, E. G. & Gallo, P. Globidium besnoiti (Marotel, 1912) y habronemosis cutánea en bovidos de Venezuela. Rev. Med. vet. Parasit., Caracas 3 (1-4) 1941 pp. 153-155 figs.

Vogelsang, E. G. see Gallo, P.

- 1051.—Vogler, J. Ober-Jura und Kreide von Misol. [Foraminifera.] Palaeontographica, Stuttgart. Suppl. 4 (4) (4) 1941 pp. 243–214 figs.
- 1052.—Voorthuysen, J. H. van. Elphidiella arctica als klimatologische indicator voor der Kwartair. Geol. Mijnbouw., The Hague 11 (3) 1949 pp. 127–130 figs.

- 1053.—Voorthuysen, J. H. van. News-Holland. [Foraminifera]. The Micropaleont., N.Y. 1949 **3** (1) pp. 13–14; **3** (2) pp. 10–11.
- **1054.**—**Voorthuysen**, J. H. van. *Lagena*—*X*. The Micropaleont. N.Y. **3** (2) 1949 p. 31.
- 1055.—Voorthuysen, J. H. van. Recent indigenous and Upper-Cretaceous derived foraminifera of the Netherlands tidal flats (Wadden). Tijdschr. Ned. aardrijsk. Genoot. Amsterdam 67 (3) 1949 pp. 89–93 figs.
- 1056.—Voorthuysen, J. H. van. Foraminifera of the Icenian (oldest marine Pleistocene) of the Netherlands. Verh. Ned. geol.-mijnb. Genootsc. Geol. Ser. 15 (1) 1949 pp. 63-69 figs.
- 1057.—Vucetich, M. & Giacobbe, O. Polimorfismo del *Trypanosoma rotatorium*. Nuevos batracios Argentinos parasitados. An. Inst. Med. Reg., Tucuman 2 (3) 1947 pp. 225–244 figs. [English summary.]
- 1058.—Wadhwani, T. K. & Pillai, S. C. On the preparation of pure cultures of *Vorticella*. Current Sci. Bangalore 16 (10) 1947 pp. 317-318.
- 1059.—Wagner, W. H. Zur Vitalfärbung von Trypanosomen mit Acridinorange nach Strugger. Zbl. Bakt. (I. Orig.) Jena 154 1949 pp. 310–314.
- 1060.—Wagtendonk, W. J. van. The action of enzymes on *Paramecium*. J. biol. Chem., Baltimore 173 (2) 1948 pp. 691–704 figs.
- 1061.—Wagtendonk, W. J. van & Hackett, P. L. The culture of Paramecium aurelia in the absence of other living organisms. Proc. Nat. Acad. Sci., Washington 35 (3) 1949 pp. 155–159 fig.
- 1062.—Wagtendonk, W. J. van & Zill, L. P. Inactivation of paramecin ("Killer" substance of Paramecium aurelia 51, variety 4) at different hyrdogen ion concentrations and temperatures. J. biol. Chem. Baltimore 21 1947 pp. 595-604 figs.
- 1063.—Waksman, S. A., Harris, D. A., Kupferberg, A. B., Singher, H. O. & Styles, H. Streptocin, antibiotic isolated from mycelium

- of Streptomyces griseus, active against Trichomonas vaginalis, and certain bacteria. Proc. Soc. exp. Biol. 70, 1949 pp. 308-312.
- 1064.—Waletzky, E. & Hughes, C. O. Factôrs involved in tests for acquired immunity in *Eimeria tenella* infections of the chicken. Ann. N.Y. Acad. Sci. 52 1949 (4) pp. 478–495.
- 1065.—Waletzky, E. Hughes, C. O. & Brandt, M. C. The anticoccidial activity of nitrophenide. Ann. N.Y. Acad. Sci. 52 (4) 1949 pp. 543–557.
- 1066.—Wallen, I. E. The plankton population of a small fertile pond in Central Oklahoma. [Including Protozoa.] Trans. Amer. micr. Soc. 68 1949 pp. 200–205.
- 1067.—Walters, J. H. A case of indigenous kala-azar in the Gambia. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 287–292 figs.
- 1068.—Walton, A. C. Parasites of the Ranidae (Amphibia). VII. [Including Protozoa.] Trans. Amer. micr. Soc. 68 1949 pp. 49-54.
- 1069.—Walton, A. C. Parasites of the Ranidae (Amphibia). XV, XVI, XVII. [Including Protozoa.] Anat. Rec. Philadelphia 105 (3) 1949 pp. 628-629, 629, 629-630.
- 1070.—Walton, A. C. Parasites of the Ranidae (Amphibia). XVIII, XIX, XX. [Including Protozoa.] J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 pp. 39-40.
- 1071.—Walton, G. A. On the control of malaria in Freetown, Sierra Leone. II.—Control methods and the effects upon the transmission of Plasmodium falciparum resulting from the reduced abundance of Anopheles gambiae. Ann. trop. Med. Parasit., L'pool 43 1949 pp. 117–139.
 - Walton, J. G. see Shaffer, J. G.
- 1072.—Wang, H. Frequent but apparently harmless occurrence of sarcosporidiosis in healthy beef. Anat. Rec., Philadelphia 105 (3) 1949 p. 505.
 - Wanza, J. N. see Finley, H. E.
- 1073.—Warren, G. H. Nuclear and body sizes and the nucleocytoplasmic ratio in three species of

Chaos Linnaeus, 1767. Trans. Amer. mier. Soc., Menasha 68 (1) 1949

pp. 34-39 figs.

56

1074.—Warren, J. & Russ, S. B. Cultivation of toxoplasma in embryonated egg. An antigen derived from chorioallantoic membrane. Soc. exp. Biol. 67 (1) 1948 pp. 85-89

Weathersby, A. B. see Terzian, L. A.

Wehr, E. E. see Farr, M. M.

1075.—Weibull, W. A statistical analysis of the size of Cyrtoidea in Albatross cores from the East Pacific Ocean. Nature, London, 164 1949 pp. 1047–1048.

1076.—Weiser, J. Klič k určováni Mikrosporidii. Key for determination of Microsporidia.] Acta Soc. Sci. nat. Moravicae 18 (1) 1947 pp. 1-64 figs. [In Czech.]

Three new 1077.—Weiser, J. parasites of Ephemerid larvae. [Haplosporidia]. Acta Soc. Zool. Čechoslov., Prague 11 1947 pp. 297-303 figs. [Czech with English summary.]

1078.—Weiser, J. Studies on some parasites of fishes. [Microsporidia.] Parasitology, Cambridge 39 1949 pp. 164-166 figs.

1079.—Weisz, P. B. On the growth of regenerating fragments in Stentor coeruleus. J. exp. zool., Philadelphia, **109** 1948 pp. 427–438.

1080.—Weisz, P. B. Regeneration in Stentor and the gradient theory. J. exp. Zooi., Philadelphia 109 1948 pp. 439-449.

1081.—Weisz, P. B. Phosphatases in normal and reorganizing stentors. Biol. Bull., Woods Hole 97 1949 pp. 108-110.

1082.—Weisz, P. B. The role of specific macronuclear nodes in the differentiation and the maintenance of the oral area in a stentor. J. exp. Zool., Philadelphia **111** 1949 pp. 141-

1083.—Weisz, P. B. A cvtochemical and cytological study of differentiation in normal and reorganizational stages of Stentor coeruleus. J. Morph., Philadelphia 84 1949 pp. 335-364 figs.

1084.—Wenrich, D. H. Chromosomes in protozoa, The Collecting Net [U.S.A.] 15 (6) 1940 [sep. pag. 1-6.1

1085.—Wenrich, D. H. Culture experiments on intestinal flagellates. V. Some additional longevity records to September 1, 1949. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 32.

1086.—Wenrich, D. H. Protozoan parasites of the rat. In: The rat in laboratory investigation. [Edited by E. J. Farris & J. Q. Griffith. 2nd ed. London 1949 pp. 486-501. figs.

1087.—Wenrich, D. H. & Nie, D. The morphology of Trichomonas wenyoni (Protozoa, Mastigophora). J. Morph., Philadelphia 85 1949 pp. 519-531 figs.

1088.—Werner, H. Brandmäuse und andere Wildmausarten als geeignete Dauerträger von Trypanosomen. Zbl. Bakt. (I. Orig.) Jena 154 1949 pp. 68–75 [With English summary.]

1089.—Westphal, A. Ueber parasitische Protozoen. Mikrokosmos. Stuttgart 38 (11) 1949 pp. 250-254 figs.

1090.—Westphal, A. Die Gregarinen des Mehlwurms. Mikrokosmos, Stuttgart 39 (2) 1949 pp. 31-35 figs.

1091.—Westphal, A. Amöbenruhr auf Santo Domingo, Z. Tropenmed. Parasitol., Stuttgart 1 (1) 1949 pp. 225-230.

1092.—Wetzel, W. Zur Frage der Horizontierung senorer Schreibkreide mit Hilfe von Foraminiferen und der Verteilung der Foraminiferen im Pariser Becken einerseits und in Holstein andererseits. N. Jahrb. Min. Geol. Paläont., Stuttgart, Abt. B (1) **1944** pp. 1–10 fig.

1093.—Wetzel, O. Mikropaläontologische Funde in Gesteinsproben einer holsteinischen Bohrung, besonders in Kreide- und Keuperschichten. [Foraminifera, radiolaria, dinoflagellates and Hystrichosphaeridae.] N. Jahrb. Min. Geol. Paläont, Stuttgart, 89 (3) 1948 pp. 315-348 figs.

Whiteside, E. F. see Ford, J.

1094.—Wichterman, R. The collection, cultivation, and sterilization of *Paramecium*. Proc. Penn. Acad. Sci. 23 1949 pp. 151-180.

1095.—Wickenden, R. T. D. Eceponidella, a new genus from the Upper Cretaceous. [Foraminifera]. Trans. Roy. Soc. Canada (3) 42 (4) 1948 pp. 81–82 figs.

Wikholm, D. M. see Riegel, B.

1096.—Wilber, C. G. Samuel O. Mast (1871-1947). Trans. Amer. micr. Soc. 67 1948 pp. 82-83.

Wilcox, A. see Haas, V. H.

1097.—Willems, R., Massart, L. & Peeters, G. Ueber den Kohlehydratstoffwechsel von Trichomonas hepatica. Naturwissenschaften, Berlin 30 1942 pp. 169–170.

Williams, A. G. see Bailey, W. S.

Williamson, J. see Rollo, I. M.

1098.—Wilson, D. B. Malaria in British Somaliland. E. Afric. med. J. 26 1949 pp. 283-291.

1099.—Wilson, D. B. On the present and future malaria outlook in East Africa. E. Afric. med. J. 26 1949 pp. 378–385.

1100.—Wilson, M. Abnormal forms of *Plasmodium vivax*. Trans. R. Soc. trop. Med. Hyg. 43 1949 pp. 97–98.

Wilson, M. L. see Thompson, P. E.

1101.—Wilson, S. G. Drugresistance shown by trypanosomes following "Antrycide" treatment. Nature, London 163 1949 p. 873.

1102.—Wilson, S. G. Trypanosoma uniforme-Trypanosoma vivax infections in bovines and Trypanosoma uniforme infections in goats and sheep at Entebbe, Uganda. Parasitology, Cambridge 39 1949 pp. 198-208 figs.

Wingfield, F. J. see Shaw, E. H.

1103.—Wingstrand, K. G. Blodparasiter av malariatyp anträffade hos orre—skagsfågelproblemet från en ny synvinkel. (Blood parasites of malaria type found in blackcocks—the game bird problem from a new angle.) Skand. Vet. Tidskr., Uppsala 37 (9) 1947 pp. 542–547 fig. [English summary.]

1104.—Winsser, J. Toxoplasmosis: een zoönose. Tijdschr. Diergeneesk., Utrecht 73 1948 pp. 386–397.

1105.—Winsser, J., Verlinde, J. D., Thiel, P. H. van, Davel, J. & Elst, P. van der. Isolation of toxoplasma from cerebrospinal fluid of a living infant in Holland. Proc. Soc. exp. Biol. 67 (3) 1949 pp. 292–294.

1106.—Wirth, W. W. Blood parasites of Louisiana birds.[Trypanosome.] Proc. Louisiana Acad. Sci. 8 1944 pp. 77–82.

Wise, H. A. see Finley, H. E.

1107.—Wolska, J. The small amoebas in the plasm of Amoeba proteus Pall. Ann. Univ. M. Curie. Skłodowska, Lublin 4 C (5) 1949 pp. 137–147 figs. .[Polish with English summary.]

Wong, Y. T. see Overman, R. R.

1108. -Wood, A. The structure of the wall of the test in the foraminifera; its value in classification. Quart. J. Geol. Soc., London, 104 (2) 1949 pp. 229-255 figs.

1109.—Wood, A. The supposed Silurian foraminifera from Cardiganshire. Proc. Geol. Ass., London 60 (3) 1949 pp. 226–228 figs.

1110.—Wood, S. F. New localities for *Trypanosoma cruzi* Chagas in California. Progress Bull., Los Angeles 1 (1) 1942 p. 31.

1111.—Wood, S. F. Additional observations on *Trypanosoma cruzi* Chagas, from Arizona in insects, rodents, and experimentally infected animals. Amer. J. trop. Med. 29 1949 pp. 43–55 figs.

1112.—Wood, S. F. The occurrence of binary fission in the metacyclic form of *Trypanosoma cruzi* Chagas from *Triatoma longipes* Barber. Bull. S. Calif. Acad. Sci. 48 (2) 1949 pp. 45–46 figs.

1113.—Woodring, W. P. & Thompson, T. F. Tertiary formations of Panama Canal Zone and adjoining parts of Panama. [Foraminifera.] Bull. Amer. Assoc. Petrol. Geol. Oklahoma, 33 (2) 1949 pp. 223–247.

Wylie, W. D. see Broughton, N.

1114.—Wyngaert, C. de Microorganismes de nos eaux douces. Lausanne. 1947 162 pp. figs.

Yagiu, R. see Ozaki, Y.

Yokogawa, M. see Ritchie, L. S.

1115.—Young, M. D. Adaptability of exotic malaria parasites to indigenous Anophelines. Proc. 4th Intern. Congr. Trop. Med. Malaria, Washington 1948 1 [1949] pp. 672–00.

1116.—Young, M. D. The incidence of blood parasites in Liberia. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 24.

1117.—Young, M. D. & Eyles, D. E. Parasites resembling Plasmodium ovale in strains of Plasmodium vivax. J. nation. Malaria Soc., Columbia, S. C. 8 (3) 1949 pp. 219–223 figs.

1118.—Young, M. D. & Eyles, D. E. Parasites resembling Plasmodium ovale in strains of Plasmodium vivax. J. Tenn. Acad. Sci. 24 (3) 1949 p. 174.

1119.—Young, M. D. & Johnson, T. H. J. A malaria survey of Liberia. J. National Malaria Soc., Columbia, S. C. 1949 8 (4) pp. 247-266 figs.

1120.—Young, V. M. An unusual strain of *Dientamoeba fragilis*. J. Parasit., Lancaster 35 (no. 6 sect. 2) 1949 p. 33.

1121.—Young, V. M., Felsenfeld, O. & Byrd, C. L. Behaviour of virus of poliomyelitis in a culture of *Endamoeba histolytica*. Amer. J. clin. Path. 19 1949 pp. 1135-1138.

1122.—Yourt, E. H. & Coggeshall, L. T. Status of immunity following cure of recurrent *vivax* malaria. Amer. J. trop. Med. 29 1949 pp. 701–705.

Yount, E. H. jr. see Coggeshall, L. T.

1123.—Zacharias, F. J. The diagnostic value of bone-marrow biopsy in malaria caused by *Plasmodium falciparum*. Ann. trop. med. Parasit., L'pool 43 1949 pp. 297–303.

1124.—Zangri, G. Sulla pretesa azione parassiticida dell' adrenalina nell'infezione palustre. Boll. Soc. Ital. Biol. sper. 20 (8) 1945 pp. 544–546.

1125.—Zanon, D. V. Actiniscus nei mari Italiani. Acta pont. Acad. Scient. 10 (24) 1946 pp. 273–277.

1126.—Zassuchin, D. N. [Wild mammals as experimental models for the study of Haemosporidioses of domestic animals.] C. R. (Doklady) Acad. Sci. U.S.S.R. 58 (7) 1947 pp. 1561–1562 figs. [In Russian.]

Zaugalnikov, S. D. see Paribok, V. P.

Zavagli, V. see Sanfile, V. Zeuthen, E. see Giese, A. C.

1127.—Zhivaso, P. I. [Nuclear structure and functional changes in the secretory apparatus of Amoeba polypodia.] C. R. Acad. Sci. U.S.S.R. (N.S.) 60 (7) 1948 pp. 1249–1251 figs. [In Russian.]

Zill, L. P. see Wagtendonk, W. J. van.

Zuckerman, L. K. see Meleney, H. E.

II.—SUBJECT INDEX GENERAL.

Text-books.—Parasitic protozoa of man, Brumpt 141; Handbook of medical protozoology, Hoare 455; Medical and veterinary Protozoology, Reichenow 806; Classification, structure and life of protozoa, Schoenmann 873; Freshwater protozoa, Wyngaert 1114; Natural history of marine protozoa, MacGinitie & MacGinitie 601; Freshwater flora and fauna of Spain [rhizopods and ciliates], Margalef 616.

History.—Thirty years development of protistology in the U.S.S.R., Polianski & Strelkov 770; Dujardin and the discovery of Rhizopoda, Beltran 93; The work of the Cushman Laboratory for Foraminiferal Research, Cushman 217; News of micropalaeontological work in Great Britain [Foraminifera], OVEY 715: News of micropalaeontological work Scandinavia [Foraminifera], Brotzen 129; News of micropalaeontological work in Holland [Foraminifera], VOORTHUYSEN 1053; News of micropalaeontological work in France [Foraminifera], CIZAN-

COURT 178; News of micropalaento-logical work in Switzerland [Foraminifera], REICHEL 801; News of micropalaeontological work in Germany [Foraminifera], HILTER-MANN 448; News of micropalaeontological work in Italy [Foraminifera], ALLIATA 33; News of micro-palaeontological work in Austria [Foraminifera], Grill 408; News of micropalaeontological work in Spain and Portugal [Foraminifera], COLOM 192; News of micropalaeontological work in North Africa [Foraminifera], Dam 237; News of micropalaeontological work in the Near East [Foraminifera], Bellen 92, GRIMSDALE 409; Micropalaeontological work in India [Foraminifera], Puri 775; News of micropalaeontological work in Japan, OINOMIKADO 706; News of micropalaeontological work in Australia, Crespin 213; Micropalaeontological work in the mid-continental area of U.S.A. [Foraminifera], LALICKER 547; News of micropalaeontological work in the Eastern United States Foraminifera, Henbest 437; News of micropalaeontological work on the Gulf Coast, U.S.A. [Foraminifera], MAL-KIN 609; News of work on Fora-minifera in the West Indies, Brön-NIMANN 124; News of micro-palaeontological work in Venezuela [Foraminifera], DUSENBURY 281; News of micropalaeontological work in Peru [Foraminifera], STONE 956; News of micropalaeontological work in Colombia [Foraminifera], RED-MOND 796; Historical account of knowledge of leishmaniases in N. Africa, SERGENT & SERGENT 896; Development of knowledge of animal trypanosomiases, Hornby 467.

Biography; Obituary.—J. A. Cushman, Ovey 716, Todd 1011, Anon. 20; C. A. Kofoid, Goldschmidt 396; Etienne Sergent, Sicé 914, Magrou 607; C. M. Wenyon, Anon. 14, Hoare 454, Roubaud 839, Tallaferro 965; L. van Hoof, Anon. 8, Findlay 327, Sicé 915; Professor F. Sacco, Alliata 33; Memorial to Louis Martin Robert Rutten, Thalmann 979; Dr. Charles Davies Sherborn, Thalmann 991; Tan Sin Hok, 1902-1945, Thalmann 992; S. O.

Mast, Wilber 1096; L. Morenas, Sicé 916.

Bibliography; Reviews.—List of publications by C. M. Wenyon, HOARE 454; Bibliography of C. A. Kofoid, Goldschmidt 396; The value of the Zoological Record to micropalaeontologists, Ovey 714; Card-index system of figuring types of foraminifera, Lys & Sigal 591; Bibliography of works on ecology and palaeoecology mainly relating to foraminifera, MALKIN 609; Literature, mainly on foraminifera, recently received by the American Museum of Natural History, Messina 634; Supplements and corrections to bibliography of the foraminifera for period 1931 to 1947, THALMANN 988; Bibliography and index to new genera, species and varieties of fora-minifera for 1947, Thalmann 987; Bibliography and index to new genera, species and varieties of fora-minifera for 1948, Thalmann 989; Bibliography of some of the works on foraminifera published in France during 1948, CIZANCOURT 179; Bibliography of Italian works in micropalaeontology 1948-1949 [mainly foraminifera], ALLIATA 33; Bibliography of recent publications on foraminifera in Austria, GRILL 408; Note on the catalogue of fossil and living foraminifera of Cuba, Broderman 123; Recent publications on larger foraminifera of the Middle East, Henson 441; Review of the American catalogue of Foraminifera by Brooks F. Ellis and Angelina R. Messina, GRILL 407; Review of "Foraminifera in the Gullmar Fjord and the Skagerak" by Hans Höglund, Dam 236; Brief bibliography of recent German works on foraminifera, HILTERMANN 448.

Taxonomy and Nomenclature.—Status of pre-binomial specific name, Opinion 16 1; Designation of types of genera, Opinion 172 2; Classification of the protozoa, Navarro Cándido 678, Schoenmann 873; Classification of freshwater protozoa, Wyngaert 1114; Biochemical differences as criteria of genera in amoebae, Andresen & Holter 38; Value of the wall-structure of the test in the foraminifera in classification, Wood 1108; Homonyms of

foraminifera erected in 1947, THAL-MANN 990: Homonyms in foraminifera erected during 1948 and 1949, THALMANN 986; Note on correct zoological naming in foraminifera, THALMANN 982; Correct method of setting out systematic and other details in describing new genera and species of foraminifera, THALMANN 983; The use of special nomenclature for biozones of foraminiferal associations, THALMANN Nomenclatural notes on Pullenia and Cibicides, STAINFORTH 942; Note on the nomenclature of the foraminiferal genus Eponides, REDMOND 797; Classification and systematics of Triticites, Rozovskaja 842: Taxonomic position of Nummulostegina, Kahler 505; Nomenclature and evaluation of the Fusulinidae, Kahler & Kahler 507; Taxonomic position of Dictyoconoides, GILL 389; Relationship of Ranikothalia to Nummulites and Miscellanea, DAVIES 243; Key to the genera of the Chilostomellidae, Cush-MAN & TODD 228; Nomenclature and generic position of Nautilus beccarii Linné (foraminifera, "Rotaliidae"), FRIZZELL & KEEN 352; Correction to genotype of Rein-holdella Brotzen 1948, BROTZEN 130; Taxonomy of Palmula Lea, Flabellina d'Orb. and related genera, BARTENSTEIN 66; Remarks on Lenticulina Lamarck 1804, Thal-MANN 994; The flagellum as a taxonomic character, Owen 718; Kolkwitziella salebrosa Lindemann found to be identical with Diplopsalis acuta (Apstein) Entz, Baumeister 79; The taxonomy of the dinoflagellates and the subdivision of the genus Peridinium, PAULSEN 741: Nomenclature of Leishmania species, Kirk 529; Nomenclature of Trichomonas gallinae, JAQUETTE 488: Classification of gregarines, FILIP-PONI 326; Classification of Haemosporidia, Corradetti 199; Nomenclature and classification of Thigmotrichous ciliates, Chatton & LWOFF 167; Problem of genus and species designation in the Glaucoma-Colpidium group, Furgason 357.

Technique.—A simple micromanipulator, Nygaard 701; Use of biological phase microscopy in the

study of protozoa, RICHARDS 815; Desk for working with the microscope, STAINFORTH 943; Protozoological technique (medical), STITT, etc. 953; Problems in the methods of study of fossil protozoa, THAL-MANN 985: A new mounting device for microfossils, ELLIS 290; Application of perchloric acid technique to protozoa, Seshachar & Flick 898: Collecting protozoa, Horvath 470 Method of preservation of unstained blood films, JASWANT SINGH, etc. 493; Use of blood in staining technique of protozoal cultures, LAMY & Bonnel 550; New stain for protozoa in tissues, Goldmann 395: Photoelectric method of estimating population density of protozoa, ELLIOTT 287; Faecal concentration methods for intestinal protozoa, COUDERT & JUTTIN 203; Method for studying gut contents of flies human intestinal protozoa, Heinz 436; Types of Giemsa stain for blood protozoa, LILLE 570; Prolonged preservation of protozoological blood films mounted in Euparal, REES-WRIGHT 800; Technique and methods used in the study of silicoflagellates, radiolaria, etc. from the Eocene of Belgium, Pas-TIELS 739; Methods of staining cytoplasmic constituents in Amoeba, TARAO 971; Methods of enumeration of parasitic amoebae in culture, GRIFFIN & McCarten 405; Filing cabinets for holding micro-slides [mainly foraminifera], FRIZZELL 351; Foraminiferal picking tray, SIMON 926; Collecting foraminifera and the preparation of material for examination, PARR 732; Methods of preparation of samples for extraction of smaller foraminifera, BERMUDEZ 99; The cleaning, mounting and preservation of foraminifera. SARTORY 856; Use of polarized light in the study of the wall-structure in foraminifera, Wood 1108; Models of foraminiferal genera for instructional purposes, Ellis 291; Balsam impregnation and decalcification of some Upper Cretaceous foraminifera, Holland, Hofker 458: Assemblage slide used in laboratory of Imperial Oil Co., Tokyo, OINO-MIKADO 707; Method of studying Fusulinidae, Roberts, 827; Statistical analysis of the size of Cyrtoidea

from Pacific Ocean cores, Weibull 1075: Methods of studying morphology of trypanosomes, Kraneveld & MANSJOER 541; Vital staining of trypanosomes, WAGNER 1059; Criticism of a method for determination of electric charge in trypanosomes, Hornby 466; Method for determining presence of kinetoplast in trypanosomes, Piekarski 759: Preservation of malaria parasites in frozen human brain, MAYER & PIFANO 627; Enrichment method for detection of malaria parasites, ARU 43; Staining mosquito stages of Plasmodium, JASWANT SINGH & DAVID 491; Technique for demonstrating stages of piroplasms in salivary glands of ticks, RAY 792; Method of studying effects of shortterm variations of temperature on a peritrich ciliate, KITCHING 532; Collection of Paramecium, WICHTER-MAN 1094; Method of measurement of motion in Paramecium, ALEXAN-DROV 28; Method of staining the cuticular lattice of Paramecium, Brown 134; Material and techniques in studying conjugation in Paramecium trichium, DILLER 261; Method of sterilization by electromigration and with penicillin in cultures of Paramecium, WAGTEN-DONK & HACKETT 1061; Demonstration of phosphatase activity in Stentor, Weisz 1081; Materials and methods for cytochemical and cytological study of Stentor, Weisz 1083; Technique in study of growth of Tetrahymena geleii, Rockland & Dunn 829; Method of study of the relationship between ion action and osmotic pressure on Tetrahymena, Browning 139; Materials and methods of study to demonstrate the presence of the tricarboxylic acid cycle in Colpidium campylum, SEA-MAN 882; Materials and methods of studying the photooxidations in pigmented Blepharisma, GIESE & ZEUTHEN 388; Method of examining the effect of allyl isothiocyanate on Spirostomum ambiguum, Finley & WANZA 330; Technique used in the examination of the effects of ultraviolet radiations on Spirostomum ambiguum, SHIRLEY & FINLEY 908; Concentration method for Balantidium in faeces, Lubinsky 581; The preparation of pure cultures of

Vorticella, Wadhwani & Pillai, 1058.

STRUCTURE

Morphology.—General works; Text-books: Parasitic protozoa of man (handbook), Hoare 455; Structure of Protozoa (general), Harms 422; Morphology of protozoa, Schoenmann 873; Morphology of marine protozoa, MacGinitie & MacGinitie 601; Structure of freshwater protozoa, Wyngaert 1114; Morphogenesis in protozoa, Lopashov 578; Protozoa of the Sahara, Seurat 901.

Rhizopoda: Nuclear and body sizes and the nucleocytoplasmic ratio in Chaos spp., Wabren 1073; Taxonomic value of "caudal" appendages in amoebae, Bovee 115; Transformation from small to large race in Entamoeba histolytica, MELENEY & ZUCKERMAN 632; Entamoeba polecki in monkeys and man, Kessell & Johnstone 513; New Entamoeba from dog, CARINI & REICHENOW 155; Entamoeba muris, NEAL 679; Amoebae in rats, GAN 366, 367; Form of Trichamoeba, Bovee 116; Structure of Microgromia socialis, MIDDELHOEK 642; Foraminifera [general article], PARR 732; Phyletic size increase in fossil foraminifera, Newell 687; Size in foraminiferal shells, THALMANN 995; Structure of Triticites, Rozovskaja 842; Structure of some Upper Cretaceous foraminifera from Holland as revealed by balsam impregnation and decalcification, HOFKER 458; Structure and morphology of Fusulinidae, Kahler 504; Structure of Dictyoconoides, Gill 389; Structure of Gypsina, Dunand 278; Parallel response to the requirements of structural reinforcement in the morphologically similar genera Chapmanina and Dictyoconus, FRIZZELL 350; Morphology of the genus Lenticulina, BARTENSTEIN 65; An abnormal foraminifer from the Chalk of England, BARNARD 64.

Mastigophora: Phytomastigina of Danish pools and lakes, NYGAARD 701; The morphology of Synura Ehrenberg, Conrad 193; Noctyocha gen. n. and its affinities,

DEFLANDRE 247; Some species of Peridinium, Balech 56; Dimoeriopsis gen. n., Hollande & Pesson 459; Parasitic flagellates (including spp. n.) from ground squirrels, KIRBY & HONIGBERG 528; Differentiation of Leishmania spp., KIRK 529; Methods for studying morphology of trypanosomes, Kraneveld & Manjoer 541; Appearance of vitally stained trypanosomes, Wagner 1059; Polymorphism of Trypanosoma rotatorium from different Batrachian hosts, Vucetich & Giacobbe 1057; Trypanosoma duttoni-type in mice of Venezuela, Mayer & Pifano 626; Trypanosoma rangeli, Pifano, etc. 763; Comparison of Trypanosoma rangeli with other mammalian trypanosomes transmitted by Rhodnius, FLOCH & ABONNENC 334; Trypanosomes in wild mammals of French Guiana, FLOCH & ABONNENC 336; Trypanosome of Cebus monkey, FLOCH & ABONNENC 335; Structure of trypanosomes found in Rhodnius, FLOCH & ABONNENC 337; Trypanosoma conorrhini, Floch & ABONNENC 333; Trypanosoma from skink, GARNHAM 373: Differentiation of trypanosomes of brucei group, FAIR-BAIRN & CULWICK 297; differences in Trypanosoma brucei, LAUNOY, etc. 559; Trypanosoma vivax, Pellegrini 747; Trypanosoma vivax and T. uniforme, WILSON 1102: Trypanosoma simiae in camel. Pellegrini 746; New Trypanoplasma of Acipenseridae, Ostroumov 712; Trypanophys, Rose 838; Comparative morphology and affinities of Trichomonadida, KIRBY 524: Trichomonas spp. of man, RIEHN 818; Appearance of living Trichomonas vaginalis, Borrien 112; Trichomonas from kangaroo, Kirby & Honigberg 526; Trichomonas wenyoni from rats and hamsters, WEN-RICH & NIE 1087; Trichomonas of guineapig, Bussolati 147; Amphibian Trichomonas spp., Samuels 849: Comparison of Chilomastix and Retortamonas [= Embadomonas], KIRBY & Honigberg 527; Structure of Chilomastix, with spp. n., NIE 690; Giardia in chinchilla, Morgan 660 Devescovinid flagellates (including spp. n.), Kirby 525; Structure and sexual differentiation of Trichonympha, Cleveland 183: New

Holomastigotoides, CLEVELAND 184.

Sporozoa: Gregarines of mealworm, Westphal 1090; Macha-doella from Triatomid bug, Mayer & PIFANO 628: Lankesteria culicis (gregarine), GANAPATI & TATE 368; New Actinocephalus from beetle, FILIPPONI 326: New Gregarina from beetle, FILIPPONI 323; New Gregarina from Amphipod, BATTEN & DEGIUSTI 73; New Diplocystis from moth, Dumbleton 277; New Stylocephalus spp., Filipponi 325; Genus Gigaductus (Gregarine), FILIPPONI 324; Heliospora and Rotundula genn. n. (Gregarines), GOODRICH 398; Endocryptella gen. n., spp. n. (Gregarine) from beetles, Moriggi 663; New coccidium from Priapulids, LÜLING 583; New Eimeria from kangaroo rat, Doran & Jahn 267; New Eimeria from rabbit, CHEISSIN 169; Oocysts of Isopora from mink, Bell & Threeheld 91; Haemo-protozoa of frogs, Přivora 774; Haemoproteus of falcons, Haiba 416: Haemoproteus and haemogregarines from Eritrean snakes. Battelli 71; Pseudohaemogregarina gen. n., AWERINZEW 47; Appearance of *Plasmodium* under phase microscope, TRAGER 1022; Appearance of pigment of human *Plasmodium* in thick blood films, FIELD 318; Effect of drugs on the structure of Plasmodium vivax, MACKERRAS & ERCOLE 603; Forms of Plasmodium vivax resembling P. ovale, Young & EYLES 1117, 1118; Plasmodium wilsoni probably represents abnormal forms of P. vivax, Wilson 1100; Plasmodium from skink, GARNHAM 373: Peculiarities of Brazilian avian Plasmodium, PARAENSE 726; Comparative morphology of Plasmodium oti and P. hexamerium, MANWELL 612; Stages of Plasmodium cathemerium, MUDROW-REICHENOW & REICHENOW 672; New Piroplasma from wild rat, ROUSSELOT 841; Babesia canis in Brazil, Paraense & VIANNA 727; New Babesia from ground squirrel, Tomlinson, etc. 1013; New Myxosporidia from Indian fishes, CHAKRAVARTY & BASU 161; New Chloromyxum from shark, NOBLE 693; Structure of Microsporidia, Weiser 1076; Microsporidia of freshwater fishes, Weiser 1078; New Nosema from caterpillar, Jauch & Jauch 496; New Nosema and Plistophora from caterpillar, STEINHAUS & HUGHES 946; New Haplosporidium from Asellus, PFLUGE FELDER 753; New Haplosporidia of Ephemerid larvae, Weiser 1077.

Ciliophora:—Structure and morphogenesis of ciliates, Lwoff 586; Morphology of the experimental ciliate, Furgason 357; Morphology of three new ciliates from Southern Californian limpets and turbans, Hirshfield 449; Pedicle and "head" structure in sessile peritrichs, Korfsmeier 539; Observations on hypotrichous ciliates, FROUD 353; Abnormalities in Paramecium, LLOYD 573; New Astomata from Oligochaetes in Yugoslavia, GEORGEVITCH 384; New Astomata from Triclada of Yugoslavia, GEORGEVITCH 385; Study of Loxocephalus and other ciliates, GELEI 381; Trichochona gen. n. (Chonotricha), Mohr 655; Structure of Cryptochilum echini, Russo 845; Structure of Protophrya and related ciliates, Raabe 780; Hysterocine-tidae (Holotrichida), with new genera and species, Raabe 777; Comparative morphology of ciliates of Colpidium - Glaucoma - Tetrahymena group, Corliss 197; Structure and affinities of Thigmotrichous (Holotricha Hymenostomata) ciliates, Chatton & Lwoff 167; Comparison of spp. of Spirostomum, Packard 721; New Trichodina, Tripathi 1026; Experimental production of double individuals of Leucophrys, Fauré-Fremiet 304; New Nyctotherus from Indian frog, Uttangli 1031; Structure of Zoothamnium pelagicum, Dragesco 270; New Folliculinidae, Das 242; The structure of Folliculina (Vorticella) ampulla, Andrews 40; New Peritrichid ciliates ectoparasitic on woodlouse, Hadži 415; New Epistylis, FAURÉ-FREMIET 303; New Toko-phrya, Chappuis 166; New Podophrya, FAURÉ-FREMIET 302.

Protista incertae sedis: Structure of Toxoplasma, BIOCCA 103.

Cytology.—Cytology of protozoa, Schoenmann 873; Nuclear and chromosome development in the protists in comparison with the higher plants and animals, Geitler 378; Cytology of Euglena, Czosnowski 230; Structure of Chilomastiz, Nie 690; Cytogenetics, genetics and evolution of ciliates, Sonneborn 935; Cytological observations on Parameeium during the production of a scientific film, Vermel & Prokhorov 1040; Cytology of Ophryóścolex, Fernandez-Galliano 314; Cytology of Thigmotrichous ciliates, Chatton & Lwoff 167.

Ectoplasm, membranes, etc.:—Ecto-endoplasmic ratio as physiological factor for determination of cell volume of Actinosphaerium eichhorni, Nozawa 695; Organ of attachment and absorption in parasitic dinoflagellate, Boschma 114; Relation of indicator patterns to regional ectoplasmic differentiation in ciliates, Child 172; Nervous system in ciliates, Gelei 380; The ectoplasm and endoplasm in normal and reorganizational stages of Stentor, Weisz 1083; The significant cytostomal pattern of the Glaucoma-Colpidium group, Furgason 357; Silver-line system in Hysterocinetidae, Raabe 777; Ectoplasm and nervous system of Loxocephalus, Gelei 381; The pellicle of Paramecium candatum, Pigon 764; Chemical composition of tegument in Coleps, Fauré-Fremiet, etc. 308.

Organellae of attachment:—Pedicle and "head" structure in sessile peritrichs, Korfsmeier 539.

Organellae of locomotion:—Pseudopodia of Trichamoeba, Bovee 116; Flagellar structure, Owen 718; Structure of flagellum in Mastigophora, PITELKA 767; Tactile cilia in Nyctotherus, Fernandez-Galiano 313; Organellae and nervous system in Aspidisca, Gelei 379.

Nucleus and cytoplasm:—Chromosomes in Protozoa, Wenrich 1084; Nuclear and body sizes and the nucleocytoplasmic ratio in Chaos spp., Warren 1073; Cytoplasmic constituents of Amoeba, Tarao 971; Nuclear structure of Amoeba polypodia, Zhivaso 1127; Plastogamy and nuclear division in Pelomyxa carolinensis, Kudo 543; Quantita-

tive relationship between nuclei and cytoplasm in Aetinosphaerium, Nozawa 696; Life-cycle of chromosomes in Holomastigotoides, CLEVE-LAND 184; Nature of macronucleus in ciliates, Seshachar & Srinath 899. Subramanian 959; Chromatin elimination and ciliate macronucleus, Seshachar 897; Structure of Spirostomum, macronucleus in Spirostomum, PACKARD 721; The macronucleus of Stentor, Weisz 1083; Role of specific macronuclear nodes in Stentor, Weisz 1082; The micronucleus of Epistylis, SESHACHAR & SRINATH 900: Behaviour and division of the nucleus of two species of Stichotricha and Chaetospira, FROUD 353; Chromosome division in Cryptochilum echini, Russo 845; Genes, cytoplasm and environment in Paramecium, Sonneborn 934: Experimental control of the concentration of cytoplasmic genetic factors in Paramecium, Sonneborn Nucleoproteins and the cytological chemistry of Paramecium nuclei, Moses 667; Induction of nuclear reorganization in Paramecium, Metz & Foley 636; Effect of ultraviolet light on macronucleus of Paramecium, Kimball 518; Nuclear division in abbreviated conjugation in Paramecium trichium, DILLER 261: Conjugation in Paramecium bursaria, CHEN 170: Dimorphism in Espejoia mucicola, FAURÉ-FREMIET MUGARD 307.

Nuclear division:—Nuclear division in Entamoeba coli, Liebmann 569; Effect of colchicine on mitosis of Trichomonas, Samuels 850; Mitosis in Chilomastix, Nie 690; Nuclear changes in the course of sexual cycle in Trichonympha, CLEVELAND 183; Behaviour of chromosomes in Holomastigotoides, CLEVELAND Binary fission in Spirostomum, Fin-LEY & BEVERLEY 328; Division in ciliates parasitic in sea-urchins, BEERS 89; Prolonged survival of Paramecium without division, ALPATOV 34; Post-zygotic nuclear division in Paramecium, DILLER 260: Macronuclear divisions in exconjugant Ephelota, Grell 404.

Various internal structures:—Production of akinetoplastic trypanosomes by exposure to trypaflavine,

PIEKARSKI 759; Disappearance of kinetoplast in Trypanosoma venezuelense, Mayer 64; Osmoregulatory capacity of contractile vacuoles in ciliates, Kitching 531; Physiology of contractile vacuoles in ciliates, Kitching 532; Role of "kinetosomes" (basal granules) in morphogenesis of ciliates, Lwoff 586; Skeletal structures in Urceolarid ciliates, Fauré-Fremiet & Thaureaux 309; Neuromotor apparatus of Ophryoscolex, Fernandez-Galliano 314.

Cysts; spores:—Spores of Kudoa, MEGLITSCH 631; Cyst-membrane of Dermocystidium (Haplosporidian), BROŽ 140; Encystement in Chaetospira mülleri, FROUD 353; Trichocysts in Loxocephalus, GELEI 381; Nervous system of Cinetochilum, GELEI 382.

PHYSIOLOGY

General.—Dynamics in some PARIBOK protozoa, ZAUGALNIKOV 729; Chemical nature of the lipids in protozoa, BERGMANN 98; Physiology of Entamoeba histolytica, Chang 164; Test-building in agglutinating foraminifera, Thal-MANN 980; Pathology of fossil foraminifera shells, THALMANN 981; Physiology of some species of Peridinium BALECH 56: Mode of life and attachment of ciliates, PARDUCZ 728; Cytogenetics, genetics and evolution of ciliates, Sonneborn 935; Relation between ion action and osmotic pressure on Tetrahymena, Browning 139; Physiology of the Thigmotrichous Ciliates, CHATTON & LWOFF 167: Nervous system in the ciliates, Gelei 380, KLEIN 534; Nervous system in Aspidisca, Gelei 379; Nervous System of Cinetochilum, Gelei 382; The presence of the tricarboxylic acid cycle in Colpidium campylum, SEAMAN 882; Biological observations on Paramecium during the production of a scientific film, VERMEL & Prokhorov 1040: Nervous system of Loxocephalus, Gelei 381; Physiology of Vorticellid ciliates, PASTORI 740; Preparation of pure cultures of Vorticella, WADHWANI & PILLAI 1058.

Nutrition, metabolism.—Nutrition and reproduction in protozoa, MASON 622; Exchange of matter in protozoa, Vinberg 1042; Oxygen requirements of parasitic protozoa, MOULDER 670; Protein metabolism of blood protozoa, GEIMAN & MCKEE 377; Presence of acetylcholine in Trypanosoma and its absence from Plasmodium, BÜLBRING, etc. 144; Enzymes of amoebae as basis of generic differentiation, Andresen & HOLTER 38: Amoeba feeding on Brucella in cultures, Soto & Otero 937: Sterols and fatty acids in the nutrition of Entamoeba, GRIFFIN & McCarten 406; Food habits of Entamoeba histolytica, Hoare 456; Acid phosphatase in Entamoeba histolytica, CARRERA & CHANGUS 156; Variation of food in the growth of foraminifera, LALICKER 546; Ingestion of erythrocytes by Dientamoeba, Young 1120; Synthetic nutrition in Euglena, Dusi 282, 283; Nutrition of Polytoma, LWOFF & Dusi 587; Nutrition of Polytomella, Lwoff 585; Chemo-auto-trophy in *Chilomonas*, Cosgrove 202; Fatty acid and protein synthesis in Chilomonas, Sullivan 960; Synthesis of vitamins by Chilo-monas, Holz 461; Carbon and nitrogen metabolism of Chilomonas, HUTCHENS, etc. 476; Metabolism of Leishmania donovani, Fulton & JOYNER 356; Sulphhydryl and disulphide in trypanosomes, HARVEY 425; Effect of trypanosome infection on ascorbic acid metabolism of rat, Nyden 700; Respiration of Trypanosoma cruzi, Brand, etc. 120; Metabolism of different strains of Trypanosoma cruzi, BRAND, etc. 121; Glucose metabolism of Trypanosoma evansi, Marshall 619; Carbohydrate metabolism of Trypanosoma hippicum, HARVEY 427; Effect of insulin on carbohydrate metabolism of Trypanosoma hippicum, HARVEY 426; Feeding in Trichomonas, SAMUELS 849; Gas-production in cultures of Trichomonas, Corticelli, 201; Carbohydrate metabolism of avian Trichomonas, WILLEMS, etc. 1097; Nutritional requirements of Trichomonas vaginalis, Kupferberg, etc. 544; Nutrition of gregarines, GÖHRE 393; Metabolism of mammalian Plasmodium, GEIMAN 376; Res-

piration in Plasmodium, Tottey & Black 1018; Production of haemolytic substance by Plasmodium. LASER 556; Pigment formation in Plasmodium of monkey, Morrison & Jeskey 666; Effect of quinine on pyruvate oxidation in fowl Plasmodium, Moulder 669; Glucose consumption of fowl Plasmodium, MANWELL & FEIGELSON 613; Glucose metabolism of fowl Plasmodium. MARSHALL 620; Osmoregulatory capacity of contractile vacuoles in ciliates, Kitching 531; Activity of contractile vacuole of a ciliate in relation to osmotic stress imposed on organism, Kitching 533; Growth factor for carnivorous ciliates, LILLY, etc. 571; Food of two hypotrichous ciliates, Froud 353; Growth factors for Tetrahymena, Elliott 288; Amino acid metabolism of Tetrahymena, Elliott & Hogg 289; Increase of oxygen consumption in Blepharisma on illumination, Giese & ZEUTHEN 388; Fixation of nitrogen by Colpidium, SEAMAN 881; Thiamine in the metabolism of Tetrahymena, TITTLER 1009; Respiration of Spirostomum, Finley & Tracey 329; Nutrition and digestion in Stylonychia mytilus, Izjumov 485; Phosphatase activity in Stentor, Weisz 1081; Digestive processes in Tocophrya infusionum, Iziumov 484.

Properties of nucleus and cytoplasm :- Nuclear and body sizes and the nucleocytoplasmic ratio in Chaos spp., Warren 1073; Plastogamy and nuclear division in *Pelomyxa* carolinensis, Kudo 543; Ectoendoplasmic ratio as physiological factor in determination of cell volume of Actinosphaerium, Nozawa 695; Quantitative relationship between nuclei and cytoplasm in Actinosphaerium, Nozawa 696 : Cytoplasmic inclusions in Gregarines, GÖHRE 393; Chromatin elimination and ciliate macronucleus, SE-SHACHAR 897; Properties of the macronucleus in ciliates, Seshachar & SRINATH 899, SUBRAMANIAN 959; Induction of nuclear reorganization in Paramecium, METZ & FOLEY 636; Physiology of nuclear dimorphism in Paramecium, SCHWARTZ 875; Nucleoproteins and the cytological chemistry of Paramecium nuclei, Moses

667; Prolonged survival of Paramecium without division, Alpatov 34; Chromosome distribution in Cryptochilum echini, Russo 845; Dimorphism in Espejoia mucicola, Fauré-Fremiet & Mugard 307; Chemical composition of skeletal elements in Urceolarid ciliates, Fauré-Fremiet & Thaureaux 309; Respiration in Bursaria during conjugation and encystation, Barbarin & Solovjev 63.

Secretion; Excretion.—Proteolytic enzymes in Chaos, Holler & Løvtrup 460; Secretory activity of Amoeba polypodia, Zhivaso 1127; Absence of hyaluronidase production in Entamoeba histolytica, Townshend 1020; Poison produced by Gonyaulax, Riegel, etc. 817; Cytotoxin produced by Blepharisma, Giese 387 Cytochrome C, diphosphopyridine nucleotide, glutathione, and adenosine triphosphatase content of Colpidium, Seaman 883.

Growth; Weight .- Growth of protozoa, Oka 708; Morphogenesis in protozoa, Lopashov 578; Growth of protozoa in glassware cleaned with sulphuric acid-potassium bichromate solution, Schoenborn 872; Food and environmental factors affecting the growth of foraminifera and other protozoa, Lalicker 546: Growth of flagellates in relation to hydrogen ion concentration, Schoenborn 871: pH-growth relationship in Astasia longa, Schoenborn 870; Growth of Chilomonas paramecium in mass cultures, HUTCHENS 475; Growth rate of Colpidium in sucrose, SEAMAN & O'MALLEY 835; Culture of Paramecium in the absence of other living organisms, Wagtendonk & Hackett 1061; Growth in Tetrahymena geleii, Rockland & Dunn 829; Growth of regenerating fragments in Stentor. Weisz 1079; Growth of the suc-Tokophrya torian quadripartita, Nozawa 698.

Reproduction.—Nutrition and reproduction in protozoa, Mason 622; Plastogamy in Pelomyxa carolinensis, Kudo 543; Eertilization studies on Paramecium, Metz & Foley 636; Change in mating type in Paramecium bursaria following exposure to X-rays, Lee 563; Mating reactions between living and

lyophilized Paramecia of opposite mating type, Metz & Fusco 637; Control of the rate of fission in Paramecium, Sonneborn 933; Conjugation in Paramecium bursaria, Chen 170; Abbreviated conjugation in Paramecium trichium, DILLER 261; Intervarietal mating reactions in Paramecium caudatum, Gilman 390.

Vitality.—Viability of Entamoeba histolytica from gut and body of flies, Pipkin 766; Viability of Entamoeba histolytica cysts in soil, Beaver & Deschamps 80; Survival of occysts of fowl Eimeria on soil, Farr & Wehr 300; Survival of human Plasmodium in preserved blood, Boventer 117; Preservation of malaria parasites in frozen human brain, Mayer & Pifano 627.

Regeneration.—Regeneration of protozoa, Oka 708; Regeneration in Cryptochilum echini, Russo 845; Stentor regeneration, Weisz 1079; Regeneration in Stentor and the gradient theory, Weisz 1080.

Locomotion; Movement.—Periodicity in movements of amoebae, Schaeffer & Honegger 864; Pressure experiments on the motility of Amoeba, Marsland 621; Method of measuring motion in Paramecium, Alexandrov 28; Tactile cilia in Nyctotherus, Fernandez-Galiano 313.

Sexuality.—Sexual process in Trichonympha, CLEVELAND 183; Sexual differentiation in gregarines, Göhre 393; Mating types in Paramecium, Schwartz 876; Change in mating type in Paramecium bursaria following exposure to X-rays, Lee 563; Effect of calcium glycerophosphate on conjugation in Ciliates, Popov 771; Duration of conjugation in Urceolaria, Brouardel 131.

Effects of environment and stimuli:—Habituation of protozoa to stimuli, Penard 749; Thermal resistance of protozoa, Alpatov 35; Effect of fertilizers on number of soil amoebae, Singh 928; Effect of vitamins and antibiotics on Entamoeba histolytica, Nelson 681; Effect of X-rays on Astasia, Schoenborn 869; Effect of hydrogen ion concentration on growth of Astasia longa, Schoenborn 870; Effect of

host's hormones on sexual cycle in Trichonympha, CLEVELAND Factors affecting occvsts of fowl Plasmodium in mosquito, RAGAB 781: Effect of X-rays on Plasmodium in chicks, Bennison & Coatney 97: Acclimatization of a marine ciliate to lower osmotic pressure, ANIGSTEIN 42; Effect of temperature and osmotic stress on the contractile vacuoles of ciliates, KITCHING 533; Enduring modifications in ciliates, SCHUCKMANN & PIEKARSKI 874: Inheritance of mutational changes induced by radiation in Paramecium. KIMBALL 520 : Effect of ultraviolet light on nucleus of Paramecium, KIMBALL 518; Induction of mutations in Paramecium by beta radiation, KIMBALL 519; Genes, plasmagenes and environment in the control of antigenic traits in Paramecium aurelia, Sonneborn & Beale 936: Effects of short-term variation of temperature on a freshwater peritrich ciliate, KITCHING 532: Effect of temperature on longevity of Tetrahymena, BAKER & SCHLEICHTER 53; Effect of light on Tetrahymena, PHELPS 754; Effect of various stimuli on Vorticellid ciliates, PASTORI 740.

Effects of chemicals.—Growth of protozoa in glassware cleaned with sulphuric acid-potassium bichromate solution, Schoenborn 872; Effect on protozoa of pigment extracted from Aspergillus, TEDESCHI 975; Effect of antibiotics on various protozoa, JIROVEC 497; Comparative effects of drugs on free-living ciliates and pathogenic protozoa, JAMES 487; Effect of neomycin on parasitic protozoa, Ishihara & Felsenfeld 481: Selective action of drugs on blood protozoa, Lourie 580; Effect of carbarsone on intestinal protozoa of mice, LARSH & CHAFFEE 555: Penicillin and streptomycin sensitivity of some protozoa, LOEFER 577; of hyaluronidase hyaluronic acid on haemoflagellates and entamoebae, SENECA etc. 889; Effect of cations on amoebae, Kassel & KOPAC 511: Effect of new drugs on Entamoeba, DENNIS etc. 251; Effect of sulphanilamides on Entamoeba, LAMY 548; Effect of drugs on Entamoeba histolytica, THOMPSON &

LILLIGREN 1004: Effect of silver ions on cysts of E. histolytica, NEWTON & Jones 689; Effect of ozone on cysts of E. histolytica, NEWTON & JONES 688; Effect of acetic acid on cysts of E. histolytica, BEAVER & DES-CHAMPS 81; Action of emetine on E. histolytica, Stewart 949; Effect of oxyquinolines on E. histolytica, KNIGHT etc. 535; Effect of antibiotics on E. histolytica, Shaffer & FRYE 902; BALAMUTH & BRENT 54: Effect of penicillin on E. histolytica, DELAPPE 248; Combined effect of penicillin and streptomycin on E. histolytica, SENECA etc. 890; Effect of aureomycin on E. histolytica, McVAY etc. 606: Effect of chemicals on growth in foraminifera, LALICKER 546; The chemotaxis by acrosin in the aggregation of the slime mold Dictyostelium discoideum, Bonner 109 : Growth of protozoan flagellates in relation to hydrogen ion concentration, Schoenborn 871; Decoloration of Euglena gracilis by streptomycin. LWOFF & SCHAEFFER 590; Effect of sulphanilamides and anti-sulphanilamides on Polytomella, Lwoff etc. 588; Effect of amino-benzoic acid on Strigomonas, LWOFF & LWOFF 589; Effect of urea stibamine on Leishmania, Ho etc. 451; NAPIER 677; Effect of phenanthridine compounds on trypanosomes, Launoy & PRIEUR 560; Trypanosomes resistant to drugs, Anon. 11; Antrycide resistance in trypanosomes, Wilson 1101; Effect of trypaflavine on kinetoplast of trypanosomes, PIEKARSKI 759; Failure of rosaniline to remove kinetoplast from the drugresistant strain of trypanosomes, Buck 143; Effect of "Antrycide" on trypanosomes, CURD & DAVEY 216; Effect of sodium salicylate on reproduction of Trypanosoma lewisi, SAUL & BECKER 857; Effect of aminoquinolines on T. cruzi, Goble 392; Effect of phenanthridine compounds on T. congolense, Browning 137: Browning etc. 138; Effect of arsenicals and antimonials on T. rhodesiense, Rollo etc. 833; Effect of Eucalyptus extract on T. brucei,
SAUTET & RANQUE 859; Effect of
guandine compounds on T. equiperdum, HEWITT etc. 446; Effect of streptocin on Trichomonads, WAKS-MAN etc. 1063: Effect of drugs on

Trichomonas foetus, Morgan etc. 661; HESS 445; Effect of antiseptics on T. foetus, FLORENT 338; Effect of chemicals on T. vaginalis, Kučera 542: Effect on T. vaginalis of pantothenic acid analogues, Johnson & Kupferberg 500; Effect of quinacrine on fowl coccidia, BAMBERGER & MARTIN 59; Effect of drugs on fowl Eimeria, BRACKETT & BLIZNIK 119: Effect of nitrophenide on fowl Eimeria, WALETZKY etc. 1065; Effect of bisphenols on fowl Eimeria, Johnson etc. 501; Effect of nitrofurazone on fowl Eimeria, HARWOOD & STUNZ 428; Effect of sulphonamides on Eimeria in fowl, DICKINSON 258; Effect of phenylarsonic acid derivatives on fowl Eimeria, Goble 391; Effect of drugs on Eimeria in turkeys, Morehouse 658; Effect of oestrogens on oocysts of rabbit coccidia, KAR 508; Effect of tetanus toxoid on Plasmodium, GARCIA 370; Effect of drugs on Plasmodium, Rose 837; Shannon 906; Covell 206; Blanchard 107; Effect of adrenaline on malaria parasites, ZANGRI 1124; Effect of mepacrine on sporozoites of human malaria parasites, Fonseca etc. 341; Effect of dichroine on Plasmodium, HENDER-SON etc. 438; Effect of biguanide compounds on Plasmodium, JASWANT SINGH etc. 495; Effect of aureomycin on Plasmodium, Coatney etc. 188, 189; COOPER etc. 195; Effect of drugs on human Plasmodium. COATNEY 186; COOPER 194; FAIR-LEY 298 : Effect of drugs on human Plasmodium in mosquitos, TERZIAN & Weathersey 977; Effect of paludrine on human Plasmodium, Ciuca etc. 176; Effect of drugs on Plasmodium vivax, Mackerras & Ercole 603; Resistance to paludrine in P. vivax, SEATON & LOURIE 887; Effect of drugs on Plasmodium falciparum, BLACK 105; Effect of paludrine on P. falciparum, CIUCA etc. 175; Effect of drugs on gametocytes of P. falciparum, Mackerras & Ercole 604; P. falciparum resistant to paludrine, Covell etc. 209; FAIRLEY 299; FIELD & EDESON CHAUDHURI & CHAUDHURI 320 ; 168; SEATON & ADAMS 886; Effect of drugs on simian Plasmodium, JAS-WANT SINGH etc. 494; Resistance to paludrine in simian Plasmodium.

HAWKING & PERRY 432; SCHMIDT etc. 866; Effect of drugs on Plasmodium berghei, Goodwin 399; Effect of antimalarial drugs on fowl Plasmodium in the mosquito, Geigy & RAHM 375; Effect of drugs on avian Plasmodium in mosquito, TERZIAN etc. 976; Effect of radioiron on avian Plasmodium, Thompson etc. 1005; Effect of quinine on fowl Plasmodium, Tallaferro & Tallaferro 967; Effect of vitamins on fowl Plasmodium, DESCHIENS & Pick 254; Hypersensitivity and resistance to drugs in fowl Plasmodium, GREENBERG 402; Effect of drugs and plant materials on Plasmodium in ducks, BECKER 82; Indicator patterns in ciliates, CHILD 172; Effect upon protozoa of cytotoxin produced by Blepharisma, GESE 387; Effect of sulphonamides on calcification of tegument in Coleps, FAURÉ-FREMIET etc. 308; Effect of hexachlorocyclohexanes on Glaucoma, Chaix etc. 160; Effect of fatty acids on Glaucoma, CHAIX & Band 159; Effect of benzpyrene on Glaucoma, Poupé & Rodova 773; Effect of arsenoacetic, trans 1, 2, cyclopentane-dicarboxylic, B-phosphonopropionic acids enzyme systems in Colpidium, SEA-MAN & HOULIHAN 884; Effect of cholesterol on Colpidium, SULLIVAN 962: Effect of perchloric acid on Chilodonella uncinatus, Seshachar & FLICK 898; Effect of nitrogen mustard on cytoplasmic factor in Paramecium, GECKLER 374; Influence of salt-solutions on adaptations and modifications in Paramecium caudatum, Oblov 710; Inactivation of paramecin ("killer" substance of Paramecium aurelia 51, var. 4) at different pH and temperatures. WAGTENDONK & ZILL 1062; action of enzymes on Paramecium. WAGTENDONK 1060; Sterilization of Paramecium, Wichterman 1094; Effect of uranium on Paramecium, Shaw etc. 907; Effect of chemicals on macronucleus of Spirostomum, PACKARD 721; Effects of ultraviolet radiations on Spirostomum, SHIRLEY & FINLEY 908; Effects of allyl isothiocyanate on Spirostomum, FINLEY & WANZA 330; Histo-chemical demonstration of phosphatase activity in Stentor, Weisz 1081; Effect of chemicals on Vorticellid ciliates, Pastori 740; Experimental observations on the fixation of Vorticella nebulifera, Savio 861; Effect of sulphadiazine on Toxoplasma, Eichenwald 286; Ineffectiveness of Paludrine against Toxoplasma, Paraense 724.

Cyst Formation.—Factors affecting encystation of Entamoeba histolytica, EVERITT 294, 295; Factors affecting excystment of Tillina, MCINTYRE 602; Respiration of Bursaria in conjugation and encystation, BARBARIN & SOLOVJEV 63; Failure to induce encystment of Spirostomum, FINLEY & WISE 331.

Behaviour.—Problems concerning dynamics in some aquatic protozoa, Paribok & Zaugalnikov 729; Habituation in Protozoa, Penard 749; Acclimatization of a marine ciliate to lower osmotic pressure, Angestein 42; The capture of prey by Dileptus gigas, Dragesco & Métain 271; Behaviour of two hypotrichous ciliates, Froud 353; Prolonged survival of Paramecium without division, Alpatov 34; Behaviour and life cycle of the Suctorian Spathocyathus caridina gen. et. sp. n., Nie & Lu 691.

Cultivation.—Cultivation of human intestinal protozoa without apparent bacterial flora, Shaffer etc., 904; Use of hyaluronidase and hyaluronic acid for cultivation of haemoflagellates and entamoebae, SENECA etc. 889: Cultivation of Entamoeba, GRIFFIN & McCarten 406; Cultivation of Entamoeba histolytica, ANAS-TOPOULOS 36; New media for E. histolytica, Hartman 424; Caruselli 158; Shaffer etc. 905; Cultivation of small race of E. histolytica, REARDON & BARTGIS 794; Use of aureomycin for cultivation of E. histolytica, FULLER & FAUST 355; Effect of vitamins and antibiotics on cultivation of E. histolytica, Nelson 681; Effect of para-amino-phenyl-sulphamide on cultivation of E. histolytica, LAMY 549; Comparison of culture methods for E. histolytica, Laird etc. 545; Cultivation of E. histolytica without particulate matter or apparent bacterial growth, SHAFFER etc. 903; Cultivation of E. histolytica with few

or without bacteria, Shaffer & FRYE 902; Failure to cultivate E. histolytica with Trichomonas. REES 799; Cultivation of Euglena, Dusi 282; Factors affecting growth of Polytomella in culture, LWOFF 585: Cultivation of Chilomonas, Holz 461: Cultivation of Chilomonas in in-organic media, Cosgrove 202; Cultivation of intestinal flagellates, Wenrich 1085; Tricercomonas intestinalis = Enteromonas hominis, BYLMER 150; Purification of haemoflagellate cultures with antibiotics, SENECA etc. 891; Maintenance of cultures of Leishmania, PARROT 733: Cultivation of Leishmania in human placenta-broth, Roccuzzo Failure of Leishmania to grow in human bone marrow culture and successful cultivation in chick-embryo TRINCÃO 1025; Cultivation of mammalian trypanosomes in chick embryos, Hood 463; Cultivation of Trypanosoma cruzi, Sampath & Little 848; New medium for cultivation of T. cruzi, Sampath & LITTLE 848; Effect of pH on cultivation of Trichomonas, Testi 978; Cultivation of Trichomonas foetus, HESS 445; FLORENT 339; Culture of pigeon and bovine Trichomonas, VACCARI 1035; Pure culture of Trichomonas of pigeon, VACCARI 1034, 1035; Cultivation of avian Plasmodium outside erythrocytes, TRAGER 1021; Culture method for pigeon Trichomonas, KEIDEL etc. 512; Cultivation of fowl Plasmodium in brain of chick embryo, MEYER 638; Cultivation of mammalian Plasmodium, GEIMAN 376; Factors favouring culture of carnivorous ciliates, LILLY etc. 571; Cultivation of Tetrahymena, ELLIOTT 288; Cultivation of Colpidium with cholesterol, Sullivan 962; Cultivation of Paramecium, Wichterman 1094: Cultivation of Toxoplasma in chick embryo, WARREN & Russ 1074; MACFARLANE & RUCHMAN 593.

DEVELOPMENT.

General: "Holonition", term comprising growth, regeneration and development of all animals, OKA 708; Life-cycles of parasitic protozoa, WESTHAL 1089.

Rhizopoda: Life cycle in the slime mold Dictyostelium discoideum, BONNER 109; Size development in foraminiferal shells, THALMANN 995:

Mastigophora: Binary fission in metacyclic Trypanosoma cruzi, Wood 1112; Life-cycle of T. rangeli, Pifano etc. 763; Development of Trangeli in proboscis of Triatomid bug, Pifano & Mayer 762; Division of T. uniforme, Wilson 1102; Life-cycle of Trypanophis, Rose 838; Life-cycle of Dimocriopsis gen. n., Hollande & Pesson 459; Gametogenesis in Trichonympha. CLEVELAND 183.

Sporozoa: Sexual stages of gregarines, Göhre 393; Development of gregarines of mealworm, Westphal 1090; Life-cycle of new Gregarina, FILIPPONI 323; Life-history of Gregarina from grasshopper, Allegre 31 : Life-cycle of new Actinocephalus FILIPPONI 326; Development of Gigaductus (Gregarine), FILIPPONI 324; Life-cycle of Diplocystis, DUMBLETON 277; Life-cycle of Lankesteria culicis, GANAPATI & TATE 368; Life-cycle of Heliospora and Rotundula genn. n. (Gregarines), GOODRICH 398; Stages of new coccidium (non des.) from Priapulid, LÜLING 583: Stages of Pseudohaemogregrina gen. n., AWERINZEW 47: Types of schizogony in Haemosporidia, Corradetti 198; Variations in life-cycles of Haemoproteus, RENDTORFF etc. 808; Life-cycle of Plasmodium, MANWELL 611; Ex-oerythrocytic development of Plas-(general), modiumMUDROW-REICHENOW 671; The asexual cycles development of Plasmodium, SERGENT 893, 895; Relation of development of Plasmodium to immunity, Corradetti 200; Development of sporozoites of Plasmodium into cryptozoites in tissue culture, DUBIN etc. 275; Failure of Plasmodium oocysts to develop in isolated mosquito gut, RAGAT 782; Excerythrocytic stages of human Plasmodium in bone-marrow, Gallais etc. 361; Blanc & Languillon 106; Pre-erythrocytic stages of Plasmodium falciparum, Short etc. 911; Anon. 13; Pre-erythrocytic cycle of P. cynomolgi and P. vivax,

SHORTT 909; Excerythrocytic development of P. cynomolgi, COULSTON 204: Excerythrocytic stages of simian Plasmodium, Anon. 5: HAW-KING etc. 433; Early pre-erythrocytic stage of simian Plasmodium, SHORTT & GARNHAM 912; Asexual cycle of Plasmodium knowlesi, Taliaferro & TALIAFERRO 968: Failure to find developmental stages of sporozoites of Plasmodium in the skin of monkeys, LLOYD & SOMMERVILLE 574; Exoerythrocytic stages in Plasmodium of flying squirrel, Ray 791; Exoerythrocytic stages of a squirrel *Plasmodium*, Field & Edeson 319; Exoerythrocytic development of *Plasmodium* in avian embryos, McGHEE 596; Simultaneous development in Culex of avian Plasmodium and lizard microfilariae, RAGHAVAN & MISRA 783: Peculiarities in development of Brazilian avian Plasmodium, PA-RAENSE 726; Development of fowl Plasmodium in various mosquitos, CANTRELL & JORDAN 152; Exoerythrocytic life-cycle of Plasmodium cathemerium, Mudrow-Reichenow & Reichenow 672; Development of P. cathemerium in ducks, SIMPSON 927: Life-cycle of new Microsporidia from caterpillar, Steinhaus & Hughes 946; Life-cycle of new Nosema, JAUCH & JAUCH 496; Life-cycle of new Haplosporidium, PFLUGFELDER

Ciliophora: Cytogenetics, genetics and evolution of the ciliates, SONNE-BORN 935; Life-cycle of Crypto-chilum echini, Russo 845; Lifecycle of folliculinids, Andrews 39; Development of Sphenophrya, RAABE 779; Life-cycle of new ectoparasitic Podophrya, FAURÉ-FREMIET 302; Abnormal development of Tokophrya, Rudzinska 844: Postembryonal development in the Suctorian Tokophrya quadripartita, Nozawa 698.

EVOLUTION AND GENETICS.

Evolution, Phylogeny.—Phyletic size increase in fossil foraminifera, Newell 687; Evolutionary stage in the foraminifera of the Cretaceous of Algeria, Sigal 920; Polythyletism and parallel evolution in the foraminiferal genus Globotruncana, Sigal 918; Phylogeny

of Triticites. Rozovskaja 842: Nomenclature and evolution of the Fusulinidae, Kahler & Kahler 507; Gradation between Dictyoconoides cooki (Carter) D. kohaticus Davies, Eocene, India, GILL 389; Convergent evolution of structural reinforcements in Chapmanina and Dictyoconus, FRIZZELL 350 : Lenticulina and its relationship to other Lagenidae and its geological development and range, BARTEN-STEIN 65; Trends based on the 718; Relationship of the Haemo-flagellates, Hoare 452; Morphogenesis and evolution of ciliates, Lwoff 586; Cytogenetics, genetics and evolution of the ciliates, Sonne-935 : Adaptations permanent modifications in ciliates. Orlov 710; Experimental control of the concentration of cytoplasmic genetic factors in Paramecium, SONNEBORN 933: Genes, cytoplasm and environment in Paramecium, Sonneborn 934.

Heredity.—Heredity in protozoa, OKA 708; Genes, plasmagenes and environment in the control of antigenic traits in Paramecium aurelia (var. 4), Sonneborn & Beale 936; Inheritance of mutational changes induced by radiation in Paramecium, Kimball 520; Induction of mutations in Paramecium by beta radiation, Kimball 519; Inheritance of mating types in Paramecium, Schwartz 876; Nature of enduring modifications in ciliates, Schuckmann & Piekarski 874.

Variation.—Variability in Lepidocyclina, Grimsdale 410; Ontogenetic variation in Eponides mexicanus, Bandy 61.

Biometry.—Phyletic size increase in fossil foraminifera, Newell 687.

ECOLOGY

General.—Measuring population density of protozoa, Elliott 287; Biocoenotic relations in parasitology, Paylovsky 744; Ecology of parasitic protozoa, Paylovsky 743; Effect of ecological factors on protozoal parasites of the perch, Bychovskaja (Paylovskaja) 149; Paleoecology (Foraminifera), Puri & Sen

776; Paleoecological significance of foraminifera in the Jurassic of the United States, IMLAY 478; Bibligraphy of works on ecology and palaeoecology mainly relating to foraminifera, MALKIN 609; Indo-Pacific influences in Australian Tertiary foraminiferal assemblages, CRESPIN 212; Ecological conditions of the Upper Carboniferous of the Ruhr as evidenced by foraminifera, BARTENSTEIN 67; Elphidiella arctica as a temperature indicator in the Quaternary of Europe, Voorthuysen 1052.

Behaviour.—Thermal resistance of protozoa, Alpatov 35; Seasonal changes in the phyloplankton of Obedska Bara, Yugoslavia [Mastigophora], Milovanović 646; Abnormal abundance of Goniaulax poliedra on the Portuguese coast, Santos-Pinto 854.

Habitat.—General: Habitats of protozoa, Schoemmann 873; Dwarfed protozoan faunas, Lalicker 546; Foraminifera of tidal flats, Netherlands, Voorthuysen 1055.

AQUATIC: Marine.—Tropical foraminifera associated with plants, Brönnimann 126; Depth of living planktonic foraminifera, Phleger 755; Ecology of the Icenian [oldest Pleistocene] sea of the Netherlands as indicated by foraminifera, Voort-HUYSEN 1056; The use of planktonic foraminifera as temperatureindicators in tracing past climatic changes from ocean cores, Ovey 717: Ecological interpretation of fossil Globigerina oozes from the West Indies, Brönnimann 125; Planktonic flagellates of the Mediterranean, Tuzet 1030; Gymnodinium causing red colour of sea water, Smith 931; Ecology of ciliates in intertidal parts, FAURÉ-FREMIET 305; Tintinnids from Gulf of Genoa, Orsi 711.

Brackish.—Fossil and Recent brackish water foraminifera, THALMANN 998.

Freshwater.—Associations between freshwater protozoa and other animals, MIDDELHOEK 641; Distribution of freshwater planktonic protozoa in lakes of southern Sweden, Thunmark 1006; Freshwater pro-

tozoa of Switzerland, Wyngaert 1114; Planktonic protozoa of Swiss lake, Büren 145; Planktonic Protozoa in pond of Oklahoma, Wallen 1066; Season distribution and variation in populations of protozoa in reservoir lakes of Colorado, Pennak 750.

Soil: Effect of fertilizers on soil amoebae, Singh 928.

Parasitism: GENERAL.—Host-Parasite relationship: Host-parasite relations among protozoa, Pav-LOVSKY 743, 744; Relations of parasitic protozoa to their hosts, WESTPHAL 1089; Effect of river salinity on the protozoal fauna of fishes, Dubinin 276; Relations between perch and its parasitic protozoa, Bychovskaja (Pavlov-SKAJA) 149; Incidence of intestinal protozoa in male and female frogs, Markov & Rogoza 618; Parasitic protozoa of the Sahara, SEURAT 901; Host-parasite relations in amoebiasis, Deschiens 253; Mathis 623; MONTEL 656; Racial peculiarities in susceptibility to human amoebiasis, ELSDON-DEW 292; Food habits of Entamoeba histolytica, Hoare 456; Commensal forms of E. histolytica, STEENIS 945; Pathological effects of E. histolytica, FRYE & SHAFFER 354; Effect of E. histolytica on rabbit, Tobie 1010; Effect of E. histolytica on guinea-pig, CARRERA & FAUST 157; Relation of Entamoeba gingi-valis to dental lesions, BASS 69; Effect of protein intake on course of leishmaniasis in hamster, RITTERSON & STAUBER 822; Canine Leishmania in natal mucus and testicles, Pour 772; Behaviour of pathogenic trypanosomes in laboratory rodents, Hood 462; Effect of trypanosome infection on ascorbic acid metabolism of rat, Nyden 700; Potassium level in rats not responsible for death in trypanosomiasis, Scheff & Thatcher **865**; Effect of trypanosomes in pig, STEWART 950; Trypanosoma conorrhini in bug and rat, FLOCH & ABONNENC 333; Behaviour of T. cruzi in rabbit, Agosin & Badinez 26: Difference in virulence of strains of T. cruzi, Brand etc. 121; Persistence of specific characters in two strains of T. cruzi

passages after through mice. HAUSCHKA 431; Effect of T. gambiense on rat, LAUNOY 557; Failure of T. brucei to infect men, FAIR-BAIRN & CULWICK 297; Strain differences in effect upon host of T. brucei, LAUNOY etc. 559; Behaviour of T. equiperdum in wild mice, WERNER 1088; Effect of T. hippicum on different hosts, CLARK 181; Host-parasite relations between rats and intestinal Trichomonas, VANNI & GURRI 1036; Defence reactions to gregarine infection in caterpillars, Toumanoff 1019; Host-parasite relations between gregarines and beetle, FILIP-PONI 325; Host-parasite relations between Eimeria and chicken, RIP-SOM etc. 820; Effect of Eimeria on liver functions of rabbit, SMITH & McShan 930 : Host-parasite relations between rabbit and intestinal Eimeria, Lund 584; Distribution of Plasmodium oocysts on the stomach in different Anopheles spp., SHUTE 913; Effect of Plasmodium on the physiology of the human host, Overman etc. 713; Parasite numbers in relation to gravity of falciparum malaria, FIELD 317: Factors affecting relapses in Plasmodium vivax infection, Coatney & COOPER 187: Relation of P. vivax to reticulocytes, Baldi 55; Effect of simian Plasmodium on metabolism of host, BALL etc. 57; Effect of human blood on course of monkey malaria, RIGDON & BRESLIN 819; Behaviour of Plasmodium berghei in wild rat Thamnomys, VINCKE & BULCKE 1046; Behaviour P. berghei in mice, VINCKE & BULCKE 1044; Behaviour of P. berghei in cotton rat, Rodhain 831: Behaviour of P. berghei in black rat, VINCKE & Bulcke 1045; Effect of Plasmodium on adrenal glands of chicks, Nadel etc. 675; Behaviour of fowl Plasmodium in duck embryos, McGHEE 595; Ability of avian Plasmodium to infect mammalian erythrocytes, McGhee 594, 600; Influence of host's blood cells and plasma on survival of sporozoites of avian Plasmodium, BECKMAN 88; Effect of tissue culture on development of Plasmodium in chickens, LEWERT 566; Strains of fowl Plasmodium differing in their behaviour in the

hosts, Greenberg etc. 403; Plasmodium lophurae in chick embryos, McGhee 597; Effect of foreign avian erythrocytes on P. lophurae in ducks, Becker etc. 85; Parasite rates in latent infections of ducks with P. lophurae, BECKER etc. 83; Host-parasite relations between frog and Dermocystidium (Haplosporidian), Brož 140; Effect of Toxoplasma upon hares, Rašin 786: Association between ectoparasitic and suctorian, FAURÉ-FREMIET 303; Host-parasite relations between sea-urchins and parasitic ciliates, Beers 89; Host-parasite relations between Mytilus and ciliates, RAABE 778; Host-parasite relations of Toxoplasma, BIOCCA 103; Toxoplasma in peritoneum of mouse, Cross & Anigstein 214.

Transmission, infectivity: Transmission of parasitic protozoa in relation to environment, PAVLOVSKY 743; Caecal infection of chicks with Entamoeba histolytica, MILLER 647; Direct transmission of Kala-azar, FRAGA DE AZEVEDO 346; Loss of virulence for monkeys in Leishmania, KIRK 530 ; Criticism of transmission of Leishmania by sandflies, Brooks Experimental infection of mice with Leishmania brasiliensis, MAYER etc. 625; Infection of guinea-pigs with Trypanosoma vivax, ROUBAUD & PROVOST 840; Transmission of T. hippicum, Clark 181; Experimental infection of rabbits with bovine *Trichomonas*, MORGAN etc. 661; Susceptibility of indigenous Anopheline mosquitos to exotic strains of human malaria parasites, Young 1115; Non-infectivity of exoerythrocytic stages of simian Plasmodium, MULLIGAN etc. 673; Transmission of Plasmodium knowlesi, JASWANT SINGH etc. 492: Transmission of fowl Plasmodium by Aedes, PARAENSE 723; Susceptibility of various mosquitos to infection with fowl Plasmodium, CANTRELL & JOR-DAN 152; Susceptibility of various spp. of mosquitos to infection with Plasmodium elongatum, Micks 639; Infection of young mice with avian Plasmodium, McGHEE 599; Susceptibility of doves and pigeons to infection with Plasmodium relictum,

HUFF 472; Infectivity of sporozoites of avian Plasmodium after exposure to bloods of different birds, Beckman 87; Infectivity of plasma of chicken infected with Plasmodium, Beltran & Villasana 96; Hereditary transmission of Theileria in ticks, Ray 788.

"Carriers", "reservoirs": Domestic animals as reservoirs of human protozoal diseases, Lapage 552; Brown rat as reservoir host of Chagas' disease in Mexico, Beltran & Pérez 95; Reservoir hosts of Sleeping Sickness, Hoof 464; Bovines as reservoir hosts of Trypanosoma venezuelense, Vogelsang & Armas 1049; Human toxoplasmosis considered as a zoonosis, Winsser 1104.

Immunity, serology: Absence of precipitins for Entamoeba histolytica in infected dogs, SWARTZWELDER & MULLER 963; Genetic constitution of mice in relation to their resistance to infection with Trypanosoma cruzi, Pizzi etc. 768; Effect of serum on T. rhodesiense, Rollo etc. 833; Immunization against T. equiperdum, Bordiug 111; Immunity in T. venezuelense infections, GALLO 364: Immunity in fowl coccidiosis, Waletzky & Hughes 1064; Immunization of chickens against coccidiosis by sulphonamide treat-HORTON-SMITH Immunity in malaria, SWELLEN-GREBEL 964; Acquired immunity in malaria, Taliaferro 966; Immunity in malaria in relation to the life-cycle of *Plasmodium*, DECOURT **245**, CORRADETTI **200**; Effect of human sera on sporozoites of malaria parasite, Fonseca etc. 340, 341; Îmmunity in induced malaria, KETUSINH 515; Immunity to malaria in Africans, GARNHAM 372; Immunity in vivax malaria, Yount & COGGESHALL 1122; Immunity to vivax malaria following cure, Cogge-SHALL etc. 190; Absence of premunition in vivax malaria, HALLER 417; Behaviour of human Plasmodium spp. in mixed infections, Panthier 722; Anti-plasmodial effect on duck plasma in avian malaria, Trager & McGhee 1023; Effect of immunity on Plasmodium infection in fowl, Taliaferro & Taliaferro 967; Serological tests

with avian Plasmodium, Torrey & Kahn 1017; Effect of plasma in protecting erythrocytes parasitized with avian Plasmodium, Becker etc. 86; Effect of duck plasma on course of infection in chick with duck strain of Plasmodium, Becker 84; Immunity to Plasmodium relictum in doves and pigeons, Huff 472; Preparation of Toxoplasma antigen, Warren & Russ 1074; Preparation of Toxoplasma antigen for skin test, Frenkel 347; Serological reactions to human Toxoplasma, Macdonald 592; Serum therapy in toxoplasmosis, Etchenwald 286.

Parasitized Protozoa: Amoeba proteus parasitized by small amoebae, Wolska 1107; Nassula ornata (Ciliata), parasitized by Podophrya parasitica sp. n. (Suctoria), FAURÉ-FREMIET 302.

[Protozoa in relation to Disease—See under **Economics**.]

Parasitism: Hosts.—

General:

Host-list of Microsporidia, Weiser 1076.

Host-parasite list for *Trichodina* spp. (Ciliata), Tripathi **1026**.

Host-list of parasitic protozoa from domestic animals in Hawaii, ALICATA 29.

Host-parasite relations as zoo-geographical criteria, Dogiel 263.

Mammalia:

Mammals in Zoological Garden, Rome: parasitic protozoa found, Bronzini 127.

Mammals of French Guiana: trypanosomes found, Floch & Abonnenc 336.

Arctomys marmota (Antwerp Zoo): Toxoplasma infection, Rodhain & Hendrix 832.

Bats, blood (New Hebrides and Philippines): incidence of Plasmodium spp., McGhee 598.

Cebus fulvus (?) blood (French Guiana): Trypanosoma cebus sp. n. (Mastigoph. Protomon.), Floom & Abonnenc 336.

Chinchilla laniger, intestine (U.S.A.): Giardia sp. (Mastig. Diplomon.), Morgan 660.

Citellus variegatus buckleyi, blood (U.S.A.): Babesia wrighti sp. n. (Spor. Haemospor.), Tomlinson, Smith & Fogg 1013.

Citellus tridecemlineatus (and other spp.), caecum (U.S.A.): Hexamitus teres sp. n. (Mastig. Diplomon.), Monocercomonoides pilleata sp. n. (Mastig. Trichomon.), KIRBY & HONIGBERG 528.

Citellus sp., blood (Central Asia): Françaiella epsteini sp. n. (Spor. Haemospor.), Zassuchin 1126.

Dipodomys mohavensis, intestine (U.S.A.): Eimeria mohavensis sp. n. (Spor. Coccid.), Doran & Jahn 267.

Dog, intestine (Brazil): Entamoeba caudata sp. n. (Rhizop. Amoeb.), CARINI & REICHENOW 155.

Guinea-pig, intestine: list of parasitic protozoa recorded, Carrera & FAUST 157; (U.S.A.): Chilomastix wenrichi sp. n. (Mastigoph. Protomon.), NIE 690.

Lemniscomys striatus, blood (Africa): Piroplasma lemniscomysi sp. n. (Spor. Piroplasm.), ROUSSELOT **841.**

Muridae (Eritrea): record of protozoal parasites, BATTELLI 72.

Rabbit, intestine (Russia): Eimeria coecicola sp. n., with list of spp. recorded from this host (Spor. Coccid.), Cheissin 169.

Rat: parasitic protozoa (general account), Wenrich 1086.

Rats and Hamster, intestine (U.S.A.): Trichomonas wenyoni sp. n. (Mastig. Protomon.), Wenrich 1946 (omitted from Z. R. lxxxiii, Sect. 2, 1131).

Sciuridae, blood (U.S.A.): Protozoa reported, Tomlinson etc. 1012.

Aves:

Birds of Ontario, Canada: list of blood protozoa found, Clarke 182.

Birds of S. Carolina, U.S.A.: list of blood protozoa found, HART 423.

Brazilian birds: infection with Plasmodium and Toxoplasma, LUCENA 582.

Birds of Malaya: incidence of Plasmodium spp., OGAKI 703.

Haemoproteus in Honolulu pigeons, Kartman 510.

New Haemosporidia (un-named) from Indian birds, Chakravarty & Kar 163.

New coccidia (un-named) of Indian birds, Chakravarty & Kar 162.

Setophaga ruticilla, blood (U.S.A.): trypanosome (indet.), Wirth 1106.

Sparrow [Passer domesticus], blood (U.S.A.): incidence of Plasmodium spp., MICKS 640.

Reptilia:

Natrix piscator, intestine (India): Isospora dirumpens Hoare (Spor. Coccid.), RAY & SINGH 793.

Phrynosoma cornutum, intestine (U.S.A.): parasitic protozoa, VINCENT 1043.

Turtles, blood (U.S.A.): first records of *Haemogregarina stepanowi* Dan. (Spor. Coccid.), Edney **285**.

Amphibia:

Anura of India: new Ciliophora recorded, Uttangi 1032.

Batrachians (various), blood (Argentine): *T. rotatorium*, VUCE-TICH & GIACOBBE **1057**.

Ranidae: list of hosts and parasitic protozoa, Walton 1068, 1069, 1070.

Pseudotriton sp. (salamander), intestine (U.S.A.): Chilomastix giganta sp. n. (Mastig. Protomon.), NIE 690.

Rana curtipes, rectum (India): Nyctotherus cochlearis sp. n. (Cil. Heterotrich.), UTTANGI 1031.

Rana esculenta, blood (Czechoslovakia): various Haemococcidia and Haemosporidia, Přivora 774.

Rana nutti, blood (East Africa): Pseudohaemogregarina ranae gen. n., sp. n. (Spor. Coccid.), AWERINZEW 47.

Pisces:

Fishes, intestine (Nile): Opalinid and other ciliates, Sandon 851.

Teleost fishes (various), gills (Plymouth): *Trichodina branchicola* sp. n. (Cil. Peritrich.), TRIPATHI **1026.**

Comparison of protozoal fauna of cod and herring, Dollfus 264.

Catla catla, gills (India): Thelohanella catlae sp. n., Myxobolus bengalensis sp. n. (Spor. Myxospor.), Chakravarty & Basu 161.

Perca fluviatilis (Russia): list of parasitic protozoa, Bychovskaja (Pavlovskaja) 149.

Pseudoscaphirhynchus kaufmanni, blood (Russia): Trypanoplasma pseudoscaphirhynchi sp. n. (Mastig. Protomon.), Ostroumov 712.

Scyliorhinus torazame, gall bladder (off Korea): Chloromyxum scyliorhinum sp. n. (Spor. Myxospor.), Noble 693..

Insecta:

Blaps gigas, gut (Italy): Stylocephalus gigas sp. n., S. reticulatus sp. n. (Spor. Gregar.), Filipponi 325.

Calathus fuscipes var. latus, gut (Italy): Endocryptella elongata gen. n., sp. n. (Spor. Gregar.), Moriggi 663.

Chlaenius vestitus (Coleoptera), gut (Italy): Gregarina dimorpha sp. n. (Spor. Gregar.), FILIPPONI 323.

Cloëon rufulum (larvae), body cavity (Czechoslovakia): Haplosporidium bayeri sp. n., Coelomycidium ephemerae sp. n. (Haplosporidia) WEISER 1077.

Colias lesbia (caterpillar), ventricle (Argentina): Nosema coliadis sp. n. (Spor. Microspor.), Jauch & Jauch 496.

Ecdyonuris venosus (larvae), body cavity (Czechoslovakia): Haplosporidium ecdyonuris sp. n. (Haplosporidia), WEISER 1077.

Glyptotermes spp., gut (various countries): Devescovina minor sp. n., Caduceia kofoidi sp. n., Macrotrichomonas emersoni sp. n. (Mastig. Trichomon.), KIRBY 525.

Gnorimoschema operculella (larvae), various tissues (U.S.A.): Nosema destructor sp. n., Plistophora californica sp. n. (Spor. Microspor.) STEINHAUS & HUGHES 946.

Kalotermes sp., gut (El Salvador): Macrotrichomonas directa sp. n. (Mastig. Trichomon.), KIRBY 525.

Laemostinus algerinus, gut (Italy):
(1) Gigaductus macrospora sp. n.
(Spor. Gregar.), Filipponi 324;
(2) Actinocephalus histolyticus sp. n.
(Spor. Gregar.), Filipponi 326.

Neotermes spp., gut (various countries): Hyperdevescovina insignata sp. n., Foaina inflata sp. n., F. serrata sp. n., Devescovina cuneata sp. n. (Mastig. Trichomon.), KIRBY 525.

Oxycanus cervinatus (larva), body cavity (New Zealand): Diplocystis oxycani sp. n. (Spor. Gregar.), DUMBLETON 277.

Proglyptotermes spp., gut (various countries): Hyperdevescovina calotermitidis comb. n., H. caudata sp. n., H. mitrata sp. n., H. riciniata sp. n., H. belteata sp. n., H. falcifera sp. n., H. torquata sp. n. (Mastig. Trichomon.), Kirby 525.

Prorhinotermes spp., gut (various countries): Holomastigotoides tusitala, H. diversa spp. n. (Mastig. Hypermastig.), CLEVELAND 184.

Pterostichus melas, gut (Italy): Endocryptella ghidinii gen. n., sp. n. (Spor. Gregar.), Moriggi **663.**

Myriapoda:

Myriapods, Sporozoa parasitic in, CLOUDSLEY-THOMPSON 185.

Crustacea:

Marine Crustaceans of Bermuda: gregarine (previously undescribed), Ball 58.

Amphitoë sp. (Gammarid) (California coast): ectóparasitic Trichochona lecythoides gen. n., sp. n. (Cil. Peritrich.), Mohr 655.

Asellus aquaticus, body cavity (Germany): Haplosporidium aselli sp. n. (Spor. Haplospor.) Pflugfelder 753.

Bathynella spp., appendages (Hungary): ectoparasitic Tokophrya bathynellae sp. n. (Cil. Suctor.), Chappuis 166.

Caridina sp. (China): ectoparasitic Spathocyathus caridina gen. n., sp. n. (Cil. Suctor.), NIE & LU 691.

Euphausia spp., tegument and ovary (Antarctic ocean): Amallocystis fagei sp. n. (Mastig. Dinoflag.), Boschma 114.

Hyalella azteca, gut (N. America): Gregarina hyalellae sp. n. (Spor. Gregar.), BATTEN & DEGIUSTI 73.

Microlistra spinosissima (woodlouse) (Yugoslavia): eetozoic Scyphidia microlistrae sp. n., Vaginicola subcylindrica sp. n., V. (Miculopodium) cementata subgen. n., sp. n., Pyxicola psammata sp. n., Platycola lageniformis sp. n., P. callistoma sp. n. (Cil. Peritrich.), Hadži 415.

Echinodermata:

Strongylocentrotus droebachiensis (Atlantic ocean): parasitic ciliates, BEERS 89.

Mollusca:

Bithynia tentaculata, gut (Poland): Hysterocineta cheissini sp. n. (Cil. Holotrich.), RAABE 777.

Limnaea sp., ova (France): Dimoeriopsis destructor gen. n., sp. n. (Mastig. Protomon.), Hollande & Pesson 459.

Limpets and Turbans, mantle cavity (California): Scyphidia ubiquita sp. n., Trichodina tegula sp. n., Urceolaria karyolobia sp. n. (Cil. Peritrich.), HRSCHFIELD 449.

Macoma (Tellina) tenuis, gills (Roscoff): Ancistrum macomae sp. n. (Cil. Holotr.), Chatton & Lwoff 167.

Priapuloidea:

Halicryptus spinulosus and Priapulus caudatus, gut (North Sea): new (un-named) coccidium (Sporozoa), LÜLING 583.

Annelida:

Polychaeta, gut (Yugoslavia): Intoshellina sicyodes sp. n., Mesnilella aculeata sp. n., M. hynnis sp. n., Ochridanus ocellatus gen. n., sp. n., Radiophryopsis acanthostephanus gen. n., sp. n., Hoplitophrya lituiprimus sp. n., Bütschliella longicollus sp. n., B. subaculeata sp. n., Anoplophrya ochridensis sp. n., A. pachycallyma sp. n., A. setosa sp. n., A. macrogongylus sp. n., A. longi-

nuclea sp. n., A. oncodes sp. n., A. pelmatoida sp. n., A. cavernosa sp. n., A. stromboides sp. n. (Cil. Holotr.), Georgévitch 384.

Platyhelminthes:

Triclada, gut (Yugoslavia): Sieboldiellina acetabulifera sp. n., S. ohridensis sp. n. (Cil. Holotr.), Georgévitch 385.

Protozoa:

Nassula ornata (Ciliata): ectoparasitic Podophrya parasitica sp. n. (Suctoria), FAURÉ-FREMIET 302.

Symbiosis.—Vorticella associated with Conochilus volvox, Fauré-Fremiet 306.

ECONOMICS.

General.—Toxic products of Dinoflagellate causing death of fish off Florida coast, Smith 931; Gonyaulax poisoning shell fish, Riegel etc. 817.

Petroleum sources.—Advances in micropaleontology (Foraminifera), Puri & Sen 776; Assemblage slide used in the laboratory of Imperial Oil Co., Tokvo, Japan, Oinomikado 707: Foraminiferal work done at the Petroleum Company Laboratories in Holland and the Netherlands Geological Survey, Voorthuysen 1053; Foraminifera from deep drillings in Sweden, Brotzen 129; Oil Companies' micropaleontological work in Italy [foraminifera], ALLIATA 33; Work of the Petroleum Companies in Venezuela [foraminifera], DUSENBURY 281: Work of Petroleum Company micropalaeontologists on the foraminifera of Peru, STONE 956.

Soil protozoa.—Effect of fertilizers on soil amoebae, Singh 928; Soil amoebae as food of Zoöpagaceae, Drechsler 272.

Sewage protozoa.—Purification of sewage by protozoa, Pillai & Subrahmanyan 765.

Protozoa in relation to disease.—
(See also under Parasitism.)

General.—Scope of medical parasitology, Faust 311; Handbook of medical protozoology, HOARE 455; Textbook of medical and veterinary

Protozoology, Reichenow Problems in medical protozoology, SHORTT 910; Parasitic protozoa of man, Brumpt 141; N menclature of protozoal diseases and systematic arrangement of Protozoa parasitic in man, Anon. 4; Human intestinal protozoa in Germany, BACH 50; Nomenclature of protozoal diseases, CARBAJAL & SACRE 154; Lists of protozoa maintained in Britain and Colonies. Anon. 6, 7; Lapage 554; Concentration methods for diagnosis of intestinal protozoa, Coudert & JUTTIN 203; Concentration method for protozoa in faeces, Lubinsky 581; Investigation of gut contents of flies for human intestinal protozoa, HEINZ 436; Vectors of protozoal diseases, Igna-TIUS 477; Interrelations between parasitic protozoa, vectors and environment, PAVLOVSKY 743; Records of Eimeria and Sarcosporidia from human lungs, VEGA etc. 1039: Incidence of intestinal protozoa in R.A.F., RICKARDS 816; Intestinal protozoa in German children and ex-soldiers, Piekarski 757: Protozoal infections in natives of Spanish Morocco, Lopez-Neyra 579; Intestinal protozoa and malaria in African children, Roberts 823; Protozoal diseases in Liberia, Pointestinal protozoal diseases in Liberia, DEXTER 769; Incidence of human blood protozoa in Liberia, Young 1116: Intestinal protozoa and malaria in Kenva children, Roberts 826: Intestinal protozoa in inhabitants of Nairobi, ROBERTS 824; Human intestinal protozoa in Korea, HUNTER etc. 473; Human intestinal protozoa in Japan, RITCHIE etc. 821; Incidence of human intestinal protozoa in Alberta, U.S.A., SAUNDERS 858; Intestinal protozoa among inhabitants of Mexico City, MAZZOTTI 629; Protozoal diseases of man in Brazil, MALAMOS 608; Intestinal protozoa of Eskimos, Brown etc. 135; Domestic animals as carriers of human protozoal diseases, Lapage 552; Protozoa of domestic animals, Diaz Ungria 257; Effect of protozoal diseases of animals on food supply, Lapage 553; Parasitic protozoa in laboratory rats, WENRICH 1086; Protozoal infections of domestic animals in India, RAY 787: Protozoal infections of sheep and goats in India, RAY 789; Incidence and rôle of protozoa in stomach of cattle, UZZELL etc. 1033; Parasitic protozoa of domestic animals in Hawaii, ALICATA 29; Protozoal diseases in bovines of Venezuela, FINOL 332.

Amoebiasis.—Review of literature on amoebiasis, D'Antoni 240 ; Food habits of E. histolytica, HOARE 456; Physiology of E. histolytica, CHANG 164; Culture methods for E. histolytica, Anastopoulos 36; Viability of E. histolytica cysts in soil, Beaver & Deschamps 80; Destruction of E. histolytica cysts by acetic acid, BEAVER & DESCHAMPS 81; Differential diagnosis of E. histolytica infections, BROUGHTON etc. 132; Value of cultures for diagnosis of E. histolytica infection, LAIRD etc. 545; Amoebiasis in infants, SILVA 922; Failure to detect E. histolytica in duodenum, MENK & MOHR 633; Pathology of amoebiasis, FRYE & SHAFFER 354; Pathogenesis of human amoebiasis, Steenis 945; Epidemiology of amoebiasis (discussion), Deschiens 253; Mathis 623; MONTEL 656; Epidemiological rôle of symptomless carriers in amoebiasis, Anon. 16: Problems of water-borne amoebiasis, Chang 165: Probable rôle of flies in transmission of E. histolytica, PIPKIN 766; World incidence and epidemiology of infection with E. histolytica, Beltran 94; Amoebiasis in England, Adams & Seaton 22; Amoebiasis in Germany, Bach 50; Acute amoebic dysentery in South African natives, Elsdon-Dew 292; Amoebic dysentery in St. Domingo, WESTPHAL 1091; Incidence of E. histolytica in Cuba, Fonseca 342; Amoebiasis in Chile, NEGHME & SILVA 680; Effect of E. histolytica on polyomyelitis virus in culture, Young etc. 1121; Destruction of \dot{E} . histolytica cysts by ozone, Newton & Jones 688; Destruction of E. histolytica cysts by silver ions, Newton & Jones 689; Transformation from small to large race in E. histolytica, Meleney & Experimental Zuckerman 632; amoebiasis in the rat, SCHNEIDER & 868; Montézin Experimental amoebiasis of rats and its treatment, Jones 503; Experimental infection of guineapig with E. histolytica, Carrera & Faust 157; Taylor etc. 973; Experimental infection of rabbit with E. histolytica, Tobbe 1010; Experimental amoebiasis (E. histolytica) in dogs, Thompson & Lilligren 1004; Entamoebae in rats, Gan 366, 367; Natural infection of laboratory rats with Entamoeba muris, Neal 679; Caecal infection of chicks with E. histolytica, MILLER 647; E. polecki in monkeys and man, Kessel & Johnstone 513; "E. buccalis" [=E. gingivalis] in pyorrhoea pockets, Bass 69; Strain of Dientamoeba ingesting erythrocytes, Young 1120.

Leishmaniasis.—Differential diagnosis of species of Leishmania, KIRK 529: Sandflies as vectors of leishmaniasis, HERTIG 444; Criticism of transmission of leishmaniasis by sandflies, Brooks 128; Epidemiology of leishmaniasis in the New World, BUSTAMANTE 148; Historical account of leishmaniasis in N. Africa, SERGENT & SERGENT 896; Indian researches on kala-azar, Sen Gupta 892; Loss of virulence for monkeys in a strain of L. donovani, Kirk 530; Direct transmission of Kala-azar, Fraga de Azevedo 346 : Kala-azar in Gambia, Walters 1067; Cutaneous leishmaniasis (general), ADLER Cutaneous leishmaniasis in Argentina, Romaña & Abalos 835; Cutaneous leishmaniasis of dogs and man in Argentina, Romaña etc. 836: Cutaneous leishmaniasis in Venezuela, PIFANO 761; Experimental infection of mice with L. brasiliensis, MAYER etc. 625; Diagnosis of canine leishmaniasis by detection of parasites in nasal mucus and testicles. Poul 772; Canine leishmaniasis in Paris district, Guilhon 412.

Trypanosomiasis. — Trypanosomaises of animals (general account), HORNEY 467; Potassium level in rats not responsible for death in trypanosomiasis, SCHEFF & THATCHER 865; Provocation of trypanosomes in the blood of bovines by drugs, DEOM 252; Behaviour of pathogenic trypanosomes in laboratory rodents, Hood 462; Maintenance of pathogenic mammalian trypanosomes in chick embryos, Hood 463; Variations in susceptibility of mice to

infection with T. cruzi, Pizzi etc. 768; Chagas' disease (general), DIAS & LARANJA 256; Epidemiology and prophylaxis of Chagas' disease, Romaña 834; T. cruzi in triatomid bugs of Texas, Sullivan etc. 961; Position regarding Chagas' disease in U.S.A., FAUST 310; T. cruzi in Triatomid bugs and rodents of Arizona, Wood 1111; T. cruzi in California, Wood 1110; Incidence of Chagas' disease in South America, DIAS 255; Chagas' disease in Uruguay, Talice 969, 970; Chagas' disease in Minas Gerais. Pellegrino & Borrotchin 748: Effect of T. cruzi on tumors in mice, KNOP etc. 536; Effect of T. cruzi on avian sarcoma, BRNCIC & HOECKER 122; Triatomid bugs as vectors of Chagas' disease, LENT 564; Behaviour of T. cruzi in rabbit, Agosin & Badinez 26; Brown rat as reservoir host of T. cruzi in Mexico, Beltran & Pérez 95; Development of T. rangeli in proboscis of Triatomid bug, Pifano & Mayer 762: Human trypanosomiasis in S. America due to T. rangeli, PIFANO etc. 763; Trypanosoma rangeli in S. America, PIFANO 760; Trypanosomiasis due to T. rangeli in Venezuela, TORREALBA 1016; Relationship of T. rangeli to mammalian trypanosomes transmitted by Rhodnius, Floch & ABONNENC 334, 337; Infection rate of tsetse flies with trypanosomes in Portuguese Guinea, CRUZ FERREIRA etc. 215: Course of accidentally acquired Sleeping Sickness, Nodenot 694; Epidemiology of Sleeping Sickness, Hoof 464; Problem of sleeping sickness and nagana, Anon. 19; Differentiation of trypanosomes of brucei group, Fairbairn & Cul-wick 297; Strain differences in T. brucei, Launoy etc. 559; Trypanosomiasis in Africa (general survey), Manson-Bahr 610, Anon. 9; Effect of African trypanosomes on pig, STEWART 950; Tsetse-flies and trypanosomiasis in A. E. Sudan, Lewis 567; Economic importance of mammalian trypanosomes in Africa, FORD etc. 343; T. simiae infection of camel in Somaliland, Pellegrini Experimental infection of guinea-pigs with T. vivax, ROUBAUD & Provost 840; Trypanosomes of the vivax group in domestic ruminants

of Uganda, Wilson 1102; T. vivax in camel, Pellegrini 747; Failure of antrycide to affect development of T. vivax in tsetse, Lewis 568; Course and treatment of T. vivax infection in bovines, FIENNES 321: Studies in experimental trypanosomiasis, Launoy 558; Allergic test for diagnosis of Surra, RAY 790; Acute bovine Surra in India, Vis-WANATHAN 1047; Surra in Indian tigers, Raju & Swaminathan 784: Experiments on transmission of T. evansi by Arthropods, Basu 70: Behaviour of T. equiperdum in wild mice, Werner 1088: Immunization against T. equiperdum, Bordiug 111: Serological reactions and immunity in infections with *T. venezuelense*, Gallo **364**; Bovines as reservoir hosts of T. venezuelense, Vogelsang & Armas 1049; Murrina in Panama (T. hippicum), Clark 181.

Animal flagellosis.—Incidence of Tricercomonas intestinalis [=Enteromonas hominis] in Holland, BYLMER 150; Diagnosis of human Trichomonas infections, RIEHN 818: Trichomonas vaginalis: general account of infection and parasite, JIROVEC & PETER 499; Diagnosis of Trichomonas vaginalis infection, HENNINOT 439, BORRIEN 112; Bovine trichomoniasis (Trichomonas foetus), Docker 262, Dalling 232; Cattle trichomoniasis in relation to artificial insemination, HIST 450; Parasitological diagnosis of bovine trichomoniasis, SANFILE & ZAVAGLI 852: Technique for demonstration of Trichomonas in the bull, CAPORALE 153; Effect of antiseptics on Trichomonas foetus, Florent 338; Intestinal Trichomonas infection in calves, SANKARANARAYAN 853; Duration of *Trichomonas* infection in pigeons, Jaquette 489; Relation of summer diarrhoea in Turkish children to their infection with Giardia and Trichomonas, Payzin 745; Giardiasis in children of northern France, Coute-LEN etc. 205; Outbreak of Hexamita infection in turkeys, FARR etc. 301.

Coccidiosis.—Effect of Eimeria on liver functions of rabbit, SMITH & MCSHAN 930; Host-parasite relations in rabbit coccidiosis, LUND 584; Coccidiosis in Indian buffalo,

BISWAL 104; Coccidiosis of sheep, DUNLAP etc. 279; Globidium infection of skin in bovines, Vogel-SANG & GALLO 1050; Isospora infection of mink, BELL & THRELKELD 91; Economic loss from fowl and cattle coccidiosis, FOSTER Host-parasite relations in fowl coccidiosis, RIPSOMetc. 820; Development of immunity in fowl coccidiosis, WALETZKY & HUGHES 1064; Fowl coccidiosis due to Eimeria acervulina, Peterson 751: Coccidiosis chickens. Dalling 233; Factors influencing epidemiology of fowl coccidiosis, HORTON-SMITH Immunization of chickens against coccidiosis by sulphonamide treatment, HORTON-SMITH 469; Fowl coccidiosis in U.S.A., LEVINE etc. 565: Coccidiosis of turkeys, More-HOUSE 657; Coccidiosis of turkey due to Eimeria meleagrimit's, HAW-KINS 434; Coccidiosis in California quail, HERMAN 443; Coccid osis of grouse in Wyoming, U.S.A., Scott 880.

Malaria.—Leucocytozoon infection in black-cock, Wingstrand 1103; Leucocytozoon and Haemoproteus in ducks of Michigan, CHERNIN & SADUN 171; Principles of malariology, SERGENT 894: Biology of human malaria parasites, Anon. 12: Effect of malaria parasites on the physiology of the human host, Overman etc. 713; Immunity in B.T. malaria following cure, Cogges-HALL etc. 190; Collective immunity in malaria, Swellengrebel 964: Acquired immunity in malaria, TALIA-FERRO 966; Immunity to malaria in Africans, GARNHAM 372; Superinfection with homologous strains in B.T. malaria, HALLER 417; Behaviour of human Plasmodium spp. in mixed infections, PANTHIER 722; Factors affecting relapses in B.T. malaria, COATNEY & COOPER 187; Attempts to provoke B. T. relapses, HALLER 418; Cultivation and metabolism of malaria parasites, GEIMAN 376; Production of haemolytic substance by Plasmodium, LASER 556; Congenital human malaria, LAWICK VAN PABST 561; Survival and infectivity of human malaria parasites in preserved blood, Boven-TER 117; Inhibition of malaria

by concomitant bacterial infection, BOYD & COELHO 118; Parasite numbers in relation to gravity of M.T. malaria, FIELD 317; Occurrence in strains of P. vivax of aberrant forms resembling P. ovale, Young & Eyles 1117, 1118; Subdivision of P. vivax into 2 subspp.: P. v. vivax and P. v. hibernans, with short and long incubation periods respectively, NIKO-LAEV 692; P. wilsoni probably represents abnormal forms of P. vivax, Wilson 1100; Persistence of erythrocytic forms of human Plasmodium during latent periods of infection, Ascoli 46; Excerythrocytic development of Plasmodium (general), 671: MUDROW-REICHENOW biological significance of the exo- and endo-erythrocytic cycles of Plasmodium, SERGENT 893, 895; Discovery of excerythrocytic stages of P. falciparum, McRobert 605; Pre-erythrocytic stages of P. falciparum, Shortt etc. 911, Anon. 13; Search of excerythrocytic forms of human Plasmodium by bone-marrow culture, Dubin 274: Excerythrocytic stage of human malaria parasites in bone-marrow, Gallais etc. 361: BLANC & LANGUILLON 106; New conception of the life-cycle of Plasmodium in relation to immunity, Decourt 245; Life-cycle of P. vivax and P. cynomolgi (popular), Johnson 502; Discovery of excerythrocytic development in P. vivax and P. cynomolgi, Anon. 3; Pre-erythrocytic cycle of P. cynomolgi and P. vivax, SHORTT 909; Life-cycle and chemotherapy of human Plasmodium, FAIRLEY 298; Anopheline vectors of human malaria, Komp 538; Susceptibility of indigenous Anophelines to exotic strains of human malaria parasites, Young 1115; Failure to transmit P. vivax in latent infections. COOPER etc. 196; Anopheline vector of malaria in Mexico, Downs & Bordas 269; Plasmodium sporozoites in Indian Anopheles, BHATT 101: Transmission of P. falciparum by Anopheles albimanus, Eyles & JEFFERY 296; Importance of thin blood films in malaria diagnosis, VEDDER 1038; Diagnostic value of sternal puncture in M.T. malaria, ZACHARIAS 1123; Diagnostic value of pigment in human Plasmodium as seen in thick blood films, FIELD 318:

Enrichment method for detecting malaria parasites, ARU 43; Malaria at high altitudes, GARNHAM 371; Malaria in Oriental and Australian Regions, Covell 207; Malaria in Neoarctic Region, Andrews 41: Malaria in Neotropical Region, GABALDON 358; Malaria in Germany, HORMANN 465 : P. ovale infection in Lebanon, Brounst 133: Malaria mortality in U.S.A. for 1946, FAUST & HEMPHILL 312; Malaria in California, Downs & Bordas 268; Malaria in Venezuela, Gabaldon 359; Malaria among infants in Algeria, PARROT & CATANEI 734; Malaria in Belgian Congo, SCHWETZ 877, Schwetz etc. 879; Effect of vector control on M.T. Malaria in Sierra Leone, Walton 1071; Malaria in E. Africa, Wilson 1099: Malaria in Somaliland, Wilson 1098; Human malaria in Liberia, Young & Johnson 1119; Malaria in Central Africa, Schwetz 878; P. falciparum malaria at high altitudes in Africa, ROBERTS 825; Effect of human blood on course of monkey malaria, RIGDON & BRESLIN 819; Excerythrocytic stages of P. cynomolgi, Anon. 5, Coulston 204, Hawking etc. 433; Fate of sporozoites of P. cynomolgi in the skin of monkeys, LLOYD & SOMMERVILLE 574; Failure to infect monkeys with excerythrocytic forms of Plasmodium, MULLIGAN etc. 673; Effect of monkey Plasmodium on metabolism of host, BALL etc. 57: Source of pigment formation in P. knowlesi, Morrison & Jeskey 666; Course of infection with P. berghei in rodents. GALLIARD 362: Infection of rats (Thamnomys) with P. berghei, VINCKE & BULCKE 1046; P. berghei infection in black rat, VINCKE & BULCKE 1045; P. berghei infection in mice, VINCKE & BULCKE 1044; P. berghei infection in cotton rat, Rodhain 831; Latent infection with P. gallinaceum, ALESSANDRO etc. 27; Incidence of Plasmodium infection among English sparrows in U.S.A., Micks 640; Effect of extracts of mammalian tissues on infection with P. gallinaceum, HAAS etc. 413; Differences between strains of P. gallinaceum, Greenberg etc. 403; Factors affecting size and number of P. gallinaceum oocysts in mosquitos, RAGAB 781; Effect of P. gallinaceum

on adrenal glands of chicks, NADEL etc. 675; Course of P. gallinaceum infection in splenectomized fowls, VEROLINI 1041; Transmission of P. gallinaceum by Aedes lepidus, Paraense 723; Effect of foreign avian erythrocytes on P. lophurae infection in ducks, BECKER etc. 85; Parasite rates in latent infections of ducks with P. lophurae, BECKER etc. 83; P. lophurae in chick embryos, McGhee 597; Serological tests with P. lophurae, Torrey & Kahn 1017; Susceptibility of various spp. of mosquitos to infection with P. elongatum, Micks 639; Exoerythrocytic life-cycle of P. cathemerium, MUDROW-REICHENOW & REICHENOW 672; Course of P. cathemerium infection in ducks, SIMPSON 927.

Piroplasmosis. — Comparative study of piroplasmosis in small wild mammals, Zassuchin 1126; Method for demonstrating stages of piroplasms in salivary glands of ticks, RAY 792; Piroplasms and diseases caused by them in domestic animals of Bulgaria, PAVLOV 742; Course of infection of Babesia in dog: suggested exoerythrocytic phase, PARAENSE 725; Babesia infection in dogs of Rio de Janeiro, Paraense & Vianna 727; Provocation by splenectomy of piroplasms in the blood of buffaloes, GALLIARD & CEBE 363; Bovine piroplasmoses in Algeria, DONATIEN etc. 265; Bovine piroplasmosis and anaplasmosis in Surinam, Frickers 349; Bovine anaplasmosis and piroplasmoses in Venezuela, Gallo & Vogelsang **365**; Distributing of Theileria annulata, Dschunkowsky 273; Bovine piroplasmosis due to Theileria annulata (=T. dispar) in Persia, Delpy 249; Anaplasmosis (general), Dikmans 259.

Other Sporozoa.—New Microsporidia injurious to tuberworm (larva of *Gnorimoschema*), STEINHAUS & HUGHES 946; Sarcosporidiosis in American beef, WANG 1072.

Ciliates.—Balantidiosis in the dog, BAILEY & WILLIAMS 52.

Protista incertae sedis.—Human toxoplasmosis (general), Anon. 10, Frenkel 348; Human toxoplasmosis considered as a zoonosis, Winsser

1104; Human toxoplasmosis in Holland, THIEL 1001; Human toxoplasmosis in Germany, PIEKAR-SKI 756; Parasitaemia in toxoplasmosis, Jacobs & Jones 486; Isolation of Toxoplasma from C.S.F. of infant, WINSSER etc. 1105; Serological diagnosis of human toxoplasmosis, Macdonald 592; New antigenic skin test for toxoplasmosis, Frenkel 347; Preparation of Toxoplasma antigen, WARREN & RUSS 1074; Oral transmission of toxoplasmosis, THIEL 1000: Possible insect-transmission of Toxoplasma, PIEKARSKI 758; Toxoplasmosis in guinea-pigs, RODANICHE & PINZON 830; Congenital toxoplasmosis in guinea-pig, Adams etc. 24; Canine toxoplasmosis, Sjolte 929; Toxoplasmosis in marmot, Rodhain & Hendrix 832; Toxoplasmosis in hares, Rašin 786.

Chemotherapy and Prophylaxis.-Comparative effects of drugs on freeliving ciliates and pathogenic protozoa, James 487; Chemotherapy of protozoal diseases (outline), Anderson 37; Selective action of drugs on blood protozoa, Lourie 580; Failure of carbarsone to eradicate intestinal protozoa in mice, Larsh & Chaffee 555; Treatment of human protozoal infections, Most 668; Action of emetine on Entamoeba histolytica. STEWART 949; Effect of oxyguinolines on Entamoeba histolytica in vitro, KNIGHT etc. 535; Effect of new drugs on Entamoeba, Dennis etc. 251; Direct action of antibiotic on Entamoeba histolytica, BALAMUTH & Brent 54; Effect of penicillin on Entamoeba histolytica, DELAPPE 248; Treatment of amoebiasis aureomycin, McVay etc. 606; Effect of sulphanilamides on Entamoeba, Lamy 548; Effect of drugs on amoebiasis in dogs, Thompson & LILLIGREN 1004; Effect of arsenicals on Entamoeba of monkeys, Kessel & KAPLAN 514; Rate of disappearance of Leishmania donovani in patients treated with urea stibamine, Ho, etc. 451, Napier 677; Drug resistance in animal trypanosomes, Anon. 11; Treatment of trypanosomiasis with Antrycide, Anon. 17: Trypanocidal action of "Antrycide", CURD & DAVEY 216: Antrycide-resistance in animal trypanosomiasis, Wilson, 1101; Effect of aminoquinolines on Trypanosoma cruzi, Goble 392; Drug-resistance in Trypanosoma gambiense, Hoof 464; Effect of Eucalyptus extract on Trypanosoma brucei, Sautet & Ranque 859; Relation of kinetoplast to trypaflavine-fastness in Trypanosoma brucei, Piekarski 759; Effect of arsenicals and antimonials on Trypanosoma rhodesiense, Rollo, etc. 833 : Effect of phenanthridine compounds on trypanosomes, especially T. congolense, LAUNOY & PRIEUR 560; Effect of phenanthridine compounds on Trypanosoma congolense, Browning 137, 138; Mechanism of drug action in infections with Trypanosoma evansi, Marshall 619; Effect of guanidine compounds on Trypanosoma equiperdum, HEWITT etc. 446; Effect on Trichomonas vaginalis of pantothenic acid analogues, Johnson & Kupferberg 500: Effect of new antibiotic, streptocin, on Trichomonas vaginalis and other spp. Warsman, etc. 1063; Treatment of cattle trichomoniasis, Hess 445; Effect of drugs on Trichomonas foetus, Morgan, etc. 661; Effect of quinacrine on fowl coccidia, BAM-BERGER & MARTIN 59; Effect of small doses of drugs on fowl Eimeria, Brackett & Bliznick 119; Effect of nitrofurazone on fowl *Eimeria*, Harwood & Stunz 428; Effect of bisphenols on fowl *Eimeria*, Johnson, etc. 501; Effect of phenylarsonic acid derivatives on fowl Eimeria, Goble 391; Effect of sulphonamides on fowl coccidia. Dickinson 258; Effect of nitrophenide on fowl Eimeria, WALETZKY, etc. 1065; Effect of drugs on Eimeria of turkey, Morehouse 658; Treatment of rabbit and fowl coccidioses, JIROVEC 498; Antimalarial drugs (general), COVELL 206, BLANCHARD 107; Antimalarial action of drugs, Rose 837; Testing chemicals for parasiticidal properties in malaria, Shannon 906; Research on anti-malarial drugs, Jaswant Singh 490; Antagonism between two malarial drugs, Cantrell 151; Chemotherapy of human malaria, Fairley 298; Action of drugs in human malaria, COATNEY 186. COOPER 194: Effect of paludrine on human Plasmodium, CIUCA, etc. 176:

Effect of dichroine on Plasmodium, HENDERSON, etc. 438; Effect of biguanide compounds on Plasmodium, Jaswant Singh, etc. 495; Effect of aureomycin on Plasmodium, COATNEY, etc. 188, 189, COOPER, etc. 195; Effect of antimalarial drugs on glucose metabolism of Plasmo. dium, Marshall 620; Effect of drugs on human Plasmodium in mosquitos, TERZIAN & WEATHERSBY 977; Effect of antimalarial drugs on the structure of Plasmodium vivax, MACKERRAS & ERCOLE 603; Resistance to paludrine in Plasmodium vivax, Seaton & Lourse 887; Effect of antimalarial drugs on Plasmodium falciparum, BLACK 105; Effect of antimalarial drugs on gametocytes of Plasmodium falciparum, Mackerras & Ercole 604; Prophylaxis of M.T. malaria with paludrine, CIUCA, etc. 175: Paludrine resistant strains of Plasmodium falciparum, COVELL, etc. 209; FAIR-LEY 299; FIELD & EDESON 320; COVELL 208; ADAMS & SEATON 23; CHAUDHURI & CHAUDHURI 168; SEATON & ADAMS 886; Resistance to paludrine in simian Plasmodium, HAWKING & PERRY 432; SCHMIDT, etc. 866: Effects of synthetic drugs on simian Plasmodium, JASWANT SINGH, etc. 494; Test of drugs on Plasmodium berghei, Schneider, etc. 867; Effect of drugs on Plasmodium berghei, GOODWIN 399; Use of birds in development of antimalarial drugs, MANWELL 611; Effect of radioiron on avian Plasmodium, Thompson, etc. 1005; Effect of naphthoquinones on avian Plasmodium, HEY-MANN & FIESER 447; FIESER & HEYMANN 322; Effect of quinine on pyruvate oxidation in fowl Plasmodium, MOULDER 669; Test of drugs and plant materials against Plasmodium in ducks, BECKER 82: Correlation between paludrine administration and excerythrocytic form of avian Plasmodium, REDMOND & FINCHER 798; Effect of vitamins on fowl malaria, Deschiens & Pick 254; Hypersensitivity to sulphadiazine in fowl *Plasmodium* resistant to GREENBERG . chlorguanide, · Effect of antimalarial drugs on stages of avian Plasmodium in mosquito, TERZIAN, etc. 976; Effect of anti-malarials on fowl Plasmodium in the

mosquito, Geigy & Rahm 375; Effect of drugs on Plasmodium lophurae, Reilly, etc. 807; Effect of sulphadiazine on Toxoplasma, Eichenwald 286; Effect of drugs on toxoplasms in chick embryo, Adams, etc. 24.

DISTRIBUTION

(a) GEOGRAPHICAL

General.—Parasites as zoogeographical criteria, Dogiel 263; World incidence of Entamoeba histolytica infections, Beltran 94; Stratigraphical distribution of families and genera of the foraminifera, Thalmann 997; Distribution of Anopheline mosquitos transmitting human malaria, Komp 538; Distribution of Theileria annulata, DSCHUNKOWSKY 273.

Expeditions.—Plate explanations of Rhumbler's "Plankton-Expedition", Anon. 18.

1. Land and Freshwater.-Palaearctic Region. - Europe. - Planktonic protozoa from lakes in southern Sweden, Thunmark 1006; Protozoan fauna of Tevere, Italy, Stella & CAMPEA 948; Protozoa in the Fonte di Giuturna, Rome, STELLA 947; Freshwater protozoa in the Sierra Guadarrama, Spain, Margalef 617; Protozoa of Sierra de Aralas, Navarra, Spain, Margalef 615; Protozoan fauna of the lake of Massaciuccoli, Italy, Brunelli & Cannicci 142; Protozoa from the Utchinsk reservoir, Russia, BORUTZKIJ 113; Protozoa from River Dee, Wales, BADCOCK 51; Microgromia socialis in fishpond, Holland, MIDDELHOEK 642; Seasonal changes in the mastigophora fauna of Obedska Bara, Yugoslavia, MILOVANOVIĆ 646; Flagellates from freshwater, Russia, Korshikov 540; Rhizopod-like Chrysophyceae of Europe, Pascher 735; Chrysomonads from freshwater, Germany, Pascher 736; Chrysomonads from Bohemia and Jugoslavia, Fort 345; Peltomonas volitans gen. et sp. n. from spring bog, near Prague, VLK 1048; Histiona aroides sp. n. from freshwater, Austrian Alps, PASCHER 737; Chrysotilos tatrica sp. n. from mountain ponds. Carpathians,

Poland, Czosnowski 231; Ceratium hirundinella Lang in Lago di Scanno, Italy, Lanzi 551; Peridinians in meadow swamps, Bayreuth, Germany, BAUMEISTER 75; Dinoflagellates from wood swamps, Bayreuth, Germany, BAUMEISTER 76; The dinoflagellates of Rott-Tal-Kreise, south Germany, BAUMEISTER 78: Phytomastigina of Danish pools and lakes, Nygaard 701; Euglena neustonica sp. n. freshwater, Germany, GESSNER 386; Canine leishmaniasis in Paris district, Guilhon 412; Peritrichida from Swiss lake water, SOMMER 932; Micterothrix rottalensis sp. n. from snow-water filled valley, Germany, BAUMEISTER 77; Freshwater protozoa of Switzerland, Wyngaert 1114: North and Central China.—Protozoan fauna of lake Kunming, Yunnan, Tchang-Si 974.

Oriental Region.—Malaria in Oriental Region, COVELL 207.

Australian Region & Polynesia.— Malaria in Australian Region, COVELL 207.

Ethiopian Region. — Rhizopods from swamps near Dakar, West Africa, Decloitre 244; Malaria in Belgian Congo, Schwetz 877.

NearcticRegion.—North America.—Protozoa in some Colorado reservoir lakes, Pennak 750; Occurrence of Trypanosoma cruzi in California, Wood 1110; Malaria in Nearctic Region, Andrews 41.

South America.—Malaria in Neotropical Region, Gabaldon 358.

2. Marine.—Arctic.—Foraminifera of the northern seas of Soviet Russia, ŠČEDRINA 863; Icelandie dinoflagellates, PAULSEN 741; Foraminifera from the Greenland Sea, ŠČEDRIN 862; Ciliates in the northern seas of Soviet Russia, GAJEVSKAJA 360.

North Temperate.—Foraminifera from tidal flats, Netherlands, Voorthuysen 1055; Marine and brackish water foraminifera of the Belgian coast, Cushman 218; Seventeen species of foraminifera noted from the Gulf of Naples, Indelli 480; Foraminifera of S. Martinho do Porto Bay, Portugal, Sousa E Silva & Santos-Pinto 939; Dinoflagellates of S. Martinho do Porto Bay,

Portugal, Sousa E SILVA & SANTOS-PINTO 938: Abnormal abundance of Goniaulax poliedra on the Portuguese coast. Santos-Pinto 854; Actiniscus in the Adriatic and Tyrrhenian seas, Zanon 1125; British records of species of Folliculinidae, DAS 241; Ciliates of S. Martinho do Porto Bay, Portugal, Sousa E Silva & Santos-Pinto 939: Listed species of peritrich ciliates from Heligoland, STILLER 952; Dinoflagellates in the Gulf of Naples, INDELLI 479; Ciliates from the lagoon, Venice, KIESSELBACH 516; Kiitricha marina gen, et sp. n. from seaweed, Japanese waters, Nozawa 697; Cirrhogaster monilifer gen. et sp. n. from seaweed surfaces, Japanese waters, OZAKI & YAGIU 719.

[1949]

Tropical.—Foraminifera of the northern Red Sea, SAID 847; Note on the deep water foraminifera from Indonesia, Neve 686: Shore zone foraminifera from the islands of Morotai and Ternate, NEVE 684; Recent and subrecent foraminifera from Sanggar, Poeloe Ngali and Poeloe Madang, East Indian Archi-pelago, Neve 683; Shore zone foraminifera from the islands of Roeang and Siaoe, Sangi Archipelago, Neve 682; Tropical foraminifera associated with plants from the West Indian area, Brönnimann 126: Cuban species of Globorotalia, CUSHMAN & BERMUDEZ 220 : Planktonic suctorians from Palao [Pewlew Islands], Nozawa 699.

South Temperate and Subantarctic.— Marine ciliates of Tristan da Cunha, Dons 266.

(b) GEOLOGICAL

General: Homonyms in foraminifera erected during 1948 and 1949, THALMANN 986; Stratigraphical distribution of families and genera of the foraminifera, THALMANN 997; Range of Lenticulina, BARTENSTEIN 65; Foraminifera from the bed of the River Fars, Northern Cauca us, Russia, BOGDANOVITCH 108; Sphaeroidina and its species, CUSHMAN & TODD 226; Species of the genera Allomorphina and Quadrimorphina, CUSHMAN & TODD 227; Chilostomella, its species and related

genera, Cushman & Todd 228: Cretaceous and Eocene species of Globorotalites, DAM & MAGNÉ 238: Jurassic, Cretaceous and Eccene species of Epistomina, DAM 235: The stratigraphic importance of foraminifera in faunal pictures, HECHT 435; Phyletic size increase in fossil foraminifera, Newell 687; Depth of past seas as indicated by fossil Globigerina oozes, Stainforth 944; Cretaceous-Eocene boundary based on foraminifera in the Near East, TROMP 1028; Regional stratigraphic distribution of Rzehakina, THALMANN 999; Fossil and recent brackish water foraminifera, THAL-MANN 998; Foraminifera of Aquitaine, France, CUVILLIER & SZAKALL 229; Listed foraminifera and radio-laria from various horizons in Cyprus, Henson, BROWNE McGinty 442; Foraminifera used in the stratigraphical interpretation of the Appennines, LIPPARINI 572: Notes on fossil genera and species of larger foraminifera of the Middle East, Henson 441; Ecological interpretation of fossil Globigerina oozes from the West Indies, BRÖNNIMANN 125; Cuban species of Globorotalia with range chart, Cushman & BERMUDEZ 220; Listed foraminifera in the Leduc oil-field, Alberta, Canada, Layer 562; Foraminifera of Holland's landing bore, Grippsland, Australia, Jurassic to Recent, CRESPIN 210; Biozone nomenclature in foraminiferal association, THALMANN 984; Pathology of fossil foraminifera shells, THALMANN 981; The use of planktonic foraminifera as temperature-indicators in the study of past climatic changes, OVEY 717; The use of foraminifera as indicators of surface and bottom temperatures and their use in deep-sea coring, Phleger 755; Statistical analysis of the size of Cyrtoidea in cores from East Pacific Ocean, Weibull 1075.

Primary: Taxonomy of Triticites, Rozovskaja 842; Foraminifera from the lower Carboniferous, Lwow, Russia, AYZENBERG etc. 48; Endothyra bowmani in Carboniferous of Belgium, DEMANET 250; Supposed Precambrian radiolaria of Bretagne, DEFLANDRE 246; Foraminifera from the Polanitza beds in Eastern

Carpathians, GOLUBROV & MJATLAK 397; Pseudoschwagerina from the Permian of the Eastern Alps, KAHLER & Kahler 506; Fusulinids of the Eastern Alps, Kahler 504; Small foraminifera from the Palaeozoic of France, Milon 648; Permian fora-minifera near Athens, Renz & TRIKKALINOS 813; Foraminifera of the Carboniferous in Don-Medveditz. Russia, Semichatova 888; Fusulinids from the Lower Carboniferous of the Stalingrad district, Russia, Savinov 860; Ammodiscus in the German Zechstein, Permian, TRIEBEL 1024; Supposed Silurian foraminifera from Wales (Keeping collection) found to be of mineral origin, Wood 1109; Fusulinidae of oil-bearing limestones, Urals, GROSDILOVA 411: The fusulinid fauna used in the stratigraphical correlation of the Carboniferous and Permian between Manchuria, Korea and Japan, HAN-ZAWA 419: Stratigraphic distribution of fusulinids in South Manchuria and Japan, Hanzawa 420; Foraminifera from the Permian of Caucasus, Miklucho-Maklaj 643; A rare Fusulinella and Schubertella from the Carboniferous of the Sikhote-Alin district, Siberia, MIKLUCHO-MAKLAJ **644**; Fusulinids from the Permian of Transcaucasia, MIK-LUCHO-MAKLAJ & EJNOR 645; The age of Palaeozoic deposits based on the foraminifera, Ognev & Miklucho-Maklaj 704; Fusulinids of the Permian, South Urals, Russia, Rozovskaja 843; Fusulinidae of the Sakanara beds (Upper Palaeozoic), Russia, Ruzhentsev 846: Conorbina martini in Upper Cretacean deposits of Volga region and eastern Urals, Vasilenko 1037; Fusulinidae of the Upper Palaeozoic of Peru, Roberts 827; Permian fusulinids in Maracaibo basin, Thomson & Miller 1003; Stratigraphical division of the Heian system (Permo-Carboniferous) of Korea based on fusulinids. HATAE 430: A new fusulinid from the Lower Permian of Japan, Hanzawa 421; The fusulinid fauna used in the stratigraphical correlation of the Carboniferous and Permian between Manchuria, Korea and Japan, Han-ZAWA 419; Stratigraphic distribution of fusulinids in South Manchuria

and Japan, Hanzawa 420; Recorded foraminifera from the Permo-Carboniferous, Japan, Minato 649; Fusulinids from the Permian of Japan, Ozawa 720; Fusulinids from limestone conglomerates in Japan, Toriyama 1014; The Permian fusulinids of Timor, Thompson 1002; Jurassic-Triassic radiolaria of Japan, Kimura 521; The foraminiferal genus Nummulostegina, Kahler 505.

Cretaceous and Secondary: Eocene foraminifera, north Italy, CITA 173; Cretaceous and Eccene foraminifera, north Italy, CITA 174; An abnormal foraminifer from the Chalk of England, BARNARD 64; The Mesozoic genera Palmula, Flabellina and Falsopalmula gen. n., BARTENSTEIN 66; The genera Rotalipora Brotzen and Thalmanninella gen. n., Upper Cretaceous, SIGAL 917: The first appearance of genus Globotruncana, THALMANN 996; New Lower Cretaceous foraminifera from Germany and England, BARTENSTEIN & Brand 68; Cretaceous foraminifera from the Polish Carpathians, BIEDA 102; Jurassic foraminifera from Poland, Cushman & Glazew-SKI 221; Flabellina moelleri (Uhlig) from the Jurassic of Switzerland, preserved in the Naturhistorisches Museum, Basel, Koechlin 537; Heterohelicidae from the Upper Cretaceous of the northern Pyrenees, Kikoïne 517: Upper Senonian foraminifera from Holland, HOFKER 458: Globotruncana in the Cretaceous of Switzerland, MORNOD 665; Globotruncana calcarata Cushman in the Cretaceous, Italy, Orlini 709; Cretaceous foraminifera of Greece, RENZ & MITZOPOULOUS 809; Maestrichtian foraminifera from Greece, RENZ & MITZOPOULOUS 810; New records of foraminifera in the Jurassic and Cretaceous of Greece, Renz REICHEL 811; New records of Mesozoic foraminifera in Greece and Asia Minor, RENZ & REICHEL 812: Globotruncana in the Cretaceous of Switzerland, REICHEL 802; A new orbitoid from the Cretaceous of Switzerland, Reichel 803; Stratigraphical distribution of foramini-fera in the Upper Cretaceous of Haute-Pyrénées, France, Receveur, SIGAL & HUPÉ 795; The occurrence

Orbitolina aff. bulgarica and of other foraminifera in the Cretaceus of Poland, Passendorfer 738; Jurassic foraminifera from Wurttemberg, Germany, Ströbel 957; Fusulinids from Tai, Siam, TORIYAMA 1015: Cretaceous foraminifera from borings near Dresden, TAUBERT 972: Derived Upper Cretaceous foraminifera from tidal flats, Netherlands, Voorthuysen 1055; Foraminiferal fauna of the Upper Cretaceous, Paris basin, Wetzel 1092; Mesozoic foraminifera and radiolaria from borings in Holstein, WETZEL 1093; Mesozoic dinoflagellates from borings in Holstein, Wetzel 1093; Mesozoic Hystrichosphaeridae from borings in Holstein, WETZEL 1093; New records of Mesozoic foraminifera in Asia Minor and Greece, RENZ & REICHEL 812; Radiolaria and Foraminifera from the Cretaceous, Caucasus, Karstens 509: Eoeponidella gen. n. from the Upper Cretaceous of Canada, Wickenden 1095 : Upper Cretaceous foraminifera of Arkansas, Cushman 219: Listed foraminifera from the Cretaceous, Texas, Goldich & ELMS 394; Foraminifera in matrix from Upper Cretaceous Plesiosaur, Texas, Graham 401; The paleoecological significance of foraminifera in the Jurassic, United States, IMLAY 478; Foraminifera from the Walnut Formation (Lower Cretaceous), Texas and Oklahoma, Loeb-LICH & TAPPAN 575; New Lower Cretaceous foraminifera from Kansas, Loeblish & Tappan 576; Two new genera of foraminifera from the Upper Cretaceous of Peru, STONE 954; Biglobigerinella algeriana sp. n. from the Upper Senonian of Algeria, Dam & Sigal 239; Foraminifera of the Esna Shales, Egypt, NAKKADY 676; Cretaceous-Tertiary boundary from foraminiferal evidence in Algeria, Sigal 919; Evolution of the foraminifera in the Cretaceous of Algeria, Sigal 920; Cretaceous foraminifera of Somaliland, SILVESTRI 924; Permian foraminifera, eastern Australia, Crespin 211; Radiolaria from ? Jurassic, Japan, Kimura 523: Permo-Triassic or Triassic radiolaria, Japan, Kimura 522; Jurassic and Cretaceous foraminifera from Misol (Netherlands East Indies), Vogler 1051; New Trochamminidae and

Verneuilinidae from the Middle East, Henson 440; Polyphyletism and parallel evolution in *Globotruncana*, Sigal 918.

Tertiary: The genus Karreria Rzehak 1891, Dam 234; Variability in Lepidocydina, GRIMSDALE 410: Eccene and Cretaceous foraminifera, North Italy, CITA 173; Eocene and Cretaceous foraminifera, North Italy, CITA 174; Foraminifera recorded from the "Meulière de Beauce", France, Alimen 30; Listed Neogene foraminifera from Ancona, Italy, ALLIATA 32; Tertiary foraminifera from the Polish Carpathians, BIEDA 102: Listed foraminifera in the Miocene and Oligocene of Austria, BÜRGL 146; Bartonian Foraminifera in France, FEUGUEUR 315; Foraminifera from Gruzia, Russia, DZVELAJA 284; Foraminifera in the lower Eccene of the Paris basin, FEUGUEUR 316; Calabrian foraminifera from Italy, EMILIANI 293; Nummulites in the Eccene of France, DURAND 280; Noctyocha gen. n. (Silicoflagellate) from Sicilian Myocene, Deflandre 247; Note on the nummulitic fauna of the Eocene flysch, Spain, GAONA 369; Hagenowella in the Paleocene of the Netherlands, Hofker 457; Listed fora-minifera from the Pliocene of Italy, MIRIGLIANO 650; Foraminifera from the Bartonian of the Paris basin [listed], Morellet & Morellet 659; Plio-pleistocene foraminifera from a well, Italy, MORGANTE & Accord 662; Lepidocyclina-fauna of Tertiary of Lombardy, Italy, MARCHESINI 614; Oligocene foraminifera from Italy, Petters & Gandolfi 752; Radiolaria and foraminifera of the Eccene, Belgium, PASTIELS 739; Silicoflagellates, Hystrichoand dinoflagellates spaeridae of the Eocene, Belgium, Pastiels 739; Foraminifera from the Aquitanian of France, SIGAL 921; Siphonclavulina trigona gen. et sp. n. Eocene, Italy, Silvestri 923; Problem fossil, Lagena-x, Lower Pliocene, Netherlands, Voorthuy-sen 1054; Biplanispira in the Eocene of Burma, BEETS 90; On Dictyoconoides cooki, Eocene, India and its allied species D. kohaticus, GILL 389; The age of volcanic

rocks as determined by interbedded Eocene foraminifera, Transcaucasia. MECHTIEV 630; Lower Tertiary
Nummulites from Sotshi, Caucasus, METALNIKOV 635; Amphistegina (of Kossmat 1897) and Orbitoides (ibid.) recognized to be Miscellanea and Discocyclina respectively, RAO 785: Foraminifera from the Eocene of the northern Caucasus and the num-mulitic rocks of Africa, SUBBOTINA 958; Foraminifera in oil bearing deposits, Siberia, Sarkisjan 855; Foraminifera from the Tertiary of N.E. Asserbaidjan, Tichomirov & CHAIN 1007; Paleogene foraminifera from Asserbaidjan, U.S.S.R., TICHO-MIROV & CHAIN 1008; New Nummulitidae from the Eocene, Cuba, CIZANCOURT 177; The occurrence of Ferayina coralliformis in the Middle Eccene of Venezuela, CIZANCOURT & FRIZZELL 180; New name for Bolivina astoriensis and corrigenda, Miocene, U.S.A., Anon. 15; Eocene and Oligocene foraminifera, Alabama, Bandy 60; Ontogenetic variation in Eponides mexicanus, Eccene, Alabama, BANDY 61; New names for two species of foraminifera from the Tertiary of Alabama, BANDY 62; Tertiary foraminifera of the Dominican Republic, BER-MUDEZ 99; Pavoninoides gen. n. (Miliolidae) from the Oligocene, Panama, BERMÚDEZ 100: Foraminifera in newly-discovered outcrop of the Paleocene, North Dakota, Brown & Lemke 136; Upper Eocene foraminifera of Oregon, Cush-MAN, STEWART & STEWART 222; Pliocene foraminifera of Western Washington, Cushman, Stewart & STEWART 223; Eocene foraminifera from Peru, Cushman & Stone, 224. 225; The occurrence of Ranikothalia and associated Nummulitidae in the Paleocene of East and West Indies, Davies 243; Upper Eccene foraminifera from the Panama Canal zone, Cole 191; Questionable Elphidium in the early Tertiary, California, Graham 400; Eocene foraminifera of Louisiana, Hussey 474; Boreloides in the Eccene of Cuba, REICHEL 805; Distribution, records and descriptions of foraminifera from the Oligocene and Miocene, Venezuela, Renz 814; Alveolines in the Oligo-miocene of Cuba, Reichel

804: Pliocene foraminifera of California, Stewart 951; New species of foraminifera from the Eocene of Peru, STONE 954; Age of the Chira group, N.W. Peru as indicated by foraminifera, STONE 955; The geological age of the Hannatoma fauna from foraminifera, STAINFORTH 940; Recorded species of Lepidocyclina in the Tertiary of the Panama Canal zone. Woodring & Thompson 1113: Alveolina in the Middle Eocene of Somaliland, AZZAROLI 49; Foraminifera of the Esna Shales, Egypt, NAKKADY 676; Foraminifera from the nummulitic strata of Africa compared with those of strata from the northern Caucasus, Subbotina 958: Foraminifera in the Upper Tertiary of Egypt, STAINFORTH 941; Eccene foraminifera of Somaliland, SIL-VESTRI 925; Cretaceous-Tertiary boundary from foraminiferal evidence in Algeria, Sigal 919; Foraminifera of the Tuakan-Mercer area, Auckland, New Zealand [listed], BATTEY 74: Indo-Pacific influences Australian Tertiary foraminiferal assemblages, Crespin 212; New genera of foraminifera from the Tertiary, Victoria, Australia, PARR 730: Foraminifera associated with the lignite deposits of Parwan, Victoria, Australia, PARR 731; Hantkenina in the Eocene of the Indo-Pacific region, THALMANN 993; Lepido-cyclinae from Rembang (Java), ABEELE 21; New Miocene foraminifrom Japan, Asano Supposed Oligocene age of the Asagai Formation, Japan, based on foraminifera: species described, some new, Asano 45; Smaller foraminifera of the Pliocene and Miocene, Java, Boomgaart 110; Miocene and Pliocene new species of Streblus, Japan, Ishizaki 483; Lagenonodosaria in the Pliocene of Japan, Ishizaki **482**; The occurrence of Alveolina and Neoalveolina in the Tertiary of Borneo, Mohler 651; The occurrence of Spiroclypeus and Flosculinella in the Tertiary of Java, MOHLER 652; Large foraminifera, Eocene, Java, Mohler 653; Flosculinella reicheli sp. n. Tertiary, Borneo, Mohler 654; Lepidocyclina (Nephrolepidina) makiyamai sp. n. from the Miocene of Japan, Morishima 664; Chapmaninae subfam. n. of the Rotaliidea in the Eocene, FRIZZELL 350; Value of Globigerinidae ratios in stratigraphy, TROMP 1027; Additional information on Le Roy's Middle Tertiary Orbulina surface, TROMP 1029.

Quaternary and Sub-Recent : Pliopleistocene foraminifera from a well, Italy, Morgante & Accordi 662; Foraminifera as indicators of Plio-Pleistocene boundary in Britain, OAKLEY 702; Elphidiella arctica as a climatic indicator in the quaternary of Europe, Voorthuysen 1052; Foraminifera of the Icenian, Netherlands, Voorthuyssen 1056; Pleistocene history of the ocean bed as indicated by foraminiferal assemblages, Phleger 755; Foraminifera associated with the deposits in which was found the Aitape skull, Pleistocene, New Guinea, Hossfeld 471; Pleistocene and Recent new species of Streblus, Japan, Ishizaki 483; Climatic changes as indicated by planktonic foraminifera obtained from ocean-bed cores [HASLETT] 429.

III. SYSTEMATIC INDEX.

PROTOZOA: GENERAL

Classification of the protozoa, NAVARRO CÁNDIDO 678.

Listed planktonic protozoa from lakes in Southern Sweden, Thun-Mark 1006.

1.--RHIZOPODA

Freshwater rhizopods in the Sierra Guadarrama, Spain, MARGALEF 617.

Freshwater rhizopods from Spain, MARGALEF 616.

Rhizopods from swamps near Dakar, West Africa, Decloitre 244.

(a) Amoebida

Entamoeba caudata sp. n. from dog, Brazil, Carini & Reichenow 155.

(b) Testacea

[No record.]

(c) Foraminifera

Homonyms of foraminifera erected in 1947, Thalmann 990.

†Homonyms in foraminifera erected in 1948 and 1949, THALMANN 986. Correct method of setting out systematic and other details in describing new genera and species of foraminifera, Thalmann 983.

Correct method of naming in foraminifera, Thalmann 982.

Plate explanation of Rhumbler's "Plankton-Expedition," Anon. 18.

†List of species of Foraminifera (fossil and living) classified by examination of wall-structure of the test by polarized light, Wood 1108.

†Smaller foraminifera of the Pliocene and Miocene, Java, Boom-Gaart 110.

†Cretaceous and Tertiary foraminifera from the Polish Carpathians, BIEDA 102.

†Tertiary smaller foraminifera of the Dominican Republic, Bermédez 99.

†Foraminifera from the Eocene and Oligocene, Alabama, BANDY 60.

†New foraminifera from the Lower Cretaceous of Germany and England, Bartenstein & Brand 68.

†Oligocene foraminifera from Japan, Asano 45.

†Permian foraminifera, eastern Australia, CRESPIN 211.

Marine and brackish-water foraminifera Belgian coast, Cushman 218.

†Upper Cretaceous foraminifera of Arkansas, Cushman 219.

†Larger foraminifera from the Upper Eccene, Panama Canal Zone, Cole 191.

†Foraminifera from the Chacra Formation, Eocene, Peru, Cushman & Stone 224.

†Foraminifera from the Verdun Formation, Eccene, Peru, Cushman & Stone 225.

†Foraminifera of Aquitaine, France, CUVILLIER & SZAKALL 229.

†Eocene foraminifera of Louisiana, Hussey 474.

†Upper Cretaceous foraminifera from Holland, Hofker 458.

†Foraminifera from the Lower Cretaceous, Texas and Oklahoma, LOEBLICH & TAPPAN 575.

†Foraminifera from the Esna Shales, Egypt. [Lists including numerous nom. nud.], NAKKADY 676.

†Listed Pliocene foraminifera from Italy, MIRIGLIANO 650.

Foraminifera from Tomini Bay, Celebes, Neve 685.

†Oligocene and Miocene foraminifera, Venezuela, RENZ 814.

†Foraminifera from the Eocene of Somaliland, SILVESTRI 925.

†Cretaceous foraminifera, Somaliland, Silvestri 924.

†Known and new species of foraminifera from the Aquitanian of France, Sigal 921.

Listed foraminifera from the Greenand Sea, Ščedrin 862.

Foraminifera of the northern Red Sea, Said 847.

Foraminifera from the coast of Portugal, Sousa e Silva & Santos-Pinto 939.

†Foraminifera from the Jurassic of Württemberg, Germany, STRÖBEL 957.

†Foraminifera from the Jurassic and Cretaceous of Misol (Netherlands East Indies), VOGLER 1051.

Nomenclatural notes on Pullenia and Cibicides, Stainforth 942.

†New Trochamminidae and Verneuilinidae from the Middle East, Henson 440.

†Species of the genera Allomorphina and Quadrimorphina, fossil and recent, Cushman & Todd 227.

†Palmula, Flabellina and Falsopalumla gen. n., taxonomy of, Bartenstein 66.

†Acervoschwagerina subgen. n. of Paraschwagerina (q. v.).

†Acostina gen. n. (p. 152) (genotype Chrysalogonium pyramidale Acosta 1940) Upper Oligocene to Recent, BERMÚDEZ Contr. Cushman Lab. Foraminif. Spec. Pub. No. 25 1949 pp. 1–322 figs.

†Adelosina mariae var.n. konkensis [nom. nud.] River Fars sediments, Northern Caucasus, Russia, Bogdanovitch 108.

†Alabamina haitiensis sp.n. Lower Eocene, Haiti, BERMUDEZ 99; †A. scitula sp. n. Oligocene, Alabama, BANDY 60.

†Allomorphina conica sp. n. [for Bulimina (?) trochoides Cushman 1931 (non "Globigerina trochoides Reuss"), A. trochoides Cushman & Jarvis 1932 (non "G. t. Reuss"), Cushman 1946 (partim), Cushman & Renz 1946, and Eggerella (?) trocoides Cushman 1937 (partim) (non "G. t. Reuss"), Cushman 1946, Cushman & Renz 1946, 1947, Cushman 1948.] Cretaceous, Trinidad, Cushamn & Todd 227; †A. pacifica sp. n. [for A. trigona Brady 1879 (non Reuss), 1884, Egger 1893, Cushman 1914, 1921, 1924, Thalmann 1932, Cushman 1925 (1926), 1933 (two refs.), 1940, and Valvulineria aff. allomorphinoides Le Roy 1944] Pliocene to Recent, Pacific, Cushman & Todd 227.

†Alveolina somaliensis sp. n. Lower Eocene, Somaliland, Azzaroli 49.

†Ammobaculites obesum, viaensis spp. n. Upper Oligocene; A. yasicaensis sp. n. Middle Miocene, Dominican Republic, Bermúdez 99; †A. flariformis, pseudorostratus, yazooensis spp. n. Eccene; A. subagglutinaris sp. n. Oligocene, Alabama, BANDY 60; †A. yumotoensis sp. n. Oligocene, Japan, Asano 45; †A. euides, obliquus spp. n. [not fig'd.] Lower Cretaceous, Kansas, LOEBLICH & TAPPAN 576; †A. torosus, viriosus spp. n. Lower Cretaceous, Texas, Loeblich & Tappan 575; †A. [mis-spelled Ammoboculites] esnehensis sp. n. [nom. nud.] nudus var. n. [nom. nud.] Cretaceous or Paleocene, Egypt, NARRADY 676.

†Anmodiscus dominicensis sp. n. deformis var. n. Upper Oligocene, Dominican Republic, Bermúdez 99; †A. rotalarius sp. n. Lower Cretaceous, Oklahoma, LOEBLICH & TAPPAN 575.

†Ammomarginulina decorata sp. n. Eocene, Louisiana, Hussey 474; †A. loricata sp. n. Lower Cretaceous, Texas, Loeblich & Tappen 575.

†Amphistegina canaensis guraboensis spp. n. Middle Miocene; A. taberana sp. n. Middle Oligocene, Dominican Republic, BERMÉDEZ 99; A. radiata var. n. papillosa; A.r. var. venosa [for Nautilus venosus Fichtel & Moll 1798 and A. lessonii Brady 1884 (partim) (non d'Orb.)] Red Sea, Said 847; †A. (of Kossmat 1897) recognized to be Miscellanea, RAO 785.

†Angulogerina inflata sp. n. Eocene, Louisiana, Hussey 474; †A. azuana, delicatula spp. n. Lower Miocene; A. eximia var. n. quitacorazana Upper Oligocene; A. e. var. n. striatissima Upper Miocene; A. e. varr. n. sublaevigata, transitoria Middle Miocone; A. guazumalensis, subdecorissima spp. n. Upper Oligocene; A. multistriata sp. n. Middle Miocene, var. n. heterosculpta Upper Miocene; A. yaquensis sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99; †A. kokozuraensis sp. n. Miocene, Japan, Asano 44.

†Anomalina globosa, inversa spp. n. Upper Tertiary, Java, Boomgaart 110; †A. abuillotensis sp. n. Lower Eccene, Haiti, Bermúdez 99; †A. louxorensis, pseudoacuta spp. n. [nom. nud.]; A. scrobiculata var. n. esnehensis [nom. nud.] Paleocone or Cretaceous, Egypt, Nakkady 676; A. bradyi sp. n. [nom. n. for A. ammonoides Brady 1884 (non Reuss), Cushman 1921, 1931] Red Sea, Said 847.

†Arenobulimina jurassica sp. n. Jurassic, Poland, Cushamn & Glazewski 221.

†Articulina baitoensis, cibaoensis spp. n. Lower Miocene; A. dominicana, maoensis spp. n. Middle Miocene; A. incrassata sp. n. Middle Eocene, Dominican Republic, Bernúdez 99; †A. vermicularis sp. n. [nom. nud.] River Fars sediments, Northern Caucasus, Russia, Bogdanovitch 108; †A. oligocenica sp. n. oligocene, France, Cuvillier & Szakall 229.

†Astacolus complanatus sp. n. Eocene, Louisiana, Hussey 474.

†Asterigerina guraboensis sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99. †Asterigerinata gen. n. (p. 266) dominicana sp. n. (genotype) Middle Miocene, Dominican Republic, Ber-MúDez Contr. Cushman Lab. Foraminif. Spec. Pub. No. 25 1949 pp. 1-322 figs.

†Asterigerinella gen. n. (p. 148) gallowayi sp. n. (genotype) Eocene, Alabama, BANDY Bull. Amer. Paleont. Ithaca 32 (131) 1949 pp. 30-236.

†Austrotrillina gen. n. (p. 361) (genotype Trillina howchini Schlumberger 1893) Eocene, Australia, PARR J. Min. Geol. Dept. Mines, Victoria 2 (6) 1942 pp. 361-363 figs.

†Baggina dominicana sp. n. Middle Miocene, Dominican Republic, Ber-MÚDEZ 99.

†Bathysiphon abuillotensis, nodulosus spp. n. Lower Eocene, Haiti, Bermúnez 99.

†Bermudezina aminaensis, dominicana spp. n. Middle Miocene; B. maoensis sp. n. Lower Miocene, Dominican Republic, BERMÉDEZ 99.

†Biglobigerinella algeriana sp. n. Upper Senonian, Algeria, Dam & Sigal 239.

†Bitubulogenerina azuana sp. n. Lower Miocene, Dominican Republic, BERMCDEZ 99; B. breviata sp. n. Red Sea, SAID 847.

†Bolivina striata sp. n. Eocene, Louisiana, Hussey 474; †B. profunda, pseudogemma [for B. gemma Le Roy 1939 (non Cushman)], subspathulata spp. n.; B. robusta var. n. pacifica Upper Tertiary, BOOMAART 110; †B. car $\dagger B$. cancellata, gasparensis spp. n. Upper Oligocene; B. dohmi, cibaoensis spp. n. Middle Miocene, Dominican Republic, Ber-MÚDEZ 99; †B. denticulata, retifera, salebrosa spp.; B. striatella sp. n. [nom. n. for. B. jacksonensis striatella Cushman & Applin 1926] Eocene, Alabama, BANDY 60; †B. chehalisensis Rau sp. n. [nom. n. for B. astoriensis Rau 1948 (non Cushman & Stewart 1947)] Miocene, U.S.A., Anon. 15; †B. superba sp. n. Calabrian, Italy, Emiliani 293; †B. basisenta var. n. oregonensis Upper Eocene, Oregon, Cushman, STEWART & STEWART 222; †B.

insueta, ignara spp. n. Eocene, Peru, Cushman & Stone 224; †B. esnehensis, woodi spp. n. [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676; †B. thalmanni sp. n. Miocene, Venezuela, Renz 814; B. hebes var. n. suezensis Red Sea, Said 847.

†Bolivinita elegantissima sp. n. Upper Tertiary, Java, Boomgaart 110.

†Boreloides Cole and Bermudez, remarks on, Eocene, Cuba, REICHEL 805.

†Buccicrenata gen. n. (p. 252) [=Ammobaculites of Vanderpool 1933, and Lozo 1944 (partim); genotype Ammobaculites subgoodlandis Vanderpool] Lower Cretaceous Texas and Oklahoma, Loeblich & Tappan J. Paleont. Menasha Wis. 23 (3) 1949 pp. 245-266 figs.

†Bulimina evexa sp. n. [for B. nannina Tappan 1943 (non Tappan 1940)] Lower Cretaceous, Oklahoma, LOEBLICH & TAPPAN 575; $\dagger B$. rotunda sp. n. Eocene, Louisiana, Hussey 474; †B. dominicana sp. n. Upper and Middle Oligocene, Dominican Republic, BERMÚDEZ 99; †B. simplex var. n. comis Eocene, Alabama, BANDY 60; †B. elegans var. n. subspinosa; B. aseriata sp. n. pseudospinosa var. n.; B. pyrula var. n. pseudospinescens Calabrian, Italy, Emiliani 293; †B. punctatocostata sp. n.; B. (Desmobulimina) expansa sp. n. Eocene, Peru, Cush-MAN & STONE 224; †B. falconensis sp. n. [for B. buchiana Cushman & Ponton 1932 (non d'Orb.) and B. sculptilis Renz 1942 (non Cushman)] Oligocene, Venezuela, Renz 814.

†Buliminella panzawai sp. n. Miocene, Japan, Asano 44; †B. dominicana sp. n. Upper Oligocene, Dominican Republic, Bermúdez 99; †B. biformata, longicamerata spp. n. Eocene, Alabama, Bandy 60.

†Cadosina sublapidosa, lapidosa, radiata, heliosphaera, ingens spp. n. Cretaceous; C. fusca misolensis, misolensis spp. n. Jurassic, Misol, East Indies, Vogler 1051.

†Cadosinella gen. n. (p. 282) gracillimoides sp. n. (genotype) Cretaceous, Misol, East Indies, Vogler Paleontographica Stuttgart, Suppl. 4 (4) (4) 1941 pp. 243-314 figs. †Carpenterella gen. n. (p. 313) truncata sp. n. (genotype) Middle Oligocene, Haiti, Bermúdez Contr. Cushman Lab. Foraminif. Spec. Pub. No. 25 1949 pp. 1–322 figs.

†Cassidulina dominicana sp. n. Middle Oligocene, Dominican Republic, BERMÚDEZ 99; †C. alabamensis, armosa spp. n. Eocene, Alabama, BANDY 60; †C. diversa sp. n. Eocene, Peru, Cushman & Stone 224.

†Ceratobulimina (Caratocaneris) stellata sp. n. Eocene, Alabama, Bandy 60; †C. hanzawai sp. n. Miocene, Japan, Asano 44; †C. limbata sp. n. Eocene, Louisiana, Hussey 474;

†Chapmanina aegyptiensis (Chapman) of Silvestri genotype by substitution (non Patellina egyptiensis Chapman=genotype of Dictyoconus Blanckenhorn) = C. gaseinensis Silvestri, Frizzell 350.

†Chapmaninae subfam. n. (p. 482,) Eccene, Frizzell J. Paleont. Menasha, Wis. 23 (5) 1949 pp. 481-495 figs.

†Chilostomella, its species and related genera, Jurassic to Recent, Cushman & Todd 228; †Chilostomella primitiva sp. n. [for C. cf. ovoidea Cushman & Hedberg 1941 (non Reuss) and Cushman 1946, 1947] Upper Cretaceous, Venezuela and Colombia; C. trinitatensis sp. n. [for C. cf. ovoidea Cushman & Renz 1946 (non Reuss)] Upper Cretaceous, Trinidad, B. W. I.; C. mexicana var. n. chivana [for C. mexicana Cushman & Stone 1947 (non Nuttall)] Eocene, Peru; C. mediterranensis sp. n. Straits of Sicily, Cushman & Todd 228.

†Chrysalidinella papillata sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99.

†Chrysalogonium camellatum sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99.

Cibicides, gender of the genus in nomenclature, Stainforth 942; Cibicides mabahethi sp. n. Red Sea, SAID 847; †U. concentricus var. n. washingtonensis Pliocene, Western Washington, Cushman, Stewart & Stewart 223; †C. azuanus, barnetti, granulosus, hunteri spp. n. Middle

Oligocene; C. cana, minusculus, yaquensis spp. n. Upper Miocene, Dominican Republic; C. centralis. hispaniolae, micrus, richardsoni spp. n. Lower Eocene, Haiti; C. coryelli sp. n. [for C. floridanus Coryell & Rivero 1940 (non Cushman)], C. guraboensis, heminwayae spp. n. Middle Miocene; C. dohmi sp. n. Lower Miocene; C. dominicus, elegans, trincherasensis, yuguatensis spp. n., C. subtenuissimus var. n. quazumalensis Upper Oligocene, Dominican Republic, BERMUDEZ 99; †C. crassidiscus sp. n. [for C. ef. pseudowuellerstorfi Howe 1939 (non Cole) and Anomalina sp. Cushman & Todd 1942 (non fig. 11)]; C. floridanus var. n. dimutivus; C. mimulus, tallahattensis, truncatus spp. n.; C. pippeni var. n. stavensis; C. pseudoungerianus var. n. lisbonensis Eocene Alabama, BANDY 60; †C. glabratus, mammiformis, umbilicatus, discorbiniformis, mcguirti, submammiformis spp. n. Eocene, Louisiana, Hussey 474; †C. abudurbensis sp. n. [nom. nud.]; C. multifaria var. n. mellahensis [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676; †C. falconensis sp. n. Oligocene, Venezuela, Renz 814; †C. salsoensis sp. n. Oligocene, Italy, Petters & GANDOLFI 752.

†Cibicidina gen. n. (p. 121) walli (genotype), subminuens spp. n.; C. mauricensis var. n. subinvolula Eccene Alabama; genus to include Cibicides blanpiedi Toulmin, C. danvillensis Howe & Wallace, C. mauricensis Howe & Roberts, Anomalina mississippiensis Cushman [=Cibicides m. Ellisor 1933 (non fig. 7)], BANDY Bull. Amer. Paleont. Ithaca 32 (131) 1949 pp. 30-236.

†Clavulinoides minimus sp. n. Upper Tertiary, Java, Boomgaard 110; †C. dimidiatus sp. n. Lower Eocene, Haiti, Bermudez 99.

†Compressigerina gen. n. (p. 219) (genotype Uvigerina coartata D. K. Palmer) Oligocene to Recent, BERMÚDEZ Contr. Cushman Lab. Foraminif. Spec. Pub. No. 25 1949 pp. 1–322 figs.

†Cornuspira lisbonensis sp. n. Eccene, Alabama, Bandy 60.

†Crespinella gen. n. (p. 361) (genotype Operculina (?) umbonifera Howchin & Parr 1938) Miocene, Australia, PARR J. Min. Geol. Dept. Mines, Victoria, 2 (6) 1942 pp. 361–363 figs.

†Cuneolina dominicana sp. n. Upper Oligocene, Dominican Republic, Bermédez 99; †.C pavonia var.n. parva; C. cylindrica sp. n. Cretaceous, Middle East, Henson 440.

†Cyclammina gasparensis sp.n. Upper Oligocene, Dominican Republic, BERMUDEZ 99.

Cymbalopora tabagoensis sp. n. associated with plants, West Indies, Brönnimann 126.

†Daixima gen. n. (p. 252) ruzhencevi sp. n. (genotype) Upper Carboniferous, Urals, Russia, Rozovskaja C.R.Acad.Sci. Moscow, N.S. 69 (2) 1949 pp. 249–252 fig.

†Darbyella miocenica sp. n. Miocene, France, Cuvillier & Szakall 229.

†Daxia gen. n. (p. 8) cenomana (genotype), orbignyi spp. n. Cretaceous, France CUVILLIER & SZAKALL Foraminifères d'Aquitaine. Pt. I. Toulouse 1949 112 pp. figs.

†Dentalina cucumis sp. n. Lower Cretaceous, Oklahoma, Loeblich & Tappan 575; †D. excentrica sp. n. Upper Tertiary, Java, Boomgaart 110; †D. cocoaensis var. n. crucifera [for D. c. Cushman 1935 (non Cushman 1925)]; D. cooperensis var. n. nonapicalis Eocene, Alabama, Bandy 60; †D. grayi sp. n. Permian, Australia, Crespin 211; †D. paradoxa, globata, acinacoides spp. n. Eocene, Louisiana, Hussey 474.

†Dentostomina guraboensis sp. n. Middle Miocene, Dominican Rebpulic, Bermúdez 99.

†Dictyoconoides cooki [=Conulites cooki Carter 1861], restatement of species, Eocene, India, Gill 389.

†Dicyclina qatarensis sp. n. Cretaceous, Middle East, Henson 440.

†Dimorphina danvillensis var. n. subtenuis [for Dentalina basitorta Bergquist 1942 (non Cushman)] Eocene, Alabama, Bandy 60.

†Discorbis baitoensis, cercadensis spp. n. Lower Miocene; D. debilis sp. n. Middle Oligocene; D. hoffi sp. n. Upper Miocene; D. maoensis sp. n. Middle Miocene, Dominican Republic, Bermítdez 99; †D. alveatus var. n. stavensis; D. tallahattensis sp. n. subnitens var. n. Eocene, Alabama, Bandy 60; †D. parva, petalina spp. n. Eocene, Louisiana, Hussey 474; †D. floscula sp. n. Lower Cretaceous, Oklahoma, Loeblich & Tappan 575; †D. pseudoscopos sp. n. [nom. nud.] duwi var. n. [nom. nud.] Paleocene or Cretaceous, Segypt, Nakkady 676; D. pellucidus, suezensis spp. n. Red Sea, Salo 847.

†Discorbitura gen. n. (p. 129) dignata sp. n. (genotype) Oligocene, Alabama, BANDY, Bull. Amer. Paleont. Ithaca 32 (131) 1949 pp. 30–236.

†Doliolina termieri var. n. transcaucasia Permian, Transcaucasia, Miklucho-Maklaj & Ejnor 645.

†Dorothra heteroclita sp. n. Eocene, Alabama, Bandy 60; †D. rotundata sp. n. Upper Tertiary, Java, Boomgaart 110; †D. centralis sp. n. Lower Eocene, Haiti; D. colomi sp. n. Middle Miocene; D. debilis sp. n. Upper Oligocene, Dominican Republic; D. tenuis sp. n. Lower Eocene, Haiti; D. vaguatensis sp. n. Upper Oligocene, Dominican Republic, Bermúdez 99.

†Dukhania gen. n. (p. 614) conica (genetype), arabica spp. n. Cretaceous, Middle East, Henson, Ann. Mag. nat. Hist (11) 14 1949 pp. 605–630 figs.

†Dunbarinella huantensis, mantaroensis spp. n. Permian, Peru, Roberts 827.

†Dyocibicides maoensis sp. n. Middle Miocene, Dominican Republic, Bermúdez 99.

†Ehrenbergina amina sp. n. Middle Mocene; E. falcata, pineyroi spp. n. Upper Oligocene Dominican Republic, Bermudez 99.

†Ellipsolagena alabamensis sp. n. Eocene, Alabama, Bandy 60.

†Elphidium cercadense sp. n. Lower Miocene; E. delicatulum, dominicense spp. n. Upper Miocene; E. guraboense sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99; †E. asagaiense, yumotoense spp. n. Oligacene, Japan, Asano 45,

†Entosolenia vasiformis sp. n. Eocene, Louisiana, Hussey 474; †E. submarginata sp. n. [nom. n. for Vermiculum marginatum Montagu 1803, Lagena marginata Brady 1884, Cushman 1913, 1921 & 1932 (non Walker & Boys)]; E. orbignyana var. n. semicarinata; E. iota sp. n. Upper Tertiary, Java, Boomgaart 110.

†Eoeponidella gen. n. (p. 81) linki sp. n. (genotype), Upper Cretaceous, Canada, Wickenden, Trans. Roy. Soc. Canada (3) 42 (4) 1948 pp. 81-82 figs.

†Eouvigerina aegyptiaca sp. n. [nom. nud.] Paleocene or Cretaceous, Egypt, NAKKADY 676.

Epistomaria punctata sp. n. Red Sea, Said 847; †E. dominicana sp. n. Lower Miocene, Dominican Republic, Bermúdez 99.

†Epistomina Terquem, revue of genus; new inclusions, Truncatulina favosoides Egger; Discorbis ripleyensis Berry [=E. caracolla Cushman 1946 (non Roemer) (partin) and E. fax Nauss]; E. supracretacea sp. n. . [nom. n. for E. caracolla Franke 1925 (non Roemer), E. elegans Cushman 1927 (non d'Orb.), E. partschiana Franke 1928 (non d'Orb.), E. caracolla Cushman and Church 1929 (non Roemer), E. c. Cushman 1931 (non Roemer), E. c. Loetterie 1937 (non Roemer), E.c. Cushman & Hedberg 1941 (non Roemer), E. c. Cushman & Todd 1943 (non Roemer), E. c. Cushman 1946 (non Roemer)] Upper Cretaceous Texas; Rotalia carpenteri Reurs; E. chapmani sp. n. [nom. n. for Rotalia elegans Jones and Parker 1860 (non d'Orb.), Pulvinulina caracolla Chapman 1898 (non Roemer). P. elegans Chapman 1898 (non d'Orb.) E. elegans Eichenberg 1933 (non d'Orb.) (partim); E. reticulata var. n. suturalis, Lower Albian, France, Dam 235; †E. chromata sp. n. Eocene, Louisiana, Hussey 474.

†Eponidella palmerae sp. n. Upper Miocene, Dominican Republic, Bermédez 99.

Eponides Montfort 1808 (genotype Nautilus repandus Fichtel and Moll), discussion on the nomenclature of the genus, REDMOND 797; †Eponides

badjonegoroensis, conicus, sinuosis spp. n. Upper Tertiary, Java, Boomgaart 110; †E. abuillotensis, Kirki spp. n. Lower Eccene, Haiti; E. jaumei sp. n. Upper Miocene; E. petricosa sp. n. Middle Eccene, Dominican Republic, Bermédez 99; †E. lisbonensis sp. n. Eccene, Alabama, Bandy 60; †E. simplex sp. n. Eccene, Louisiana, Hussey 474; †E. abatissae var. n. multicameratus Oligocene, Italy, Petters & Gandolff 752.

†Falsoguttulina gen. n. (p. 671) wolburgi sp. n. (genotype) Lower Cretaceous, Germany, Bartenstein & Brand J. Paleont. Menasha, Wis. 23 (6) 1949 pp. 669-672 figs.

†Falsopalmula gen. n. (p. 124) (genotype F. tenuistriata (Franke 1936)) [for Flabellina d'Orb. (partim) and Palmula Lea (partim)] [genus also includes Palmula simplex Cushman 1938] Mesozoic, Bartenstein Senckenbergiana, 30 (4-6) 1949 pp. 119–137 figs.

†Ferayina gen. n. (p. 482) coralliformis (genotype) Eocene, Texas; F. peruviana sp. n. Eocene, Peru, FRIZZELL J. Paleont. Menasha Wis. 23 (5) 1949 pp. 481–495 figs.

†Fissurina crassicarinata sp. n. Eocene, Alabama, BANDY 60.

†Flintina azuana, cercadensis spp. n. Lower Miocene, Dominican Republic, BERMÚDEZ 99; †F. serratula, variolaria spp. n. Oligecene, France, CUVILLIER & SZAKALL 229.

†Flosculinella reicheli sp. n. Tertiary, Borneo, Mohler 654.

†Frondicularia hunteri sp.n. Middle & Upper Oligocene; F. moscosi sp. n. Upper Oligocene; F. ollssoni, yaguutensis sp. n. Upper Miocene; F. yaguensis sp. n. Upper Miocene; Dominican Republic, Berméddez 99; †F. parri sp. n. Permian, Australia, Crespin 211; †F. capitana sp. n. Eocene, Peru, Cushman & Stone 244; †F. elegantissima sp. n. Eocene, Louisiana, Hussey 474; †F. esnehensis sp. n. [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676.

†Fusarchaias gen. n. [nom. nud.] (p. 148) bermudezi (genotype) sp. n. [nom. nud.] [description to appear in Ecl. geol. helv.] Oligo-miocene, Cuba, REICHEL Verh. Schweiz. naturf. Ges. 129 1949 p. 148.

†Fusiella granum-oryzae sp. n. Upper Carboniferous, Urals, Russia, GROSDILOVA 411.

†Fusulina deprati sp. n. Permian Japan, Ozawa 720.

†Fusulinidae, on the nomenclature of, Kahler & Kahler 507; †Fusulinidae of the Upper Palaeozoic, Peru, Roberts 827; †Fusulinidae from Limestone conglomerates in Japan, Toriyama 1014; †Fusulinids, Permian, from Timor, Thompson 1002; †Fusulinids of Siam, Toriyama 1015.

†Gaudryina abuillotensis Lower Eccene; G. longa sp. n. Middle Oligocene; G. modica sp. n. Lower Eocene, Haiti, BERMÚDEZ 99; †G. vadaszi sp. n. [for G. textilaroides Vadasz 1911 (non Hantken); G. althi, bukowiensis, jurassica spp. n. Jurassic, Poland, Cushman & GLAZEWSKI 221; †G. pliocenica sp. n. Western Washington. Pliocene, Cushman, Stewart & Stewart 223 †G. stavensis sp. n. Oligocene, Alabama, BANDY 60; †G. soldadonensis carus-dulais verneuilina loukorensis [nom. nud.] Cretaceous or Paleocone, Egypt, NAKKADY 676. †Gaudryinella pseudoserrata var. n. extensa Upper Cretaceous, Arkansas, CUSHMAN 219.

†Glandulina simplex sp. n. Eocene, Louisiana, Hussey 474.

†Globigerina increbescens, spimiloinflata spp. n.; G. ouachitaensis var. n. senilis; G. rotundata var. n. jacksonensis Eocene, Alabama, Bandy 60; †G. cretacea var. n. esnehensis [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676.

†Globigerinella pseudovoluta sp. n. Eocene, Alabama, BANDY 60.

†Globigerinoides pseudodubia sp. n. Eocene, Alabama, BANDY 60.

†Globoquadrina quadraria var. n. advena Middle Miocene, Dominican Republic, BERMÉDEZ 99.

Globorotalia s.s. proposed as subgenus of Globorotalia (subgenotype Pulvinulina menardii var. tumida), Cushman & Bermúdez 220; †Globorotalia capdevilensis sp. n. Lower Eocene

Cuba; G. albeari sp. n. Paleocene, Cuba, Cushman & Bermúdez 220; †G. cibaoensis sp. n. Upper Miocene; G. lobata sp. n. Upper Oligocene, Dominican Republic, Bermúdez 99; †G. inflata, perforataminuta spp. n. Eocene, Louisiana, Hussey 474.

†Globorotalites Brotzen, review of genus; newly included Gyroidina alabamensis Sandige, Globorotalia kochi Pijpers, Rotalia micheliniana d'Orb., Globorotalia subconica Morrow, G. umbilata Loetterle and spp. 1, 2 and 3 (see p. 226), Cretaceous and Eocene, DAM & MAGNÉ 238.

†Globotruncana in North Italy, CITA 174; †Globotruncana aegyptiaca sp. n. [nom. nud.] duwi var. n. [nom. nud.]; G. arca var. n. esnehensis [nom. nud.]; G. pseudocretacea sp. n. nom. nud. | Paleocene or Cretaceous, Egypt, NAKKADY 676; †G. benacensis sp. n. Cretaceous, Italy, CITA 174; †G. linnei bulloides subsp. n. nom. n. for Rosalina linnei type 3 de Lapparent 1918, and ? Globotruncana furnicata H. J. Plummer 1931]; G. linnei pendens subsp. n. [for ?Pulvinulina tricarinata Quereau 1893; Rosalina linnei type 5 de Lapparent 1918, ? Pulvinulina velascoensis Cushman 1925, ? Globotrotalia velascoensis Cushman 1931, ? Globotruncana arca Cushman (partim) holotype of G. rosetta (Carsey) H. J. Plummer 1931, ? G. arca (Cushman) Cushman & Jarvis 1932, and ? Globorotalia velascoensis (Cushman) Cushman & Jarvis 1932 | G. linnei stuarti subsp. n. Cretaceous, Misol, East India, Vogler 1051.

†Goësella guraboensis sp. n. Middle Miocene; G. trincherasensis sp. n. Upper Oligocene, Dominican Republic, Bermúdez 99.

†Gonatosphaera inflata sp. n. Upper Oligocene, Dominican Republic, Bermédez 99.

†Gublerina gen. n. (p. 26) cuvillieri sp. n. (genotype) Upper Cretaceous, France, Kikoïne, Bull. Soc. géol. Fr. (5) 18 (1-3) 1948 pp. 15-35.

†Gümbelina striata var. n. deformis Upper Cretaceous, France, Kikoïne 517; †G. multicellaris sp. n. Eocene, Louisiana, Hussey 474; †G. striata var. n. compressa [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676.

†Gümbelitria stavensis sp. n. Eocene, Alabama, BANDY 60.

†Guttulina stavensis sp. n. Eocene, Alabama, Bandy 60; †G. symploca sp. n. Lower Cretaceous, Oklahoma, Loeblich & Tappan 575; †G. obscura, magna spp. n. Eocene, Louisiana, Hussey 474.

† Gypsina, review of the genus and its species, Eocene to Recent, Dunard 278.

†Gyroidina basicrassata sp. n. Middle Miocene; G. cibaoensis sp. n. [for G. laevis Coryell & Rivero 1940 (non d'Orb.)] Upper Miocene; G. mauryae sp. n. Upper Oligocene, var. n. cristobalensis Middle Oligocene, Dominican Republic; G. pudica sp. n. Lower Eccene, Haiti; G. trincherasensis sp. n. Upper Oligocene, Bermúdez 99; †G. obesa sp. n. Eocene, Alabama, Bandy 60; †G. cushmani sp. n.; G. neosoldanii var. n. acuta, pequena Upper Tertiary, Java, Boomgaart 110; †G. scita sp. n. Eocene, Peru, Cushman & STONE 224; †G. limbata sp. n. Eccene, Louisiana, Hussey 474; †G. flavescens var. n. mellahensis [nom. nud.] Paleocene or Cretaceous, Egypt, NAKKADY 676.

†Gyroidinoides venezuelana sp. n. Miocene, Venezuela, Renz 814.

†Hagenowella paleocenica sp. n. Paleocene, Netherlands, Hofker 457.

†Hantkenina in the Eocene, Indo-Pacific region, Thalmann 993.

†Hanzawaia tagaensis sp. n. Miocene, Japan, Asano 44.

†Haplophragmoides tallahattensis sp. n. Eocene, Alabama, BANDY 60; †H. albus, bulloides, giganteus, inornatus [for H. sp. Le Roy 1944], reticulatus spp. n.; H. canariensis var. n. acutus Upper Tertiary, Java, BOOMGAART 110; †H. complanata sp. n. Eocene, Louisiana, HUSSEY 474.

†Haplostiche trigona sp. n. Upper Cretaceous, Holland, Hofker 458.

†Hectina gen. n. (p. 669) [for Hauerina Reuss 1863 (non d'Orb. 1839)] praeantiqua sp. n. (genotype); genus to include Hauerina antiqua Reuss 1863, Lower Cretaceous, Europe, Bartenstein & Brand J. Paleont. Menasha Wis. 23 (6) 1949 pp. 669-672.

†Hellenocyclina gen. n. (p. 140) beotica sp. n. (genotype) Upper Cretaceous, Switzerland, REICHEL Verh. Schweiz, naturf. Ges. 129 1949 p. 140.

†Heterohelicidae from the Upper Cretaceous, Northern, Pyrenees, KIKOÏNE 517.

†Heterostegina cubana sp. n. Eocene, Cuba, Cizancourt 177.

†Histopomphus gen. n. (p. 262) (genotype Globulina redriverensis Tappan) [includes Polymorphina Chapman 1892 (partim) (non d'Orb.), Ramulina Chapman 1896 (partim) (non Rupert Jones), Vitrivebbina Tappan 1940, 1943 (partim) (non Quenstedt), Globulina Tappan 1943 (partim) (non d'Orb.); other species H. cervicornis (Chapman) (=Polymorphina orbignyii Zborzewski var. cervicornis Chapman] Lower Cretaceous, Oklahoma, Loeblich & Tappan, J. Paleont. Menasha Wis. 23 (3) 1949 pp. 245-266 figs.

†Höglundia Brotzen to include Rotalia (Turbinulina) elegans d'Orb. (=Epistonina elegans Cushman 1931), and Epistomina eocenica Cushman & Hanna, Bermuddez 99.

†Jigulites subgen. n. (p. 1637) (type Triticites jigulensis), Upper Carboniferous, ROZOVSKAJA C.R. Acad. Sci. U.S.S.R. (N.S.) **59** 1948 pp. 1635–1638 figs.

†Karreria, observations on the genus, Dam 234.

†Karreriella proxima sp. n. Upper Miocene; K. p. var. n. palmaritoensis, K. subcylindrica var. n. nana Upper Oligocene, Dominican Republic, Bermúdez 99.

†Kelyphistoma siphoninaeformis sp. n. Aquitanian, France, SIGAL 921.

†Kurnubia gen. n. (p. 608) palastiniensis (genotype) sp. n. Jurassic, Palestine, Henson, Ann. Mag. nat. Hist. (11) 14 1948 pp. 605-630 figs.

†Lagena elliptica sp. n.; L. laevis var. n. stavensis; L. onachitaensis var. n. alabamensis; L. sulcata var. n. spirata Eocene; L. humerifera, wallacei [for L. sp. (B) Howe & Wallace 1932, and Bergquist 1942] spp. n. Oligocene, Alabama, Bandy 60; †L. parvulipora sp. n. [nom. n. for L. elliptica Bandy 1949 preocc. L. apiculata (Reuss) var. elliptica Reuss 1862 by L. orbignyana (Sequenza) var. elliptica Cushman [1923], Bandy 62; †L. dominicana sp. n. Upper Oligocene; L. horquetensis sp. n. Middle Oligocene, Dominican Republic, Bermódez 99; †Lagenonodosaria nebulosa sp. n. Pliocene, Japan, Ishizaki 482; †L. fukushimaensis sp.n. Miocene, Japan, Asano 44.

†Lamarckina guraboensis sp. n. Middle Miocene, Dominican Republic Bermédez 99; †L. biconvexa sp. n. Eocene, Alabama, Bandy 60; †L. claibornensis var. n. gemmulata Eocene, Louisiana, Hussey 474.

†Lenticulina cibaoensis sp. n. [for Hemicristellaria fragaria Galloway & Hemingway 1941 (non Gümbel)] Middle Miocene; L. cristobalensis, yaguatensis spp. n. Middle Oligocene; L. guraboensis sp. n. Middle Miocene, Dominican Republic, BERMÓDEZ 991; †L. fukushimaensis sp. n. Oligocene, Japan, Asano 45; L. (Lenticulites) rotulata, remarks on, Thalmann 994.

†Lepidocyclina (Eulepidina) formosoides var. n. asimmetrica Tertiary, Italy, Marchesini 614; †L. (Multilepidina) wanneri sp. n. Neogene, Java, Abeele 21; †L. (Nephrolepidina) tournoueri var. n. umbonata [nom. n. for L. negri Ferrero 1909 (partim) (fig. 6 only), L. negrii (Ferrero) Checclia Rispoli 1918 and Nephrol. tournoueri Gomez Llueca 1929 (partim) (non Lemoine & Douvillé)], Marchesini 614; †L. (Nephrolepidina) makiyamai sp. n. Miocene, Japan, Morishima 664; †Lepidocyclina in Italy, Marchesini 614; †Lepidocyclinae of Java, Abeele 21.

†Liebusella baitoensis sp. n. Middle Miocene, Dominican Republic, Ber-MÚDEZ 99.

†Linderina bihilensis, nuttalli [for L. sp. Newton & Holland 1899,

and L. sp. L. M. Davies 1927, and L. buranensis Nuttall 1931 (partim)] spp. n. Eocene, Somaliland, SILVESTRI 925.

†Lingulina subcrassa sp. n. Eocene, Alabama, Bandy 60.

†Listerella minuta sp. n. Eocene, Louisiana, Hussey 474.

†Lituola podolica, siemiradzkii, compressa spp. n. Jurassic, Poland, Cushman & Glazewski 221.

†Loxostoma karrerianum (Brady) var. n. javanese Upper Tertiary, Java, BOOMGAART 110; †L. [mis-spelled Laxostoma] applini var. n. aegypticea [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676.

†Loxostomum baculum, serrula spp. n. Eocene, Alabama, Bandy 60; L. limbatum var.n. robustum, Red Sea, Said 847.

†Marginulina abuillotensis sp. n. Lower Eocene; M. crepidula [for Nautilus crepidula Fichtel & Moll 1803, Cristellaria crepidula d'Orb. 1839 et syn, and Astacolus crepidula D. K. Palmer 1945], crepiduli-formis, longicollis, yaguatensis spp. n. Upper Oligocene; M. dominicana sp. n. Middle Oligocene; M. hispaniolana, tenuistriata spp. n. Middle Miocene, Dominican Republic, Bermúdez 99; †M. crossota, digitalis, hantkeni [nom. n for M. subbullaba Hantken 1875 (non M. s. Gümbel 1861)], stavensis spp. n. Eocene, Alabama, BANDY 60: $\dagger M.$ nonconforma, anconoides, darbyella, inconspicua, producta, striatoglabrata, inornata, bulbosa spp. n. Eccene, Louisiana, Hussey 474; †M. wetherellii varr. n. intercestata, longicistata [nom. nud.] Paleocene or Cretaceous, Egypt, NAKKADY 676.

Massilina misrensis sp. n. Red Sea, SAID 847; †M. yazooensis sp. n. Eocene, Alabama, BANDY 60.

†Matanzia cibaoensis, incrassata spp. n. Upper Miocene, Dominican Republic; M. miocenica sp. n. [for Textulariella miocenica Cushman 1936, 1937, Renz 1948] Oligocene, Venezuela and Dominican Republic; M. proxima sp. n. Middle Oligocene, Dominican Republic, BERMÚDEZ 99. †Miliolina andrussovi sp. n. [nom. nud.] River Fais sediments, Northern Caucasus, Russia, Bogdanovitch 108.

†Montiparus subgen. n. (p. 1637) (subgenotype Triticites montiparus (Ehr.)) Upper Carboniferons, Rozov-SKAJA C.R. Acad. Sci. U.S.S.R. (N.S.) 59 (9) 1948 pp. 1635–1638 figs.

Nautilus beccarii Linné [=Rotalia beccarii], nomenclature and generic position, FRIZZELL & KEEN 352.

†Neogyroidina gen. n. (p. 255) (genotype Gyroidina protea Cushman & Bermúdez) Tertiary; also included in genus are G. elongata Cushman & Bermúdez and G. nassauensis Cole, BERMÚDEZ Contr. Cushman Lab. Foraminif. Spec. Pub. No. 25 1949 pp. 1–322 figs.

†Nodobacularia turbiformis sp. n. Oligocene, France, Cuvillier & SZAKALL 229.

†Nodogenerina aperturata, javana, spp. n.; N. pacifica spp. n. [nom. n. for N. insecta Cushman 1921, Le Roy 1941 & 1944 (non Schwager)]; N. scalaris varr. n. simplex, spinifera, quadrata Upper Tertiary, Java, Boomgaart 110; †N. aminaensis sp. n. Middle Miocene; N. heterosculpta sp. n. Oligocene; N. laevigata, trincherasensis spp. n. Upper Oligocene, Dominican Republic, Berméddez 99.

†Nodosarella annulospinosa sp. n. Eocene, Alabama, Bandy 60; †N. hologlypta sp. n. Middle Oligocene, Dominican Republic; genus also to include Ellipsonodosaria decurta Bermúdez, Bermúdez 99; †N. elongata sp. n. Eocene, Louisiana, Hussey 474.

†Nodosaria maoensis sp. n. Middle Miocene, Dominican Republic, Bernúdez 99; †N. pyriformis, selenoides, delicata spp. n. Eocene, Louisiana, Hussey 474; †N. kokozuraensis sp. n. Miocene, Japan, Asano 44; †N. springsurensis, serocoldensis spp. n. Permian, Australia, Crespin 211; †N. bradyi sp. n. [nom. n. for N. raphanus Brady 1884 (non Linn.)] Upper Tertiary, Java, Boomgaart 110; †N. ithystoecha, rigentia spp. n. Lower Cretaceous, Texas, Loeblich & Tappan 575;

†N. misolensis sp. n. Cretaceous, Misol, East Indies, Vogler 1051.

†Nonion nakosoense sp. n. Miocene, Japan, Asano 44; †N. rolshauseni, stavensis, tallahattensis spp. n. Eocene, Alabama, Bandy 60.

†Nonionella jacksonensis var. n. spiralis; N. longicamerata sp. n. Eocene, Alabama, Bandy 60; †N. mariannae sp. n. Upper Tertiary, Java. Boomgaart 110.

†Nummulites (Nummulites) dorotheae, ruttenis spp. n. Eocene, Cuba, CIZANCOURT 177.

†Nummulitidae from the Eocene, Cuba, Cizancourt 177.

†Nummulostegina, on the genus, Kahler 505.

†Olssonina gen. n (p. 99) cribrosa sp. n. (genotype) Middle Eocene, Dominican Republic, BERMÚDEZ Contr. Cushman Lab. Foraminif. Spec. Pub. No. 25, 1949 pp. 1–322 figs.

†*Oolina spherica* **sp. n.** Eocene, Alabama, BANDY **60**.

†Orbitoides (of Kossmat 1897) recognized to be Discocyclina, RAO 785.

†Orbitolina discoidea var. n. delicata (p. 54) Lower Cretaceous, Arabia, HENSON Monog. Brit. Mus. London 1948 127 pp. figs. [Omitted from Z.R. (2) lxxxv: 484.]

†Orthophragmina varians var. n. obesa Eocene, Somaliland, Silvestri 925.

†Paleopolymorphina eocaenica sp. n. Eocene, Louisiana, Hussey 474.

†Palmula borroi, dominicana, longiforma spp. n. Middle Miocene;
P. borroi var. n. tenuistriata. Upper
Miocene; P. elongata sp. n. Upper
Oligocene, Dominican Republic,
BERMÚDEZ 99; †P. decorata sp. n.
Eocene, Louisiana, HUSSEY 474; †P.
wordi sp. n. [nom. nud.] undulata
var. n. [nom. nud.] Paleocene or
Cretaceons, Egypt, NAKKADY 676.

†Parafrondicularia javana sp. n. Upper Tertiary, Java, Boomgaart 110.

†Parafusulina durhami, nancei, trumpyi spp. n. Permian, Maracaibo basin, Thompson & Miller 1003; †P. peruana, kummeli spp. n. Permian, Peru, Roberts 827. †Paraschwagerina (Acervoschwagerina subgen. n. (p. 207) endoi sp. n. (subgenotype) Lower Permian, Japan, Hanzawa J. Paleont. 23 (2) 1949 pp. 205–209 figs.; †Paraschwagerina baschkirica, renicides, tumidofusieides spp. n. Upper Carboniferons, Urals, Russia, Grosdilova 411.

†Parrella dominicana sp. n. Middle Oligocene, Dominican Republic, Bermúdez 99.

†Pavoninoides gen. n. (p. 58) panamensis sp. n. Oligocene, Panama, Bermúdez Contr. Cushman Lab. Foraminif. Sharon, Mass. 25 (3) 1949 p. 58 fig.

†Peneroplis senoniensis sp. n. Upper Cretaceons, Holland, HOFKER 458.

†Pfenderina gen. n. (p. 609) (genotype Eorupertia neocomiensis Pfender) Mesozoic, Middle East, HENSON Ann. Mag. nat. Hist. (11) 14 1948 pp. 605-630 figs.

†Planorbulina dominicana sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99; P. mabahethi sp. n. Red Sea, SAID 847.

†Planularia caribbeana sp. n. nom.
n. for P. cushmani D. K. Palmer
1940 (non Kleinpell) and Keijzer
1945, and Planularia sp. (?) Cushman
1930, and Cushman and Cahill 933]
Upper Oligocene; P. dominicana
sp. n. Middle Miocene; P. gasparensis
trinae spp. n. Upper Oligecene,
Dominican Republic, Bermudez 99;
†P. stavensis, lanceolata spp. n.
Eocene, Alabama, Bandy 60; †P.
leroyi sp. n. [for P. sp. LeRoy 1941]
Upper Tertiary, Java, Boomgaart
110; †P. parva sp. n. Eocene,
Louisiana, Hussey 474.

†Planulina gardesana sp. n. Cretaceous, Italy, Cita 173; †P. subinflata sp. n. Oligocene, Alabama, Bandy 60.

†Planulinella gen. n. (p. 158) escornebovensis sp. n. (genotype) var. n. obesa; includes also Planulina alavensis Palmer, Aquitanian, France, SIGAL 921.

†Plectina robusta, regularis spp. n. Eocene, Louisiana, Hussey 474.

†Plectofrondicularia vokesi sp. n. Upper Eocene, Oregon, Cushman, Stewart & Stewart 222; †P. keijzeri sp. n. Middle Oligocene, Dominican Republic, BERMÚDEZ 99.

†Pleurostomella schuberti var. n. dominicana Upper Miocene, Dominican Republic, Bermédez 99.

†Polydiexodina persica varr. n. einori, minor Permian, Transcaucasia, Miklucho-Maklej & Ejnor 645.

†Polymorphina liosoma sp. n. Eccene, Alabama, BANDY 60.

†Praealveolina cucumoides sp. n. Cretaceous, Somaliland, SILVESTRI 924

†Preverina gen. n. (p. 489) (genotype Chapmanina galea Silvestri) Neogene, Italy, FRIZZELL J. Paleont. Menasha, Wisc. 23 (5) 1949 pp. 481–495 figs.

†Profusulinella manuensis sp. n. Carboniferons, Peru, Roberts 827.

†Protriticites pseudoumboplicatus Tschernova [nom. nud.] Carboniferons, Stalingrad district, Russia, SAVINOV 860.

†Pseudochrysalidina dominicana sp. n. Middle Eocene, Dominican Republic, Bermúdez 99.

†Pseudoclavulina dominicana sp. n. Upper Oligocene, Dominican Republic, BERMUDEZ 99; †P. distincta sp. n. [and unnamed var.] Upper Tertiary, Java, BOOMGAART 110.

†Pseudocyclammina bukowiensis, rogalai spp. n. Jurassic, Poland, Cushman & Glazewski 221.

†Pseudofusulina rasuvilcensis, andina, meloformata spp. n. Permian, Peru, Roberts 827.

†Pseudogaudryina ishikiensis sp. n. Miocene, Japan, Asano 44.

†Pseudoglandulina fortis sp. n. Upper Oligocene; P. obsoleta sp. n. Middle Miocene; P. spinosa sp. n. Middle Oligocene; P. tenuistriata sp. n. Upper Miocene, Dominican Republic, BERMÚDEZ 99.

†Psedonodosaria gen. n. (p. 81) (genotype Glandulina discreta Reuss) BOOMGAART Smaller foraminifera from Bodjonegoro (Java). Utrecht, 1949 175 pp. figs.

†Pseudonubeculina gen. n. (p. 670) [for Nubecularra Chapman 1891 (non Defrance 1825); genotype N. nodulosa Chapman] Lower Cretaceous, Europe, Bartenstein & Brand J. Paleont, Menasha, Wis. 23 (6) 1949 pp. 669-672 figs.

†Pseudoparrella japonica sp. n. Miocene, Japan, Asano 44.

†Pseudopolymorphina plectilis sp. n. Lower Cretaceous, Oklahoma, Loeblich & Tappan 575.

†Pseudoschwagerina taiensis sp. n. Permian, Siam, Toriyama 1015; †P. ayacuchensis, braggii, vilcanotensis spp. n. Permian, Peru, Roberts 827; †P. alpina, citriformis, elegans, lata spp. n. Permian, Eastern Alps, Kahler & Kahler 506; †P. dallmusi sp. n. Permian, Maracaibo basin, Thompson & Miller 1003.

†Pullenia quinqueloba var. n. aplata Eocene, Alabama, Bandy 60; P. duplicata sp. n. [nom. n. for P. compressiascula auct. (non Reuss 1866=Nonionina quinqueloba Reuss 1851)], STAINFORTH 942.

†Pulvinalinella bella sp. n. Eccene, Louisiana, Hussey 474.

†Pyrgo subalata sp. n. Eocene and Oligocene, France, Cuvillier & Szakall 229.

†Quadratina euthemon sp. n. Lower Cretaceous, Oklahoma, Loeblich & Tappan 575.

†Quinqueloculina yaguatensis sp. n. Middle, Oligocene, Dominican Republic, BERMÚDEZ 99; †Q. constans sp. n. Eocene, Alabama, Bandy 60; †Q. gibbaos, subgibbosa, amygoulata, acuta, striaturata, parvatriangularis, fragilissima spp. n. Eocene, Louisiana, Hussey 474; Q. anguina var. n. [nom. n. for Miliolina arenata anguina Terquem var. agglutinans Wiesner fide Heron-Allen & Earland 1915, and Q. a. var. agglutinans Cushman 1924, 1932 preocc. Q. agglutinans d'Orb.]; Q. mosharraft, multimarginata spp. n. Red Sea, SAID 847.

†Ramulina globulifera var. n. pulchra Middle Miocene; R. polita sp. n. Upper Miocene, Dominican Republic, Bermuddez 99; †R. muricatina sp. n. [for R. aculeata Wright, Chapman 1896 (partim) (non Dentalina aculeata d'Orb. 1840. non

Ramulina aculeata d'Orb., Wright 1886); R. a. Wright, Eichenberg 1933 (partim), Tappan 1943 (partim), Brotzen 1936, Marie 1941] Lower Cretaceous, Oklahoma, LOEBLICH & TAPPAN 575.

†Raphanulina Zborzewski 1834 is incorrectly called Globulina by most authors, although Zborzewski's name is valid and was published five years before that of d'Orbigny's; genus to include Globulina gibba d'Orb., G. inaequalis Reuss and G. tuberculata d'Orb., BANDY 60.

†Rauserites subgen. n. (p.1637) (in gen. Triticites: type not indicated), Upper Carboniferous, Rozovskaja C.R. Acad. Sci. USSR (N.S.) 59 1948 pp. 1635–1638 figs.

†Rectobolivina gasparensis sp. n. Upper Oligocene; R. glabra sp. n. Middle Miocene, Dominican Republic, BERMÚDEZ 99.

†Recurvoides azuaensis, trincherasensis spp. n. Upper Oligocene, Dominican Republic, Bermúdez 99.

†Reinholdella Brotzen 1948; genotype originally designated as Asterigerina dreheri (Bartenstein) of ten Dam & Reinhold 1941 [1942]; genotype should be R. dreheri (Bartenstein) = Discorbis dreheri Bartenstein 1937, A. d. being a synonym of this, BROTZEN 130.

†Reophax acosta sp. n. Upper Miocene, Dominican Republic, Bermúdez 99; †R. payenborchella sp. n. Upper Tertiary, Java, Boomgaart 110; †R. angoti sp. n. Miocene, France, Cavillier & Szakall 229.

†Reussella costata sp. n. Eocene, Louisiana, Hussey 474; †R. moodysensis sp. n. Eocene, Alabama, Bandy 60; †R. aegyptiacus sp. n. [nom. nud.] Paleocene or Cretaceous, Egypt, Nakkady 676.

†Robertina howei sp. n. Eocene, Louisiana, Hussey 474.

†Robulus abuillotensis sp. n. Lower Eccene, Haiti; R. acosta, bulbosus, dissimilis, guazumalensis, intusvortex, trinae, yaguatensis spp. n. Upper Oligocene; R. caritae, cristobalensis spp. n. Middle Oligocene; R. platensis sp. n. Middle Miocene; R. yaguensis sp. n. Middle & Upper Miocene,

Dominican Republic, BERMÚDEZ 99; †R. bonnardi sp. n. Eocene, R. aquitanicus sp. n. Eocene to Miocene, France, Cuvillier & SZAKALL 229; †R. davisi, euglypheus [for (?) R. dumblei Cushmann 1946 Weinzierl & Applin)], rectidorsatus spp. n. Eccene, Alabama, BANDY 60; $\dagger R$. limbatus, trochoides, umbonatus, translucidus spp. n. Eocene, Louisiana, HUSSEY 474; $\dagger R$. [mis-spelled Kobulus] mellahensis var. n. obesus [nom. nud.] Paleocene & Cretaceous, Egypt, NAKKADY 676.

†Rotalia similis sp. n. Oligocene, Alabama, BANDY 60.

†Rotalipora cushmani (Morrow) [for Globorotalia cushmani Morrow 1934, et syn.]; R.c. var. n. evoluta Cretaceous Algeria; R. globotruncanoides sp. n. Cretaceous [no loc. given], Sigal 917.

†Rotorbinella Bandy to include Rotalia rosea d'Orb. and R. tholus Galloway & Heminway, BERMÚDEZ 99; †R. packardi sp. n. Oligocene, Alabama, BANDY 60.

†Rugofusalina incaica sp. n. Permian, Peru, Roberts 827.

†Saracenaria ornatula var. n. regia Eocene; S. stavensis sp. n. Oligocene, Alabama, Bandy 60; †S. dohmi sp. n. Upper Oligocene; S. italica var. n. maoensis Upper Miocene; S. toddae sp. n. [nom. n. for S. cushmani D. K. Palmer 1945 (non Tappan)] Middle Miocene, Dominican Republic, BERMÚDEZ 99; †S. perforata, parva, limbata spp. n. Eocene, Louisiana, HUSSEY 474.

†Schenckiella Thalmann to include Listerella antillarum Cushman 1936, 1937 [= Clavulina communis Flint 1897 (partim) (non d'Orb.)], Clavulina bramlettei Cushman 1929 (= Listerella Cushman 1937), Listerella cojimarensis Palmer 1940, Verneuilina cyclostoma Galloway & Morrey 1929 (= Clavalina Cushman 1929 and Listerella Cushman 1937) [= Clavulina pallida Galloway & Morrey (non Cushman)], Listerella gracillina Cushman & Bermúdez 1937 et. syn., Tertiary, Bermúdez 99.

†Schubertella australis sp. n. Permian, Maracaibo basin, Thompson & Miller 1003.

†Schwagerina belajensis, ellipsoides, sterlitamakensis spp. n.; S. andelsoni var. n. fusieides, Upper Carboniferous Urals, Russia, Grosdilova 411; †S. brouweri sp. n. [for (?) Fusulina granum-avenae Schubert 1915 (partim)] Permain, Timor, Thompson 1002; †S. oxia, tintersis, bowmani spp. n. Permain, Peru, Roberts 827; †Schwagerina? hedbergi sp. n. Permian, Maracaibo basin, Thompson & Miller 1003.

†Sigmoidella lisbonensis sp. n. Eccene, Alabama, Bandy 60.

†Sigmoilina cibaoensis, dominicana, maoensis, rustica spp. n. Middle Miocene; S. hispaniolana sp. n. Upper Oligocene, Dominican Republic, BERMÚDEZ 99.

†Siphogenerina spinulosa sp. n. Eccene, Louisiana, Hussey 474; †S. solitaria sp. n. Eccene, Peru, Cushman & Stone 224; †S. acuta, spinea, stonei, taberana spp. n.; S. transversa var. n. horquetensis Middle Oligocene, Bermúdez 99; †S. esnehensis sp. n. [nom. nud.] Paleccene or Cretaceous, Egypt, Nakkady 676.

†Siphogenerinoides oveyi sp. n. [nom. nud.] compressa var. n. [nom. nud.] Paleocene or Cretaceous, Egypt, NAKKADY 676.

†Siphonclavalina gen. n. (p. 43) trigona sp. n. (genotype) Eocene. Italy, Silvestri Bol. Soc. geol. ital, 66 (1) 1948 pp. 43-45 fig.

†Siphonina cibaoensis sp. n. Upper Miocene, Dominican Republic, BERMÚDEZ 99; †S. umbonata sp. n. Eocene, Louisiana, Hussey 474.

†Siphoninella parva sp. n. Eccene, Louisiana, Hussey 474.

†Siphonodosaria to include the following: Ellipsonodosaria dentaliformis Cushman & Jarvis, E. gracilis Palmer & Bermúdez, E. modesta Bermúdez, E. nuttalli Cushman & Jarvis [= Nodosaria abyssorum Guppy 1904 (non Brady)], E. n. var. gracillima Cushman & Jarvis, E. verneuili (d'Orb.) var. paucistriata [=S. paucistriata], E. recta Palmer & Bermúdez Dentalina verneuili d'Orb., Bermúdez 99.

†Siphosigmoilina gen. n. (p. 361) (genotype Spiroloculina tateana Mowchin 1889) Miocene, Australia, PARR J. Min. Geol. Dept. Mines, Victoria 2 (6) 1942 pp. 361-363.

†Sphaeroidina ciperana sp. n. [for S. variabilis Cushman & Stainforth 1945 (non Reuss)] Oligocene, Trinidad B.W.I.; S. compacta sp. n. [for S. bulloides Cushman 1914 (non d'Orb.)] Yucatan Channel; S. nitida sp. n. [for S. bulloides Cushman 1921 (non d'Orb.)] Phillipines; S. compressa sp. n. [for S. bulloides Cushman 1919 (non d'Orb.)] waters of New Zealand & New South Wales, CUSHMAN & TODD 226.

†Spiroloculina lamposa sp. n. Eocene, Louisiana, Hussey 474; †S. toddae sp. n. Middle Oligocene, Dominican Republic, BERMÉDEZ 99; †S. lisbonensis sp. n. Eocene, Alabama, BANDY 60; †S. eocenica sp. n. Eocene, France, Cuvillier & Szakall 229; S. communis var. n. convexa, S. elegantissima, nummiformis spp. n. Red Sea, Said 847.

†Spiroplectammina abuillotensis, caribbeana spp. n. Lower Eocene, Haiti, Bermédez 99; †S. tortuosa sp. n. Upper Tertiary, Java, Boomgaar 110; †S. alabamensis var. n. dimutiva; S. gracilenta, pseudoelongata [for (?) Textularia mississippiensis elongata Davis, 1941] spp. n. Eocene; S. latior sp. n. Oligocene, Alabama, Bandy 60.

†Sporobulimina gen. n. (p. 82) perforata sp. n. (genotype) Upper Cretaceous, N. W. Peru, Stone J. Paleont, Menasha, Wis. 23 (1) 1949 pp. 81–83 figs.

†Sporobuliminella gen.n. (p. 81) stain forthi sp.n. (genotype) Upper Cretaceous, N. W. Peru, Stone J. Paleont., Menasha, Wis. 23 (1) pp. 81-83 figs.

†Stensiöina esnehensis sp. n. [nom. nud.] Paleocene or Cretaceous, Egypt, NAKKADY 676.

†Stichocassidulina peruviana sp. n. Upper Eocene, N. W. Peru, Stone 954.

†Stichocibicides aricki sp. n. Lower Eocene, Haiti, Bermúdez 99. †Stomiosphaera polygona, spinosa spp. n. Cretaceous; S. acculcata sp. n. Cretaceous and Jurassic, Misol, East Indies, VOGLER 1051.

†Streblus dominicana sp. n. Upper Oligocene; S. mineacea sp. n. Upper Miocene, Dominican Republic, BERMÚDEZ 99; †S. tosaensis, takanabensi, ketienziensis, sikokuensis, nakamurai, yabei [for Rotalia schroeteriana Asano 1936 (partim) and 1937 (non Parker & Jones)] spp. n. Neogene and Recent, Japan, ISHIZAKI 483.

†Tetraplasma gen. n. (p. 672) [for Triplasia Reuss 1854, partim] georgsdorfensis sp. n. (genotype) [=Haplophragmium murchisoni Reuss 1891, partim] Lower Cretaceous, Germany, BARTENSTEIN & BRAND J. Paleont. Menasha, Wis. 23 (6) 1949 pp. 669-672 figs.

†Textularia dibollensis var. n. stavensis, Eccene, Alabama, Bandy 60; T. aegyptica sp.n.; T. kerimbaensis sp.n. [nom. n. for T. conica d'Orb. var. corrugata Heron-Allen & Earland 1915 (non T. corrugata Costa), and T. corrugata Cushman 1932 (non Costa) and Lalicker & McCulloch 1940] Kerimba Archipelago and Red Sea: T. cushmani sp. n. Red Sea, SAID 847; $\dagger T$. assimilis **sp. n.** Middle Oligocene; T. dominicana sp. n. Middle Miocene; T. hispaniolana sp. n. Upper Oligocene; T. palmerae sp. n. Lower Miocene; T. yaguatensis sp. n. Upper Oligocene; T. yasicaensis sp. n. Middle Miocene, Dominican Republic, Bermúdez 99; †T. negra, rubra spp. n. Upper Tertiary, Java, BOOMGAART 110; †T. vautrini, aquitanica spp. n. Miocene, France, CUVILLIER & SZAKALL 229.

†Textulariella polygona sp. n. Eocene, Louisiana, Hussey 474.

†Thalmanninella gen.n. (p. 101) brotzeni sp.n. (genotype) Cretaceous, Algeria, Sigal Rev. Inst. Français Pétrol 3 (4) 1948 pp. 95-103 figs.

†Triloculina subrotunda[=cf.T. rotunda var. Howe and Wallace, 1932], subtumidifrons spp. n. Eocene, Alabama, Bandy 60; T. asymmetrica sp. n. Red Sea, Said 847; †T. pinguis sp. n. [nom. n. for T. subrotunda Bandy 1949 preoc. Vermicularium subrotundum Montagu 1803 (=T. subrotundum (Montagu)] Bandy 62.

†Trimosina guraboensis sp. n. Middle Miocene, Dominican Republic, Bermúdez 99.

†Tritaxilina suturata sp. n. Middle Oligocene; T. yasicaensis sp. n. Middle Miocene, Dominican Republic, Bermúdez 99.

†Triticites subdivided into 4 subgenera: Montiparus subgen. n. [type T. (M.) montiparus], Triticites subgen. n. [type T. (T.) secalicus], Rauserites subgen. n. (type not indicated), Jigulites subgen. n. [type T. (J.) jigulensis] Rozovskaja C. R. Acad. Sci. U.S.S.R. (N.S.) 59 1948 pp. 1635–1638 figs. †Triticites subgen. n. (pp. 1637) (type Triticites secalicus), Upper Carboniferous, Rozovskaja C. R. Acad. Sci. U.S.S.R. (N.S.) 59 1948 pp. 1635–1638 figs. †Triticites pillahuarensis, pajerensis, peruensis spp. n.; T. nitens subsp. n. subnitens Permian Peru, Roberts 827.

†Trochalina arabica sp. n. [nom. n. for T. intermedia Henson 1948 preoc. Frentzen 1941], HENSON 441.

†Trochammina trincherasensis sp. n. Upper Oligocene, Dominican Republic, BERMÚDEZ 99; †T. asagaiensis sp. n. Oligocene, Japan, Asano 45.

†Truncorotalia subgen. n. Globorotalia) (p. 35) (subgenotype Rotalina truncatulinoides d'Orb.), fossil and recent; spp. included G. (T.)truncatulinoides (d'Orb.), hirsuta d'Orb., crassata (Cushman), and varr. aequa Cushman & Renz and densa (Cushman), aragonensis Nuttall, wilcoxensis Cushman & Ponton and var. acuta Toulmin; T. brödermanni sp. n. Eocene, Cuba; G. (T.) spinulosa Cushman, velascoensis (Cushman), Cushman & Bermúdez, Contr. Cushman Labs. Foram. 25 (2) 1949 pp. 26-45 figs.

†Turborotalia subgen. n. (of Globorotalia) (p. 42) (subgenotype G. centralis Cushman & Bermudez), fossil and recent; spp. included Globorotalia (T.) punctulata (d'Orb.), cerro-azulensis (Cole), oceanica sp. n. [for Pulvinulina crassa Brady 1884 (non Rotalina crassa d'Orb.)], mayeri Cushman & Ellisor, centralis Cushman & Bermúdez, Cushman & Bermúdez, Cushman & Bermúdez, Cushman Lab. Foraminif., Sharon, Mass. 25 (2) 1949 pp. 26-45 figs.

†Uvigerina microspinosa sp. n. Eocene, Alabama, Bandy 60; †U. subfusiformis sp. n. Eocene, Louisiana, Hussey 474; †U. minuta sp. n. Eocene, Peru, Cushman & Stone 224: U. shukrii, toddae spp. n. Red Sea, SAID 847; $\dagger U$. azuana sp. n. Lower Miocene; U. banicaensis, comendadorensis, gasparensis, incisa, laeviapicata, nana, viaensis spp. n. Upper Oligocene; U. bealli, hispaniolana, spp. n.; U. taberana sp. n. baitoana var. n., wooodringi sp. n. obsoleta var. n. Middle Oligocene; U. gnayacanensis sp. n. Lower Oligocene; U. maoensis sp. n. [for U. beccarii Coryell & Rivero 1940 (non Fornasini], quisqueyana sp. n. Upper Miocene; U. rivasensis sp. n. Middle Miocene, Dominican Republic, Bermúdez 99.

†Uvigerinella subquadrata sp. n. Eocene, Louisiana, Hussey 474.

†Valvulammina picardi sp. n. Cretaceous, Middle East, Henson 440.

†*Valvulina kitchini* sp. n. Eocene, Middle East, Henson **440**.

†Valvulinella wellingsi, jurassica spp. n. Jurassic, Middle East, Henson 440.

†Valvulineria gasparensis sp. n. Upper Oligocene, Dominican Republic; V. haitiana sp. n. Lower Eccene, Haiti, Bermúdez 99; †V. gracilis sp. n. Eccene, Louisiana, Hussey 474; †V. esnehensis sp. n. [nom. nud.] Paleccene or Cretaceous, Egypt, Nakkady 676; †V. suturalis sp. n. Eccene, Peru, Cushman & Stone 224; †V. danvillensis var. n. gyroidinoides; V. jacksonensis var. n. persimilis Eccene, Alabama, Bandy 60.

†Verneuilina polonica sp.n.Jurassic Poland, Cushman & Glazewski 221; †V. nana sp.n. Upper Oligocene; V. yaguensis sp.n. Upper Miocene, Dominican Republic, Bermúdez 99.

†Verneuilinoides gen. n. (p. 90) (genotype Verneulina schizea Cushman & Alexander) Lower Cretaceous, Kansas, Loeblich & Tappan J. Wash. Acad. Sci. 39 (3) 1949 pp. 90–92 [no figs.]

†Virgulina diversa sp. n. Eocene, Peru, Cushman & Stone 224; †V. dominicana sp. n. Upper Oligocene, Dominican Republic, Bermúdez 99; † V. dibollensis var. n. subtransversalis [for V. d. Cushman 1937 (non fig. 20)]; V. polymorphinoidea sp. n. Eocene, Alabama, Bandy 60; V. ishikiensis sp. n. Miocene, Japan, Asano 44; † V. spinulosa, regularis spp. n. Eocene, Louisiana, Hussey 474; † V. jurassica sp. n. Jurassic, Poland, Cushman & Glazewski, 221.

†Vulvulina dominicana sp. n. Middle Miocene; V. (?) vallensis sp. n. Middle Eccene, Dominican Republic, BERMÚDEZ 99; †V. dermouti sp. n. Upper Tertiary, Java, Boom-GAART 110.

†Webbinella cretacea sp. n. Upper Cretaceous, Holland, HOFKER 458.

(d) Heliozoa

[No record]

(e) Radiolaria

†Radiolaria from the Eccene, Belgium, Pastiels 739.

†Jurassic-Triassic radiolaria of Japan, Kimura **521**.

†Permo-Triassic or Triassic radiolaria of Japan, Kimura **522**.

†Radiolaria from ? Jurassic, Japan, Kimura **523.**

†Cannosphaeropsis reticulensis sp. n. Eocene, Belgium, Pastiels 739.

2.—MASTIGOPHORA

The flagellum as a taxonomic character in Mastigophora and trends based on it, OWEN 718.

List of Flagellates recorded from caecum of ground squirrels, Citellus spp., Kirby & Honigherg 528.

A. PHYTOMASTIGINA

Phytomastigina of Danish pools and lakes, Nyggaard 701.

Eugleninae and Chrysomonadinae from freshwater, Russia, Korshikov 540.

(a) Chrysomonadida

Rhizopod like Chrysophyecae of Europe, Pascher 735.

Actiniscus in the Adriatic and Tyrrhenian Seas, Zanon 1125.

Chrysamoeba extensa, pyrenoidifera spp. n. from swamp and culture, Russia, Korshikov 540.

Chrysosphaerella brevispina sp. n. from in pools, Russia, Korshikov 540.

Diplosigopsis elongata sp. n. on planktonic diatoms, freshwater, Bohemia, Forr 345.

Monadendron gen. n. (p. 82) distans sp. n. freshwater, Germany, Pascher Arch, Protistenk, Jena 96 (1) 1942 pp. 75–108 figs.

†Noctyocha gen. n. (p. 673) insolita sp. n. (type) from Sicilian Miocene, and its affinities, Deflandre C. R. Acad. Sci., Paris 229 1949 pp. 673-4 figs.

Ochrostylon gen. n. (p. 80) epiplankton sp. n. (genotype) freshwater, Germany, Pascher Arch. Protistenk. Jena 96 (1) 1942 pp. 75-108 figs.

Oicomonas epiphytica sp. n. on Cyclotella freshwater,. Jugoslavia, Fort 345.

Peltomonas gen. n. (p. 76) volitans sp. n. from spring bog, near Prague, Vlk Arch. Protistenk, Jena, 95 1941 pp. 76-80 figs.

Saccochrysis gen. n. (p. 35) piriformis, breviciliata spp. n. from bogs, Russia, Korshikov Arch. Protistenk. Jena 95 (1) 1941 pp. 22-44 figs.

†Silicoflagellates from the Eccene, Belgium, Pastiels 739.

Stipitochrysis gen. n. (p. 38) monoshiza sp. n. from bog and in lake, Russia, Korshikov Arch, Protistenk. Jena 95 (1) 1941 pp. 22-44 figs.

Stokesiella minutissima sp. n. on Microcystis, freshwater, Bohemia, Fort 345.

Synochromonas gracilis sp. n. from river, Russia, Korshikov 540.

Synura splendida sp. n. from pools and lakes, Russia, Korshikov 540.

(b) Cryptomonadida

Chroomonas breviciliata sp. n.; C. nordstedtii form. n. minor freshwater, Denmark, Nygaard 701.

Cryptochrysis minor sp. n. freshwater, Denmark, Nygaard 701.

(c) Dinoflagellata

Icelandic dinoflagellates, PAULSEN 741.

†Dinoflagellates from the Eocene, Belgium, Pastiels 739.

Dihoflagellates of Rott-Tal-Kreise, south Germany, BAUMEISTER 78.

Dinoflagellates of S. Martinho do Porto Bay, Portugal, Sousa e Silva & Santos-Pinto 938.

Amallocystis fagei sp. n. parasitic on Euphausia spp. (Crustacea), Boschma 114.

Amplidinium coprosum sp. n. meadow swamps, Germany, BAUMEISTER 75.

Dinophysis granii sp. n. [nom. n. for D. granulata Gran 1902 (non Cleve), and D. arctica Hj. Broch 1910 (non Mereschk)]; D. subcircularis sp. n. [nom. n. for D. acuminata var. granulata Jørgensen 1900 (non Claparède & Lachmann)]; D. islandica borealis, skagi, amygdalis spp. n.; D. lachmanni sp. n. [for D. acuminata Jørgensen 1899 (non Claparède & Lachmann); P. Lindemann 1924; Lebour 1925; P. Dangeard 1926; Martin 1928 (non Böhm nec D. vanhoffenii Cleve)] Icelandic waters, Paulsen 741.

Gymnodinium acidotum sp. n; G. excavatum var. n. dextrorsum; G. inversum var. n. elongatum freshwater, Denmark, Nygaard 701; G. aesculum, terrum spp. n. meadow swamps, Germany, BAUMEISTER 75.

Kolkwitziella salebrosa Lindemann found to be identical with Diplopsalis acuta (Apstein) Entz, Baumeister 79.

Massartia pratensis sp. n. meadow swamps, Germany, BAUMEISTER 75.

Peridinium pentagonoides sp. n. [?South Atlantic], Balech 56.

Stylodinium tarnum sp. n. wood swamps, Germany, Baumeister 76.

(d) Euglenoidida

Chrysotilos tatrica sp. n. mountain ponds, Carpathians, Poland, Czosnowski 231.

Cyanophora tetracyanea sp. n. from river, Russia, Korshikov 540.

Euglena phacoides sp. n. freshwater, Denmark, Nygaard 701; E. convoluta, torta spp. n. freshwater, Russia, Korshikov 540; E. neustonica sp. n. freshwater, Germany, Gessner 386.

Lepocinclis fusiformis var. n. amphirhynchus freshwater, Denmark, Nygaard 701; L. spirogyra sp. n. from river, Russia, Korshikov 540.

Phacus anomalus var. n. pullus gallinae; P. manginii var. n. inflatus; P. snecicus var. n. inermis freshwater, Denmark, Nygaard 701;.

Trachelomonas chlamydophora sp. n. freshwater, Denmark, Nygaard 701.

(e) Phytomonadida

Carteria agloëformis, fornicata, polysticta, stellifera spp. n. freshwater, Denmark, Nygaard 701.

Chlamydomonas anulata, bergii, capitis, clavata, excentrica, oleosa spp. n. freshwater, Denmark, Nygaard 701.

Platymonas incisa sp. n. freshwater, Denmark, Nygaard 701.

Pteromonas spinosa sp. n. freshwater, Denmark, Nygaard 701.

B. ZOOMASTIGINA

(f) Protomonadida

Arthrochrysis gen. n. (p. 98), leptopus, pallida spp. n. freshwater, Germany, Pascher Arch. Protistenk. Jena 96 (1) 1942 pp. 75-108 figs.

Arthropyxis gen. n. (p. 99), (genotype Stokesiella annulata Skuja) freshwater, Germany, PASCHER Arch. Protistenk. Jena, 96 (1) 1942 pp. 75–108 figs.

Bicoeca turrigera sp. n. freshwater, Denmark, Nygaard 701.

Cladonema pauperum sp. n. freshwater, Germany, Pascher 736.

Codonobotrys gen. n. (p. 101), physalis sp. n. freshwater, Germany, Pascher, Arch. Protistenk. Jena 96 (1) 1942 pp. 75-108 figs.

Codonodendron gen. n. (p. 107), [C. (?) dinobryoideum=Bioeca dinobryoidea Lemmermann] freshwater, Germany, PASCHER Arch. Protistenk. Jens. 96 (1) 1942 pp. 75-108 figs.

Chilomastix wenrichi sp. n. from guinea-pig, C. giganta sp. n. from salamander, U.S.A., NIE 690.

Dimoeriopsis gen. n. (p. 1) destructor sp. n. (near Bodonidae) parasitic in ova of Limnaea sp., France Hollande & Pesson Bull. biol. France-Belg. 79 1945 pp. 1-16 figs.

Histiona aroides sp. n. freshwater, Austrian Alps, Pascher 737.

Leishmania: nomenclature and synonymy of species parasitic in man, Kirk 529.

Stenocodon gen. n. (p. 95) epiplankton sp. n. freshwater, Germany, Pascher Arch. Protistenk. Jena, 96 (1) 1942 pp. 75-108 figs.

Stephanocodon gen. n. (p. 107) irregularis sp. n. freshwater, Germany PASCHER Arch. Protistenk. Jena, 96 (1) 1942 pp. 75-108 figs.

Stomatochone gen. n. (p. 92) infundibuliformis (genotype), epiplankton, cochlear spp. n. freshwater, Germany, Pascher Arch. Protistenk. Jena 96 (1) 1942 pp. 75–108 figs.

Trypanoplasma pseudoscaphirhynchi sp. n. from blood of Pseudoscaphirhynchus kaufmanni, U.S.S.R., OSTROUMOV 712.

Trypanosoma: classification of mammalian species, Hoare 452; Key to species of mammalian trypanosomes, Hoare 455; Trypanosoma cebus sp. n. from Cebus fulvus (?), French Guiana, Floch & Abonnenc 336.

(g) Trichomonadida

Caduceia kofoidi sp. n. from Glyptotermes, Brit. Guiana, Kirby 525.

Devescovina cuneata, D. cuneata D. minor spp. n. from termites, KIRBY 525.

Foaina inflata, F. serrata spp. n. from Neotermes, El Salvador, KIRBY 525.

Hyperdevescovina: key to spp., Kirby 525; H. calotermitidis comb. n. (for Caduceia calotermitidis Nurse, 1945), H. caudata, H. mitrata, H. riciniata, H. insignata, H. balteata, H. falcifera, H. torquata spp. n. from termites, Kirby 525.

Macrotrichomonas directa, M. emersoni spp. n. from termites, KIRBY 525.

Monocercomonoides pilleata sp. n. from caecum of ground squirrels Citellus spp., U.S.A., Kirby & Honigberg 528.

Trichomonas gallinae (Rivolta, 1878) Stabler, 1930: discussion of nomenclature and synonymy, JAQUETTE 488; T. wenyoni sp. n. from rats and hamsters, U.S.A., WENRICH 1946 (omitted from Z.R. lxxxiii, Sect. 2, 1131.).

(h) Hypermastigida

Holomastigotoides tusitala, H. diversa spp. n. from termites Prorhinotermes spp., Cleveland 184.

(i) Diplomonadida

Hexamitus teres sp. n. from caecum of ground squirrels, Citellus spp., U.S.A., KIRBY & HONIBERG 528.

(j) Polymonadida

[No record]

Mastigophora insertae sedis

†Hystrichosphaeridae from the Eocene, Belgium, Pastiels 739.

†Hystrichosphaeridium geometricum sp. p. Eocene, Belgium, Pastiels 739.

†Micrhystridium multispinosum sp. n. Eocene, Belgium, Pastiels 739.

3. SPOROZOA

A. COCCIDIOMORPHA

(a) Gregarinida

Actinocephalus histolyticus sp. n. from beetle Laemostenus algerinus, Italy, Filipponi 326.

Diplocystis oxycani sp. n. from moth Oxycanus cervinatus, New Zealand, Dumbleton 277.

Endocryptella gen. n. (p. 221) ghidini, elongata spp. n. from beetles Pterostichus and Calathus respectively Italy, Moriggi Arch. Protistenk. 96 1943 pp. 221–234 figs.

Gigaductidae fam. n. to include Gigaductus (q. v.), FILIPPONI Arch. Zool. Ital. 33 1948 pp. 293-331 figs.

Gigaductus: validity of genus, its revision, and comparison with related genera; G. macrospora sp. n. from beetle, Laemostinus algerinus, Italy, FILIPPONI 324.

Gregarina hyalellae sp. n. from Amphipod Hyalella azteca, U.S.A. BATTEN & DEGIUSTI 73; G. dimorpha sp. n. from gut of beetle Chlaenius vestitus, Italy, FILIPPONI 323.

Heliospora gen. n. (p. 29) (nom. n. for Gregarina longissima Kölliker, 1848) from gut of Gammarus pulex, Goodrich Q. J. micr. Sc. 90 1949 pp. 27-35 figs.

Lankesteria included in fam. Lecudinidae, Ganapati & Tate 368.

Rotundula gen. n. (p. 33) (nom. n. for Cephaloidophora maculata Léger & Duboscq, 1911) from gut of Gammarus pulex, GOODRICH Q. J. micr. Sc. 90 1949 pp. 27–35 figs.

Stylocephalus gigas, S. reticulatus spp. n. from beetle, Blaps gigas, Italy, FILIPPONI 325.

(b) Coccidiida

Eimeria mohavensis sp. n. from Kangaroo rat, U.S.A., Doran & Jahn 267; E. coecicola sp. n. from domestic rabbit, Russia; with list of other spp. recorded from this host, Cheissin 169.

Pseudohaemogregarina gen. n. ranae sp. n. (type)(p. 21) from blood of Rana nutti E. Africa, AWERINZEW Arch. Protistenk. 95 1941 pp. 15-21 figs.

(c) Haemosporidia

Classification of the Haemosporidia, CORRADETTI 199.

Babesia wrighti sp.n. from ground squirrel, Citellus variegatus, U.S.A. Tomlinson, Smith & Fogg 1013.

Françaiella epsteini sp. n. from ground-squirrel Citellus sp., Central Asia, Zassuchin 1126.

Haemoproteidae: their inclusion in the fam. Plasmodiidae proposed, Corradetti 198.

Piroplasma lemniscomysi sp. n. from rat Lemniscomys striatus, Africa Rousselot 841.

Plasmodiidae: re-definition of family, Ray 791.

Plasmodium oti Wolfson, 1936, regarded as synonyn of P. hexamerium Huff, 1935, MANWELL 612; P. vivax hibernans subsp. n. and P. v. vivax (G. & F. 1890) emend., for strains with long and short incubation periods respectively, Nikolaev 692.

B. CNIDOSPORIDIA

(d) Myxosporidia

Chloromyxum scyliorhinum sp. n. from shark Scyliorhinus torazame, Korean coast, Noble 693.

Myxobolus bengalensis sp. n. from Indian fish, Catla catla, Charravarry & Basu 161.

Thelohanella catlae sp. n. from Indian fish, Catla catla, Chakravarty & Basu 161.

(e) Microsporidia

Key to Microsporidia, with hostlist, Weiser 1076.

Nosema destructor sp. n. from tuberworm (Gnorimoschema), U.S.A. STEINHAUS & HUGHES 946; N. coliadis sp. n. from caterpillar of Colias, Argentina, JAUCH & JAUCH 496.

Plistophora californica sp. n. from tuberworm (Gnorimoschema), U.S.A., STEINHAUS & HUGHES 946.

(f) Actinomyxidia

[No record]

(g) Sarcosporidia

[No record]

(h) · Haplosporidia

Coelomycidium ephemerae sp. n. from larvae of Cloëon (Ephemeridae), Czechoslovakia, Weiser 1077.

Haplosporidium aselli sp. n. from Asellus, Germany, Pflugfflder 753; H. bayeri sp. n., H. ecdyonuris sp. n. from Ephemerid larvae, Czechoslovakia, Wetser 1077.

4. CILIOPHORA

A. OPALINATA

[No record]

B. CILIATA

Ciliates from the Venice lagoon, KIESSELBACH 516.

Freshwater ciliates from Spain, MARGALEF 616.

(a) Holotrichida

Ancistrum macomae sp. n. from gills of molluse Macoma (Tellina) tenuis, Roscoff, Chatton & Lwoff 167.

Anoplophrya stromboides sp. n., A. cavernosa sp. n., A. pelmatoida sp. n., oncodes sp. n., A. longinuclea sp. n., A. macrogongylus sp. n., A. setosa sp. n., A. pachycallyma sp. n., A. ochridensis sp. n., from Oligochaetes, Yugoslavia, Georgévitch 384.

Bütschliella longicollus sp. n., B. subaculeata sp. n. from oligochaete Eiseniella spp., Yugoslavia, Georgévitch 384.

Cheissinia gen. n. [nom. n. for Tiarella Cheissin 1931 preoc. Swainson 1840] (p. 223) [genotype Cheissinia (= Tiarella) baicalensis (Cheissin 1931)], CHATTON & LWOFF Arch. zool. exp. gén. Paris, 86 1949 pp. 169-253 figs.

Cotylothigma gen. n. (p. 55) (nom. n. for Ptychostomum rhynchelmis: genotype) from gut of Rhynchelmis, RAABE Ann. Mus. zool. Polon. 14 (4) 1949 pp. 21–68 figs.

Espejoia, systematic position of, FAURÉ-FREMIET & MUGARD 307.

Glaucoma-Colpidium group, problem of designation, Furgason 357.

Hoplitophrya lituiprimus sp. n. from oligochaete Eiseniella, Yugoslavia, Georgévitch 384.

Hysterocineta cheissini sp. n. from gut of Bithynia tentaculata, Poland, RAABE 777.

Hysterocinetidae: systematic position of the family and its affinities, RAABE 777.

Intoshellina sicyodes sp. n. from oligochaete Limnodrilus, Yugoslavia Georgévitch 384.

Kysthothigma gen. n. (p. 54) (nom. n. for Ptychostomum bacteriophilum: genotype) from Criodrilus, Japan, Raabe Ann. Mus. zool. Polon. 14 (4) 1949 pp. 21-68 figs.

Mesnilella hynnis sp. n., M. aculeata sp. n. from Polychaetes, Yugoslavia, Gеогде́уітсн 384.

Metastomidae **fam. n.** (Holotricha Astomata), Georgévitch Ghlas Srpsk. kralj. Acad., Belgrade **93** 1941 pp. 1–99 figs.

Metastomum gen. n. (p. 40) ochridense sp. n. from Oligochaete Eiseniella sp., Yugoslavia, Georgévittch Ghlas Srpsk. Kralj. Acad., Belgrade 93 1941 pp. 1-99 figs.

Micterothrix rottalensis sp. n. from snow-water filled valley. Germany, BAUMEISTER 77.

Ochridanus gen. n. (p. 72) ocellatus sp. n. from Tubificidae (Oligochaeta), Yugoslavia, Georgévitch Ghlas Srpsk. Kralj. Akad., Belgrade 93 1941 pp. 1-99 figs.

Protophrya ovicola Kofoid does not belong to Ancistrumidae or Thigmotricha, but the same species sensu Cépède is identical with Ancistruma cyclidioides Issel, RAABE 780.

Protoptychostomum gen. n. (p. 35) nom. n. for Ptychostomum simplex (genotype), from intestine of Eiseniella tetraedra, Poland, RAABE Ann. Mus. zool. Polon. 14 (4) 1949 pp. 21-68 figs.

Radiophryopsis gen. n. (p. 69) acanthostephanus sp. n. from Lumbriculidae (Oligochaeta), Yugoslavia Georgévitch Ghlas Srpsk. kralj. Acad., Belgrade 93 1941 pp. 1–99 figs.

Tetrahymena gen.n. (p. 258), geleii sp.n. (genotype) in culture, FURGASON Arch. Protistenk., Jena, 94 (3) 1940 pp. 224-266 figs.

Sieboldiellina acetabulifera sp. n., S. ohridensis sp. n. from Triclada, Yugoslavia, Georgévitch 385.

Thigmotricha: classification and affinities of the suborder, Chatton & Lwoff 167.

(b) Heterotrichida

Marine Heterotrichida from Tristan da Cunha, Dons 266.

Folliculinidae, Key to British forms, Das 242.

Folliculinidae, British records of species, Das 241.

Folliculinopsis elongata sp. n. from coast of England, DAS 242.

Lagotia minor sp. n. attached to Spirorhis South Atlantic, Dons 266.

Nyctotherus cochlearis sp. n. from rectum of Indian frog, Rana curtipes, UTTANGI 1031.

Parafolliculina tristanensis sp. n. attached to ascidians, South Atlantic, Dons 266.

(c) Oligotrichida

Cirrhogaster gen. n. (p. 79), monilifer (genotype) from seaweed surfaces Japanese waters, Ozaki & Yagiu Annot. zool. jap. 21 1942 pp. 79–81 figs.

Tintinnoinea from the coast of Portugal, Sousa e Silva & Santos-Pinto 939.

(d) Entodiniomorpha

[No record]

(e) Hypotrichida

Kiitricha gen. n. (p. 24) marina (genotype) sp. n. from seaweed, Japanese waters, Nozawa Annot. zool. jap. 20 1941 pp. 24–26.

Stichotricha intermedia sp. n. freshwater, London, FROUD 353.

(f) Peritrichida

Listed peritrichs from Heligoland, some noted as new [for description see title 993, Zool. Rec. (2) lxxvi, p. 49] STILLER 952.

Marine Peritrichida from Tristan da Cunha, Dons **266**.

Epistylis trituri sp. n. ectoparasitic on newts, Triturus spp., France FAURÉ-FREMIET 203.

Miculopodium subgen. n. (p. 130) of Vaginicola, type V. cementata sp. n. ectoparasitic on wood-louse Microlistra spinosissima, Yugoslavia, Hadžī Razpr. Mat.-Prirod. Razr. Akad. Znan. Ljubljana 1 1940 pp. 121-148 figs.

Opercularia bathyomphalus, hustedtii spp. n. freshwater, Switzerland, Sommer 932.

Platycola lageniformis sp. n., P. callistoma sp. n., ectoparasitic on wood-louse, Microlistra spinosissima, Yugoslavia, Hadži 415.

Pyxicola psammata sp. n. ectoparasitic on wood-louse, Microlistra spinosissima, Yugoslavia, Hadži 415.

Scyphidia microlistrae sp. n. ectoparasitic on wood-louse Microlistra spinosissima, Yugoslavia, Hadži 415; S. ubiquita sp. n. parasitising ctenidia and mantle cavities of Acmaea, Lottia, Tegula and Fissurella, South California, Hirshfield 449.

Trichochona gen. n. (p. 2) lecythoides sp. n. (type-sp.) ectoparasitic on crustacean Amphitoë, California coast, Mohr Occas. Pap. A Hancock Found. Pub. Los Angeles 5 1948 pp. 1–20 figs.

Trichodina branchicola sp. n. from gills of Teleost fishes, Plymouth; with list of Trichodina spp. and their hosts, Tripathi 1026; T. tegula sp. n. parasitising mantle cavities of two species of Tegula, South California, Hirshffeld 449.

Urceolaria karyolobia sp. n. parasitising mantle cavities of the genera Acmaea and Lottia, South California, HIRSHFIELD 449.

Vaginicola subcylindrica sp. n., V. (Miculopodium subgen. n., q.v.) cementata sp. n. ectoparasitic on wood-louse, Microlistra spinosissima, Yugoslavia, Hadži Razpr. Mat.-Prirod. Razr. Akad. Znan. Ljubljana 1 1940 pp. 121-148 figs; V. oviformis sp. n. attached to ascidians, South Atlantic, Dons 266.

(g) Chonotrichida

Marine Chonotrichida from Tristan da Cunha, Dons 266.

Stylochona sivertseni sp. n. on alga Epymenia, South Atlantic, Dons 266.

C. SUCTORIA

Planktonic Suctoria from Palao [Pewlew Islands], Nozawa 669.

Podophrya parasitica sp. n. ectoparasitic on ciliate, Nassula ornata, France, Fauré-Fremiet 302.

Spathocyathus gen. n. (p. 58) caridina sp. n. (genotype) attached to freshwater shrimp Caridina sp. China, Nie & Lu Sinensa, Nanking 16 1945 pp. 57-64.

Tokophrya bathynellae sp. n. ectoparasitic on crustacea Bathynella spp. Hungary, Chappuis 166.

PROTOZOA INCERTAE SEDIS.

†Cercidina gen. n. (p. 290) supracretacea sp. n. (genotype) [for 'organisme indéterminé' de Lapparent 1918] Cretaceous, Misol, East Indies, Vogler Palaeontographica, Stuttgart, Suppl. 4 (4) (4) 1941 pp. 243-314 figs.

Toxoplasma: discussion of systematic position, Brocca 103.



